Index of Authors and Titles

Abbott, U. K. *See* Grieshammer, U.

Abdelhamid, A *See* Weinberg, E. S.

Aberg, T. *See* Vaahtokari, A.

Adam, G. I. R., Cui, H., Miller, S. J., Flam, F. and Ohlsson, R. Allele-specific in situ hybridization (ASISH) analysis: a novel technique which resolves differential allelic usage of *H19* within the same cell lineage during human placental development **122**, 839

Adamson, E. D. *See* Wu, J.-X.

Adler, P. N. *See* Park, W. J.

Affolter, M. *See* Guillemin, K.

Affolter, M. *See* Montagne, J.

Ahlgren, U., Jonsson, J. and Edlund, H. The morphogenesis of the pancreatic mesenchyme is uncoupled from that of the pancreatic epithelium in IPF1/PDX1-deficient mice **122**, 1409

Ainscough, J. F. X. *See* Furner, I. J.

Aird, W. C. *See* Weiler-Guettler, H.

Akasaka, T., Kanno, M., Balling, R., Mieza, M. A., Taniguchi, M. and Koseki, H. A role for *mel-18*, a Polycomb group-related vertebrate gene, during the anteroposterior specification of the axial skeleton **122**, 1513

Alarid, E. T., Windle, J. J., Whyte, D. B. and Mellon, P. L. Immortalization of pituitary cells at discrete stages of development by directed oncogenesis in transgenic mice **122**, 3319

Albanesi, C., Geremia, R., Giorgio, M., Dolci, S., Sette, C. and Rossi, P. A cell- and developmental stage-specific promoter drives the expression of a truncated c-*kit* protein during mouse spermatid elongation **122**, 1291

Alexander, C. M., Hansell, E. J., Behrendtsen, O., Flannery, M. L., Kishnani, N. S., Hawkes, S. P. and Werb, Z. Expression and function of matrix metalloproteinases and their inhibitors at the maternal-embryonic boundary during mouse embryo implantation **122**, 1723

Alexandre, D., Clarke, J. D. W., Oxtoby, E., Yan, Y.-L., Jowett, T. and Holder, N. Ectopic expression of *Hoxa-1* in the zebrafish alters the fate of the mandibular arch neural crest and phenocopies a retinoic acid-induced phenotype **122**, 735

Alexiou, M. *See* Roffler-Tarlov, S.

Alitalo, K. *See* Kukk, E.

Allard, J. D., Chang, H. C., Herbst, R., McNeill, H. and Simon, M. A. The SH2-containing tyrosine phosphatase corkscrew is required during signaling by sevenless, Ras1 and Raf **122**, 1137

Allende, M. L. *See* Weinberg, E. S.

Alvarado-Mallart, R.-M. *See* Millet, S.

Alvarez, I. S. *See* Ogura, T.

Amaya, E. *See* Kroll, K. L.

Ambros, V. and Euling, S. Reversal of cell fate determination in *Caenorhabditis elegans* vulval development **122**, 2507

Ammann, R. R. *See* Wood, S. A.

Andermann, P. *See* Weinberg, E. S.

Anderson, D. J. *See* Blaugrund, E.

Anderson, K. V. *See* Sulston, I. A.

Anderson, M. G., Certel, S. J., Certel, K., Lee, T., Montell, D. J. and Johnson, W. A. Function of the *Drosophila* POU domain transcription factor Drifter as an upstream regulator of Breathless receptor tyrosine kinase expression in developing trachea **122**, 4169

Anderson, R. *See* Wylie, C.

Andrews, J. E. *See* Kent, J.

Ang, S.-L., Ou, J., Rhinn, M., Daigle, N., Stevenson, L. and Rossant, J. A targeted mouse *Otx2* mutation leads to severe defects in gastrulation and formation of axial mesoderm and to deletion of rostral brain **122**, 243

Antonazzo, L. *See* Russo, G. L.

Antos, C. *See* Larue, L.

Appel, B. *See* Moens, C. B.

Arai, K.-I. *See* Nakagawa, Y.

Arezzo, J. C. *See* Michaelson, M. D.

Ariza-McNaughton, L. *See* Morrison, A.

Ariza-McNaughton, L. *See* Nonchev, S.

Ariza-McNaughton, L. *See* Saldivar, J. R.

Armant, D. R. *See* Stachecki, J. J.

Arnold, H.-H. *See* Grass, S.

Arnosti, D. N., Barolo, S., Levine, M. and Small, S. The eve stripe 2 enhancer employs multiple modes of transcriptional synergy **122**, 205

Arquier, N. *See* Manfruelli, P.

Ashburner, M. *See* Russell, S. R. H.

Ault, K. T., Durmowicz, G., Galione, A., Harger, P. L. and Busa, W. B. Modulation of *Xenopus* embryo mesoderm-specific gene expression and dorsoanterior patterning by receptors that activate the phosphatidylinositol cycle signal transduction pathway **122**, 2033

Bader, D. *See* Wei, Y.

Baker, B. S. *See* Franke, A.

Baker, R. and Schubiger, G. Autonomous and nonautonomous Notch functions for embryonic muscle and epidermis development in *Drosophila* **122**, 617

Ball, E. E. *See* Truman, J. W.

Balling, R. *See* Akasaka, T.

Balling, R. *See* Wallin, J.

Bandyopadhyay, R. *See* Bellaiche, Y.

Banuett, F. and Herskowitz, I. Discrete developmental stages during teliospore formation in the corn smut fungus, *Ustilago maydis* **122**, 2965

Barber, R. P. *See* Phelps, P. E.

Barde, Y.-A. *See* Ockel, M.

Bargmann, C. I. *See* Wightman, B.

Barlow, L. A., Chien, C.-B. and Northcutt, R. G. Embryonic taste buds develop in the absence of innervation **122**, 1103

Barolo, S. *See* Arnosti, D. N.

Baron-Van Evercooren, A. *See* Murphy, P.

Barrow, J. R. and Capecchi, M. R. Targeted disruption of the *Hoxb-2* locus in mice interferes with expression of *Hoxb-1* and *Hoxb-4* **122**, 3817

Barth, C. *See* Joseph, S. J.

Bartlett, P. F. *See* Joseph, S. J.

Bartlett, P. F. *See* Reid, K.

Bartunek, P. *See* Briegel, K.

Bashaw, G. J. *See* Franke, A.

Basler, K. *See* Burke, R.

Bastiani, M. J. *See* Seaver, E. C.

Beckendorf, S. K. *See* Kuo, Y. M.

Becker, T. S., Bothe, G., Berliner, A. J. and Macagno, E. R. Identified central neurons convey a mitogenic signal from a peripheral target to the CNS **122**, 2331

Behrendtsen, O. *See* Alexander, C. M.

Bei, M. *See* Chen, Y.

Bellaiche, Y., Bandyopadhyay, R., Desplan, C. and Dostatni, N. Neither the homeodomain nor the activation domain of Bicoid is specifically required for its down-regulation by the Torso receptor tyrosine kinase cascade **122**, 3499

Bellini, C. *See* Desnos, T.

Bellusci, S., Henderson, R., Winnier, G., Oikawa, T. and Hogan, B. L. M. Evidence from normal expression and targeted misexpression that *Bone Morphogenetic Protein-4* (*Bmp-4*) plays a role in mouse embryonic lung morphogenesis **122**, 1693

Benson, G. V., Lim, H., Paria, B. C., Satokata, I., Dey, S. K. and Maas, R. L. Mechanisms of reduced fertility in *Hoxa-10* mutant mice: uterine homeosis and loss of maternal *Hoxa-10* expression **122**, 2687

Berg, C. A. *See* Horowitz, H.

Berg, L. K., Chen, S. W. and Wessel, G. M. An extracellular matrix molecule that is selectively expressed during development is important for gastrulation in the sea urchin embryo **122**, 703

Berger, J. *See* Laux, T.

Bergsten, S. E. *See* Gavis, E. R.

Berliner, A. J. *See* Becker, T. S.

Bermingham-McDonogh, O., McCabe, K. L. and Reh, T. A. Effects of GGF/neuregulins on neuronal survival and neurite outgrowth correlate with erbB2/neu expression in developing rat retina **122**, 1427

Bernex, F., De Sepulveda, P., Kress, C., Elbaz, C., Delouis, C. and Panthier, J.-J. Spatial and temporal patterns of c-*kit*-expressing cells in $W^{lacZ}/+$ and W^{lacZ}/W^{lacZ} mouse embryos **122**, 3023

Bernstein, A. *See* Partanen, J.

Berridge, M. J. *See* McGuinness, O. M.

Bertuccioli, C., Fasano, L., Jun, S., Wang, S., Sheng, G. and Desplan, C. In vivo requirement for the paired domain and homeodomain of the *paired* segmentation gene product **122**, 2673

Bettinger, J. C., Lee, K. and Rougvie, A. E. Stage-specific accumulation of the terminal differentiation factor LIN-29 during *Caenorhabditis elegans* development **122**, 2517

Beug, H. *See* Briegel, K.

Bhat, K. M. The *patched* signaling pathway mediates repression of *gooseberry* allowing neuroblast specification by *wingless* during *Drosophila* neurogenesis **122**, 2921

Bhat, K. M., Farkas, G., Karch, F., Gyurkovics, H., Gausz, J. and Schedl, P. The GAGA factor is required in the early *Drosophila* embryo not only for transcriptional regulation but also for nuclear division **122**, 1113

Bianchi, L. M., Conover, J. C., Fritzsch, B., DeChiara, T., Lindsay, R. M. and Yancopoulos, G. D. Degeneration of vestibular neurons in late embryogenesis of both heterozygous and homozygous *BDNF* null mutant mice **122**, 1965

Bienz, M. *See* Hart, K.

Bienz, M. *See* Yu, X.

Bier, E. *See* Yu, K.

Bieri, P. L. *See* Michaelson, M. D.

Biggin, M. D. *See* Laney, J. D.

Bihs, B. *See* Yu, K.

Birling, C. *See* Fromental-Ramain, C.

Bissell, M. J. *See* Lund, L. R.

Bissen, S. T. and Smith, C. M. Unequal cleavage in leech embryos: zygotic transcription is required for correct spindle orientation in a subset of early blastomeres **122**, 599

Blackman, R. K. *See* Twombly, V.

Blackman, R. K. *See* Yu, K.

Blanchette-Mackie, J. *See* Rankin, T.

Blaschke, A. J., Staley, K. and Chun, J. Widespread programmed cell death in proliferative and postmitotic regions of the fetal cerebral cortex **122**, 1165

Blaugrund, E., Pham, T. D., Tennyson, V. M., Lo, L., Sommer, L., Anderson, D. J. and Gershon, M. D. Distinct subpopulations of enteric neuronal progenitors defined by time of development, sympathoadrenal lineage markers and *Mash-1*-dependence **122**, 309

Bleckmann, S. C. *See* Kaestner, K. H.

Bleecker, A. B. *See* Grbic, V.

Bloch-Gallego, E. *See* Millet, S.

Blumberg, B. *See* Mullen, L. M.

Blumenstock, C. *See* Onichtchouk, D.

Bogler, O. *See* Shawber, C.

Bokor, P. and DiNardo, S. The roles of *hedgehog*, *wingless* and *lines* in patterning the dorsal epidermis in *Drosophila* **122**, 1083

Boncinelli, E. *See* Pellegrini, M.

Bonkovsky, J. L. *See* Callahan, C. A.

Bonnerot, C. *See* Nicolas, J. F.

Bontoux, M. *See* Monsoro-Burq, A.-H.

Bopp, D., Calhoun, G., Horabin, J. I., Samuels, M. and Schedl, P. Sex-specific control of *Sex-lethal* is a conserved mechanism for sex determination in the genus *Drosophila* **122**, 971

Bornemann, D., Miller, E. and Simon, J. The *Drosophila Polycomb* group gene *Sex comb on midleg* (*Scm*) encodes a zinc finger protein with similarity to polyhomeotic protein **122**, 1621

Bosenberg, M. *See* Christensen, S.

Bossinger, G. and Smyth, D. R. Initiation patterns of flower and floral organ development in *Arabidopsis thaliana* **122**, 1093

Bothe, G. *See* Becker, T. S.

Boucaut, J.-C. *See* Launay, C.
Bourcheix, L.-M. *See* Pardanaud, L.
Bourouis, M. *See* Heitzler, P.
Bovolenta, P. *See* Frade, J. M.
Bowerman, B. *See* Shelton, C. A.
Boyd, L. *See* Watts, J. L.
Boyd, L., Guo, S., Levitan, D., Stinchcomb, D. T. and Kemphues, K. J. PAR-2 is asymmetrically distributed and promotes association of P granules and PAR-1 with the cortex in *C. elegans* embryos **122**, 3075
Boyde, A. *See* Hayman, A. R.
Brabant, M. C., Fristrom, D., Bunch, T. A. and Brower, D. L. Distinct spatial and temporal functions for PS integrins during *Drosophila* wing morphogenesis **122**, 3307
Bradley, A. *See* Zhang, H.
Bradley, D., Vincent, C., Carpenter, R. and Coen, E. Pathways for inflorescence and floral induction in *Antirrhinum* **122**, 1535
Bradley, L., Wainstock, D. and Sive, H. Positive and negative signals modulate formation of the *Xenopus* cement gland **122**, 2739
Braun, T. *See* Grass, S.
Bray, S. *See* de Celis, J. F.
Bray, S. J. *See* de Celis, J. F.
Brehm, A. *See* Yeom, Y. I.
Brickell, P. *See* Monsoro-Burq, A.-H.
Brickell, P. M. *See* Duprez, D. M.
Brickell, P. M. *See* Reissmann, E.
Briegel, K., Bartunek, P., Stengl, G., Lim, K.-C., Beug, H., Engel, J. D. and Zenke, M. Regulation and function of transcription factor GATA-1 during red blood cell differentiation **122**, 3839
Britton, J. S. *See* Morimoto, A. M.
Brivanlou, I. H. *See* Henry, G. L.
Brock, D. A. *See* Wood, S. A.
Brock, D. A., Buczynski, G., Spann, T. P., Wood, S. A., Cardelli, J. and Gomer, R. H. A *Dictyostelium* mutant with defective aggregate size determination **122**, 2569
Bronner-Fraser, M. *See* Saldivar, J. R.
Brower, D. L. *See* Brabant, M. C.
Browning, H. and Strome, S. A sperm-supplied factor required for embryogenesis in *C. elegans* **122**, 391
Bryant, S. V. *See* Mullen, L. M.
Buckingham, M. *See* Cossu, G.
Buczynski, G. *See* Brock, D. A.
Bunch, T. A. *See* Brabant, M. C.
Burke, A. C. *See* Nelson, C. E.
Burke, R. and Basler, K. Dpp receptors are autonomously required for cell proliferation in the entire developing *Drosophila* wing **122**, 2261
Burt, D. *See* Patel, K.
Busa, W. B. *See* Ault, K. T.
Butz, S. *See* Larue, L.
Caboche, M. *See* Desnos, T.
Cadigan, K. M. and Nusse, R. *wingless* signaling in the *Drosophila* eye and embryonic epidermis **122**, 2801
Cagan, R. L. *See* Dokucu, M. E.
Caldero, J. *See* McKay, S. E.
Calfon, M. *See* Meeson, A.
Calhoun, G. *See* Bopp, D.
Callahan, C. A., Bonkovsky, J. L., Scully, A. L. and Thomas, J. B. *derailed* is required for muscle attachment site selection in *Drosophila* **122**, 2761
Calley, J. *See* Manseau, L.
Campanelli, J. T., Gayer, G. G. and Scheller, R. H. Alternative RNA splicing that determines agrin activity regulates binding to heparin and α-dystroglycan **122**, 1663
Camper, S. A. *See* Gage, P. J.
Campos-Ortega, J. A. *See* Muller, M.
Cancedda, R. *See* Levi, G.
Canipari, R. *See* Pesce, M.
Cantera, R. *See* Samakovlis, C.
Capecchi, M. R. *See* Barrow, J. R.
Capecchi, M. R. *See* Davis, A. P.
Capecchi, M. R. *See* Goddard, J. M.
Cardelli, J. *See* Brock, D. A.
Carland, F. M. and McHale, N. A. *LOP1*: a gene involved in auxin transport and vascular patterning in *Arabidopsis* **122**, 1811
Carlisle, C. *See* Nagamine, C. M.
Carlton, M. B. *See* Hayman, A. R.
Carnac, G. *See* Stennard, F.
Carnac, G., Kodjabachian, L., Gurdon, J. B. and Lemaire, P. The homeobox gene *Siamois* is a target of the Wnt dorsalisation pathway and triggers organiser activity in the absence of mesoderm **122**, 3055
Carpenter, E. M. *See* Seaver, E. C.
Carpenter, R. *See* Bradley, D.
Carrington, E. A. and Jones, R. S. The *Drosophila Enhancer of zeste* gene encodes a chromosomal protein: examination of wild-type and mutant protein distribution **122**, 4073
Carrington, M. *See* Sweeney, C.
Carroll, S. B. *See* Grbic, M.
Carteret, C. *See* Heitzler, P.
Caruccio, P. *See* Phillis, R.
Casanova, J. *See* Furriols, M.
Catala, M. *See* Pardanaud, L.
Catala, M., Teillet, M.-A., De Robertis, E. M. and Le Douarin, N. M. A spinal cord fate map in the avian embryo: while regressing, Hensen's node lays down the notochord and floor plate thus joining the spinal cord lateral walls **122**, 2599
Cepko, C. L. *See* Golden, J. A.
Certel, K. *See* Anderson, M. G.
Certel, S. J. *See* Anderson, M. G.
Chalepakis, G. *See* Song, D.-L.
Chambon, P. *See* Favier, B.
Chambon, P. *See* Fromental-Ramain, C.
Chambon, P. *See* Grondona, J. M.
Champagne, M. M. *See* Pickett, F. B.
Chang, H. C. *See* Allard, J. D.
Chang, P. *See* Ghiglione, C.
Chapman, D. L. *See* Roffler-Tarlov, S.
Charnay, P. *See* Levi, G.
Charnay, P. *See* Murphy, P.
Charnay, P. *See* Nonchev, S.
Chartoff, E. H. *See* Newfeld, S. J.
Chen, J.-N. and Fishman, M. C. Zebrafish *tinman* homolog demarcates the heart field and initiates myocardial differentiation **122**, 3809
Chen, S. W. *See* Berg, L. K.
Chen, Y., Bei, M., Woo, I., Satokata, I. and Maas, R. *Msx1* controls inductive signaling in mammalian tooth morphogenesis **122**, 3035
Chen, Y.-C. S. and McCormick, S. *sidecar pollen*, an *Arabidopsis thaliana* male gametophytic mutant with aberrant cell divisions during pollen development **122**, 3243
Chiang, M.-K. and Flanagan, J. G. PTP-NP, a new member of the receptor protein tyrosine phosphatase family, implicated in development of nervous system and pancreatic endocrine cells **122**, 2239
Chien, C.-B. *See* Barlow, L. A.
Chien, K. R. *See* Ross, R. S.
Chien, K. R. *See* Sheng, Z.
Chitnis, A. and Kintner, C. Sensitivity of proneural genes to lateral inhibition affects the pattern of primary neurons in *Xenopus* embryos **122**, 2295
Chou, T.-B. *See* Goode, S.
Christ, B. *See* Halfter, W.
Christensen, S., Kodoyianni, V., Bosenberg, M., Friedman, L. and Kimble, J. *lag-1*, a gene required for *lin-12* and *glp-1* signaling in *Caenorhabditis elegans*, is homologous to human CBF1 and *Drosophila* Su(H) **122**, 1373
Christiansen, J. H. *See* Monkley, S. J.
Chu, T. *See* Lieberfarb, M. E.
Chuang, C.-K. *See* Mao, C.-A.
Chun, J. *See* Blaschke, A. J.
Clark, K. A. and McKearin, D. M. The *Drosophila stonewall* gene encodes a putative transcription factor essential for germ cell development **122**, 937
Clark, S. E., Jacobsen, S. E., Levin, J. Z. and Meyerowitz, E. M. The *CLAVATA* and *SHOOT MERISTEMLESS* loci competitively regulate meristem activity in *Arabidopsis* **122**, 1567
Clark, S. G. *See* Wightman, B.
Clarke, J. *See* Gale, E.
Clarke, J. D. W. *See* Alexandre, D.
Cleaver, O. B., Patterson, K. D. and Krieg, P. A. Overexpression of the *tinman*-related genes *XNkx-2.5* and *XNkx-2.3* in *Xenopus* embryos results in myocardial hyperplasia **122**, 3549
Coelho, C. *See* DeSimone, S.
Coen, E. *See* Bradley, D.
Coffinier, C. *See* Goriely, A.
Cohen, S. M. *See* Neumann, C. J.
Cohen, S. M. *See* Wiersdorff, V.
Cohen-Tannoudji, M. *See* Collignon, J.
Colledge, W. H. *See* Hayman, A. R.
Colledge, W. H. *See* Kalab, P.
Colledge, W. H. *See* Verlhac, M.-H.
Collignon, J., Sockanathan, S., Hacker, A., Cohen-Tannoudji, M., Norris, D., Rastan, S., Stevanovic, M., Goodfellow, P. N. and Lovell-Badge, R. A comparison of the properties of *Sox-3* with *Sry* and two related genes, *Sox-1* and *Sox-2* **122**, 509
Coltey, P. *See* Couly, G.
Concordet, J.-P., Lewis, K. E., Moore, J. W., Goodrich, L. V., Johnson, R. L., Scott, M. P. and Ingham, P. W. Spatial regulation of a zebrafish *patched* homologue reflects the roles of *sonic hedgehog* and protein kinase A in neural tube and somite patterning **122**, 2835
Conlon, F. L., Sedgwick, S. G., Weston, K. M. and Smith, J. C. Inhibition of Xbra transcription activation causes defects in mesodermal patterning and reveals autoregulation of Xbra in dorsal mesoderm **122**, 2427
Connell, J. E. *See* Wilson, J. E.
Conover, J. C. *See* Bianchi, L. M.
Cossu, G., Kelly, R., Tajbakhsh, S., Di Donna, S., Vivarelli, E. and Buckingham, M. Activation of different myogenic pathways: myf-5 is induced by the neural tube and MyoD by the dorsal ectoderm in mouse paraxial mesoderm **122**, 429
Costantini, F. *See* Durbec, P. L.
Costantini, F. *See* Schuchardt, A.
Couly, G., Grapin-Botton, A., Coltey, P. and Le Douarin, N. M. The regeneration of the cephalic neural crest, a problem revisited: the regenerating cells originate from the contralateral or from the anterior and posterior neural fold **122**, 3393
Cove, D. J., Quatrano, R. S. and Hartmann, E. The alignment of the axis of asymmetry in regenerating protoplasts of the moss, *Caratodon purpureus*, is determined independently of axis polarity **122**, 371
Cox, T. M. *See* Hayman, A. R.
Cui, H. *See* Adam, G. I. R.
D'Agati, V. *See* Schuchardt, A.
Dahl, U., Sjodin, A. and Semb, H. Cadherins regulate aggregation of pancreatic β-cells in vivo **122**, 2895
Dahn, R. *See* Ros, M. A.
Daigle, N. *See* Ang, S.-L.
Dale, B. *See* Russo, G. L.
Dale, L. *See* Jones, C. M.
Dale, T. C. *See* Phippard, D. J.
Dano, K. *See* Lund, L. R.
Daston, G., Lamar, E., Oliver, M. and Goulding M. *Pax-3* is necessary for migration but not differentiation of limb muscle precursors in the mouse **122**, 1017
Davidson, E. H. *See* Kirchhamer, C. V.
Davidson, E. H. *See* Yuh, C.-H.
Davies, A. M. *See* Middleton, G.
Davies, A. M. *See* Pinon, L. G. P.
Davis, A. P. and Capecchi, M. R. A mutational analysis of the 5 *HoxD* genes: dissection of genetic interactions during limb development in the mouse **122**, 1175
de Boer, P. A. J. *See* Notenboom, R. G. E.
de Celis, J. F., de Celis, J., Ligoxygakis, P., Preiss, A., Delidakis, C. and Bray, S. Functional relationships between *Notch*, *Su(H)* and the bHLH genes of the *E(spl)* complex: the *E(spl)* genes mediate only a subset of *Notch* activities during imaginal development **122**, 2719
de Celis, J. F., Garcia-Bellido, A. and Bray, S. J. Activation and function of *Notch* at the dorsal-ventral boundary of the wing imaginal disc **122**, 359
de Celis, J. *See* de Celis, J. F.
de Cuevas, M., Lee, J. K. and Spradling, A. C. α-

spectrin is required for germline cell division and differentiation in the *Drosophila* ovary **122**, 3959
De Felici, M. *See* Pesce, M.
De Robertis, E. M. *See* Catala, M.
de Saint Phalle, B. and Sullivan, W. Incomplete sister chromatid separation is the mechanism of programmed chromosome elimination during early *Sciara coprophila* embryogenesis **122**, 3775
De Sepulveda, P. *See* Bernex, F.
De Vente, J. *See* Truman, J. W.
Dealy, C. N. and Kosher, R. A. IGF-I, insulin and FGFs induce outgrowth of the limb buds of amelic mutant chick embryos **122**, 1323
Dean, J. *See* Rankin, T.
Debas, H. T. *See* Gittes, G. K.
DeChiara, T. *See* Bianchi, L. M.
Decimo, D. *See* Grondona, J. M.
Deguchi, R., Osanai, K. and Morisawa, M. Extracellular Ca^{2+} entry and Ca^{2+} release from inositol 1,4,5-trisphosphate-sensitive stores function at fertilization in oocytes of the marine bivalve *Mytilus edulis* **122**, 3651
Delaney, S. J. *See* Monkley, S. J.
Delidakis, C. *See* de Celis, J. F.
Delius, H. *See* Onichtchouk, D.
Delmas, V. *See* Larue, L.
Delouis, C. *See* Bernex, F.
Dent, M. A. R., Raisman, G. and Lai, F. A. Expression of type 1 inositol 1,4,5-trisphosphate receptor during axogenesis and synaptic contact in the central and peripheral nervous system of developing rat **122**, 1029
Dernburg, A. *See* Franke, A.
DeSimone, D. W. *See* Lallier, T. E.
DeSimone, D. W. *See* Ramos, J. W.
DeSimone, S., Coelho, C., Roy, S., VijayRaghavan, K. and White, K. ERECT WING, the *Drosophila* member of a family of DNA binding proteins is required in imaginal myoblasts for flight muscle development **122**, 31
Desnos, T., Orbovic, V., Bellini, C., Kronenberger, J., Caboche, M., Traas, J. and Hofte, H. *Procuste1* mutants identify two distinct genetic pathways controlling hypocotyl cell elongation, respectively in dark- and light-grown *Arabidopsis* seedlings **122**, 683
Desplan, C. *See* Bellaiche, Y.
Desplan, C. *See* Bertuccioli, C.
Desplan, C. *See* Goriely, A.
Desplan, C. *See* Jun, S.
Desplan, C. *See* Zeltser, L.
Dessain, S. *See* Goriely, A.
Devoto, S. H., Melancon, E., Eisen, J. S. and Westerfield, M. Identification of separate slow and fast muscle precursor cells in vivo, prior to somite formation **122**, 3371
Dey, S. K. *See* Benson, G. V.
Dey, S. K. *See* Raab, G.
Di Donna, S. *See* Cossu, G.
Diaz, C. and Glover, J. C. Appropriate pattern formation following regulative regeneration in the hindbrain neural tube **122**, 3095
Diepold, K. *See* Ma, X.
Dierich, A. *See* Fromental-Ramain, C.
Dieterlen-Lievre, F. *See* Pardanaud, L.
DiMambro, E. *See* Nelson, C. E.
DiNardo, S. *See* Bokor, P.
DiNardo, S. *See* Gonczy, P.
Doerre, G. *See* Weinberg, E. S.
Dokucu, M. E., Zipursky, S. L. and Cagan, R. L. Atonal, Rough and the resolution of proneural clusters in the developing *Drosophila* retina **122**, 4139
Dolci, S. *See* Albanesi, C.
Dolle, P. *See* Favier, B.
Dolle, P. *See* Fromental-Ramain, C.
Dolle, P. *See* Kondo, T.
Dominis, M. *See* Larue, L.
Donovan, M. J. *See* Kreidberg, J. A.
Dormann, D., Siegert, F. and Weijer, C. J. Analysis of cell movement during the culmination phase of *Dictyostelium* development **122**, 761
Dosch, R. *See* Onichtchouk, D.
Dostatni, N. *See* Bellaiche, Y.
Dove, L. F. *See* Karavanova, I. D.
Drabek, D. *See* Tewari, R.
Drago, J. *See* Rankin, T.
Draper, B. W. *See* Watts, J. L.
D'Souza, D. *See* Patel, K.
Duboule, D. *See* Kondo, T.
Ducker, K. *See* Guillemin, K.
Dunn, R. *See* Suzuki, N.
Duprez, D. M., Kostakopoulou, K., Francis-West, P. H., Tickle, C. and Brickell, P. M. Activation of *Fgf-4* and *HoxD* gene expression by BMP-2 expressing cells in the developing chick limb **122**, 1821
Duprez, D. *See* Monsoro-Burq, A.-H.
Durbec, P. L., Larsson-Blomberg, L. B., Schuchardt, A., Costantini, F. and Pachnis, V. Common origin and developmental dependence on *c-ret* of subsets of enteric and sympathetic neuroblasts **122**, 349
Durmowicz, G. *See* Ault, K. T.
Duterque-Coquillaud, M. *See* Ganan, Y.
Dwyer, N. *See* Rankin, T.
Edgar, D. *See* Frade, J. M.
Edlund, H. *See* Ahlgren, U.
Edwards, K. A. and Kiehart, D. P. *Drosophila* nonmuscle myosin II has multiple essential roles in imaginal disc and egg chamber morphogenesis **122**, 1499
Eibel, H. *See* Wallin, J.
Eichele, G. *See* Helms, J. A.
Eisen, J. S. *See* Devoto, S. H.
Eisen, J. S. *See* Raible, D. W.
Elbaz, C. *See* Bernex, F.
Elmendorf, H. *See* Lustig, K. D.
ElShamy, W. M. and Ernfors, P. Requirement of neurotrophin-3 for the survival of proliferating trigeminal ganglion progenitor cells **122**, 2405
ElShamy, W. M., Linnarsson, S., Lee, K.-F., Jaenisch, R. and Ernfors, P. Prenatal and postnatal requirements of NT-3 for sympathetic neuroblast survival and innervation of specific targets **122**, 491
Emerson Jr., C. P. *See* Pownall, M. E.
Emily-Fenouil, F. *See* Ghiglione, C.
Engel, J. D. *See* Briegel, K.
Enomoto-Iwamoto, M. *See* Kawakami, Y.
Epperlein, H. H. *See* Halfter, W.
Epstein, D. J., Marti, E., Scott, M. P. and McMahon, A. P. Antagonizing cAMP-dependent protein kinase A in the dorsal CNS activates a conserved Sonic hedgehog signaling pathway **122**, 2885
Eresh, S. *See* Yu, X.
Erickson, C. A. *See* Spence, M. S.
Ernfors, P. *See* ElShamy, W. M.
Ernsberger, U. *See* Reissmann, E.
Etemad-Moghadam, B. *See* Watts, J. L.
Ettensohn, C. A. *See* Ruffins, S. W.
Euling, S. *See* Ambros, V.
Evans, M. J. *See* Hayman, A. R.
Evans, M. J. *See* Verlhac, M.-H.
Evans, M. J. *See* Zernicka-Goetz, M.
Evans, R. M. *See* Ogura, T.
Ezzell, R. M. *See* Raab, G.
Fallon, J. F. *See* Ros, M. A.
Familari, M. *See* Rankin, T.
Farkas, G. *See* Bhat, K. M.
Fasano, L. *See* Bertuccioli, C.
Favier, B. *See* Fromental-Ramain, C.
Favier, B., Rijli, F. M., Fromental-Ramain, C., Fraulob, V., Chambon, P. and Dolle, P. Functional cooperation between the non-paralogous genes *Hoxa-10* and *Hoxd-11* in the developing forelimb and axial skeleton **122**, 449
Feig, L. *See* Lee, T.
Felix, M.-A. and Sternberg, P. W. Symmetry breakage in the development of one-armed gonads in nematodes **122**, 2129
Fernandes, J. J. and Keshishian, H. Patterning the dorsal longitudinal flight muscles (DLM) of *Drosophila*: insights from the ablation of larval scaffolds **122**, 3755
Ferri, G.-L. *See* Pesce, M.
Fetter, R. D. *See* Garcia-Alonso, L.
Feuillard, J. *See* Schmidt-Ullrich, R.
Finkelstein, R. *See* Royet, J.
Fire, A. *See* Mickey, K. M.
Firtel, R. A. *See* Hadwiger, J. A.
Fischbach, K.-F. *See* Reiter, C.
Fischer, K.-D. *See* Partanen, J.
Fischer-Vize, J. A. *See* Huang, Y.
Fishman, M. C. *See* Chen, J.-N.
Flam, F. *See* Adam, G. I. R.
Flanagan, J. G. *See* Chiang, M.-K.
Flannery, M. L. *See* Alexander, C. M.
Flytzanis, C. N. *See* Vlahou, A.
Fogo, A. B. *See* Suzuki, N.
Forbes, A. J., Lin, H., Ingham, P. W. and Spradling, A. C. *hedgehog* is required for the proliferation and specification of ovarian somatic cells prior to egg chamber formation in *Drosophila* **122**, 1125
Forbes, A. J., Spradling, A. C., Ingham, P. W. and Lin, H. The role of segment polarity genes during early oogenesis in *Drosophila* **122**, 3283
Force, A. G. *See* Moens, C. B.
Ford, M. D. *See* Joseph, S. J.
Foreman, D. R. *See* Masucci, J. D.
Forgacs, G. *See* Foty, R. A.
Forrester, W. C. *See* Wightman, B.
Foster, D. *See* Hayman, A. R.
Foty, R. A., Pfieger, C. M., Forgacs, G. and Steinberg, M. S. Surface tensions of embryonic tissues predict their mutual envelopment behavior **122**, 1611
Fouilloux, E. *See* Mevel-Ninio, M.
Frade, J. M., Marti, E., Bovolenta, P., Rodriguez-Pena, M. A., Perez-Garcia, D., Rohrer, H., Edgar, D. and Rodriguez-Tebar, A. Insulin-like growth factor-I stimulates neurogenesis in chick retina by regulating expression of α6 integrin subunit **122**, 2497
Frain, M. *See* Nonchev, S.
Francis-West, P. H. *See* Duprez, D. M.
Francis-West, P. H. *See* Phippard, D. J.
Francis-West, P. H. *See* Reissmann, E.
Francois, V. *See* Yu, K.
Frank, L. H. and Rushlow, C. A group of genes required for maintenance of the amnioserosa tissue in *Drosophila* **122**, 1343
Franke, A., Dernburg, A., Bashaw, G. J. and Baker, B. S. Evidence that MSL-mediated dosage compensation in *Drosophila* begins at blastoderm **122**, 2751
Fraser, S. E. *See* Shih, J.
Fraulob, V. *See* Favier, B.
Fredette, B. J., Miller, J. and Ranscht, B. Inhibition of motor axon growth by T-cadherin substrata **122**, 3163
Freeling, M. *See* Scanlon, M. J.
Freeman, M. *See* Golembo, M.
Freitas, F. G. *See* Rehen, S. K.
Friedman, L. *See* Christensen, S.
Friedrich, V. L. Jr. *See* Hardy, R. J.
Fristrom, D. *See* Brabant, M. C.
Fritsch, R. *See* Stoykova, A.
Fritzsch, B. *See* Bianchi, L. M.
Fromental-Ramain, C. *See* Favier, B.
Fromental-Ramain, C., Warot, X., Lakkaraju, S., Favier, B., Haack, H., Birling, C., Dierich, A., Dolle, P. and Chambon, P. Specific and redundant functions of the paralogous *Hoxa-9* and *Hoxd-9* genes in forelimb and axial skeleton patterning **122**, 461
Fromental-Ramain, C., Warot, X., Messadecq, N., LeMeur, M., Dolle, P. and Chambon, P. *Hoxa-13* and *Hoxd-13* play a crucial role in the patterning of the limb autopod **122**, 2997
Fromentoux, V. *See* Launay, C.
Fuhrmann, G. *See* Yeom, Y. I.
Fujioka, M. *See* Miskiewicz, P.
Fujioka, M., Miskiewicz, P., Raj, L., Gulledge, A. A., Weir, M. and Goto, T. *Drosophila* Paired regulates late *even-skipped* expression through a composite binding site for the paired domain and the homeodomain **122**, 2697
Fukushima, M., Nakamura, M., Ohta, K., Okamura, R., Negi, A. and Tanaka, H. Regional specification of motoneurons along the anterior-posterior axis is independent of the notochord **122**, 905
Fuller, M. T. *See* Lin, T.-Y.
Fung, B. P. *See* Upchurch, B. H.
Furner, I. J., Ainscough, J. F. X., Pumfrey, J. A. and Petty, L. M. Clonal analysis of the late flowering *fca*

mutant of *Arabidopsis thaliana*: cell fate and cell autonomy **122**, 1041
Furriols, M., Sprenger, F. and Casanova, J. Variation in the number of activated torso receptors correlates with differential gene expression **122**, 2313
Furuchi, T., Masuko, K., Nishimune, Y., Obinata, M. and Matsui, Y. Inhibition of testicular germ cell apoptosis and differentiation in mice misexpressing Bcl-2 in spermatogonia **122**, 1703
Furuta, Y. *See* Suzuki, N.
Fuse, N., Hirose, S. and Hayashi, S. Determination of wing cell fate by the *escargot* and *snail* genes in *Drosophila* **122**, 1059
Gabay, L., Scholz, H., Golembo, M., Klaes, A., Shilo, B.-Z. and Klambt, C. EGF receptor signaling induces *pointed P1* transcription and inactivates Yan protein in the *Drosophila* embryonic ventral ectoderm **122**, 3355
Gabella, G. *See* Lecoin, L.
Gache, C. *See* Ghiglione, C.
Gage, P. J., Roller, M. L., Saunders, T. L., Scarlett, L. M. and Camper, S. A. Anterior pituitary cells defective in the cell-autonomous factor, *df*, undergo cell lineage specification but not expansion **122**, 151
Galante, P. E. *See* Gittes, G. K.
Gale, E., Prince, V., Lumsden, A., Clarke, J., Holder, N. and Maden, M. Late effects of retinoic acid on neural crest and aspects of rhombomere identity **122**, 783
Galione, A. *See* Ault, K. T.
Galway, M. E. *See* Masucci, J. D.
Gan, L. *See* Mao, C.-A.
Ganan, Y., Macias, D., Duterque-Coquillaud, M., Ros, M. A. and Hurle, J. M. Role of TGF-βs and BMPs as signals controlling the position of the digits during and the areas of interdigital cell death in the developing chick limb autopod **122**, 2349
Gansmuller, A. *See* Grondona, J. M.
Garcia-Alonso, L., Fetter, R. D. and Goodman, C. S. Genetic analysis of *Laminin A* in *Drosophila*: extracellular matrix containing laminin A is required for ocellar axon pathfinding **122**, 2611
Garcia-Bellido, A. *See* de Celis, J. F.
Gardiner, D. M. *See* Mullen, L. M.
Garner, A. *See* McKay, S. E.
Garriga, G. *See* Guenther, C.
Garriga, G. *See* Wightman, B.
Gausz, J. *See* Bhat, K. M.
Gavis, E. R., Lunsford, L., Bergsten, S. E. and Lehmann, R. A conserved 90 nucleotide element mediates translational repression of *nanos* RNA **122**, 2791
Gawantka, V. *See* Onichtchouk, D.
Gayer, G. G. *See* Campanelli, J. T.
Gehring, W. J. *See* Montagne, J.
Gelbart, W. M. *See* Newfeld, S. J.
Gelbart, W. M. *See* Twombly, V.
Geraud, G. *See* Gho, M.
Geraud, G. *See* Verlhac, M.-H.
Geremia, R. *See* Albanesi, C.
Gergen, J. P. *See* Lieberfarb, M. E.
Gerhart, J. C. *See* Larabell, C. A.
Gershon, M. D. *See* Blaugrund, E.
Gerster, T. *See* Hauptmann, G.
Ghiglione, C., Emily-Fenouil, F., Chang, P. and Gache, C. Early gene expression along the animal-vegetal axis in sea urchin embryoids and grafted embryos **122**, 3067
Gho, M., Lecourtois, M., Geraud, G., Posakony, J. W. and Schweisguth, F. Subcellular localization of Suppressor of Hairless in *Drosophila* sense organ cells during Notch signalling **122**, 1673
Giangrande, A. *See* Vincent, S.
Gibson Brown, J. J. *See* Roffler-Tarlov, S.
Giese, N. A. *See* Hall, A.
Gilbride, K. *See* Schuger, L.
Gillemans, N. *See* Tewari, R.
Gimpel, E. *See* Halfter, W.
Giniger, E. *See* Larkin, M. K.
Ginsberg, A. *See* Rankin, T.
Giorgio, M. *See* Albanesi, C.
Gittes, G. K., Galante, P. E., Hanahan, D., Rutter, W. J. and Debas, H. T. Lineage-specific morphogenesis in the developing pancreas: role of mesenchymal factors **122**, 439
Glover, J. C. *See* Diaz, C.
Goddard, J. M., Rossel, M., Manley, N. R. and Capecchi, M. R. Mice with targeted disruption of *Hoxb-1* fail to form the motor nucleus of the VIIth nerve **122**, 3217
Golden, J. A. and Cepko, C. L. Clones in the chick diencephalon contain multiple cell types and siblings are widely dispersed **122**, 65
Golden, T. *See* Ray, A.
Goldstein, B. and Hird, S. N. Specification of the anteroposterior axis in *C. elegans* **122**, 1467
Goldstein, S. L. *See* Kreidberg, J. A.
Golembo, M., Raz, E. and Shilo, B.-Z. The *Drosophila* embryonic midline is the site of Spitz processing, and induces activation of the EGF receptor in the ventral ectoderm **122**, 3363
Golembo, M. *See* Gabay, L.
Golembo, M., Schweitzer, R., Freeman, M. and Shilo, B.-Z. *argos* transcription is induced by the *Drosophila* EGF receptor pathway to form an inhibitory feedback loop **122**, 223
Gomer, R. H. *See* Brock, D. A.
Gomer, R. H. *See* Wood, S. A.
Gomez-Pardo, E. *See* Torres, M.
Gonczy, P. and DiNardo, S. The germ line regulates somatic cyst cell proliferation and fate during *Drosophila* spermatogenesis **122**, 2437
Gonzales, E. *See* Nelson, C. E.
Gonzalez-Crespo, S. and Morata, G. Genetic evidence for the subdivision of the arthropod limb into coxopodite and telopodite **122**, 3921
Gonzalez-Rimbau, M. *See* Vlahou, A.
Goode, S., Melnick, M., Chou, T.-B. and Perrimon, N. The neurogenic genes *egghead* and *brainiac* define a novel signaling pathway essential for epithelial morphogenesis during *Drosophila* oogenesis **122**, 3863
Goodfellow, P. N. *See* Collignon, J.
Goodman, C. S. *See* Garcia-Alonso, L.
Goodman, C. S. *See* Tiemeyer, M.
Goodrich, L. V. *See* Concordet, J.-P.
Goodrich, L. V. *See* Marigo, V.
Goriely, A., Stella, M., Coffinier, C., Kessler, D., Mailhos, C., Dessain, S. and Desplan, C. A functional homologue of *goosecoid* in *Drosophila* **122**, 1641
Goss, K. A. *See* Lei, H.
Goto, T. *See* Fujioka, M.
Goto, T. *See* Miskiewicz, P.
Goulding M. *See* Daston, G.
Graff, J. M. *See* Newfeld, S. J.
Graff, J. M. *See* Twombly, V.
Graham, A. and Lumsden, A. Interactions between rhombomeres modulate *Krox-20* and *follistatin* expression in the chick embryo hindbrain **122**, 473
Grapin-Botton, A. *See* Couly, G.
Grass, S., Arnold, H.-H. and Braun, T. Alterations in somite patterning of *Myf-5*-deficient mice: a possible role for FGF-4 and FGF-6 **122**, 141
Grawe, F., Wodarz, A., Lee, B., Knust, E. and Skaer, H. The *Drosophila* genes *crumbs* and *stardust* are involved in the biogenesis of adherens junctions **122**, 951
Grbic, M., Nagy, L. M., Carroll, S. B. and Strand, M. Polyembryonic development: insect pattern formation in a cellularized environment **122**, 795
Grbic, V. and Bleecker, A. B. An altered body plan is conferred on *Arabidopsis* plants carrying dominant alleles of two genes **122**, 2395
Greenspan, D. S. *See* Suzuki, N.
Greferath, U. *See* Joseph, S. J.
Gridley, T. *See* Mallo, M.
Grieshammer, U., Minowada, G., Pisenti, J. M., Abbott, U. K. and Martin, G. R. The chick *limbless* mutation causes abnormalities in limb bud dorsal-ventral patterning: implications for the mechanism of apical ridge formation **122**, 3851
Grinblat, Y. *See* Sagerstrom, C. G.
Grondona, J. M., Kastner, P., Gansmuller, A., Decimo, D., Chambon, P. and Mark, M. Retinal dysplasia and degeneration in RARβ2/RARγ2 compound mutant mice **122**, 2173
Groppe, J. *See* Guillemin, K.
Groppe, J. *See* Montagne, J.
Gros, P. *See* Yang, X.-M.
Gross, M. *See* Yeom, Y. I.
Grosveld, F. *See* Tewari, R.
Grunwald, D. J. *See* Weinberg, E. S.
Gruss, P. *See* Mansouri, A.
Gruss, P. *See* Pellegrini, M.
Gruss, P. *See* Song, D.-L.
Gruss, P. *See* Stoykova, A.
Gruss, P. *See* Torres, M.
Gruss, P. *See* Tremblay, P.
Guenal, I. *See* Mevel-Ninio, M.
Guenther, C. and Garriga, G. Asymmetric distribution of the *C. elegans* HAM-1 protein in neuroblasts enables daughter cells to adopt distinct fates **122**, 3509
Guillemin, K. *See* Montagne, J.
Guillemin, K. *See* Samakovlis, C.
Guillemin, K., Groppe, J., Ducker, K., Treisman, R., Hafen, E., Affolter, M. and Krasnow, M. A. The *pruned* gene encodes the *Drosophila* serum response factor and regulates cytoplasmic outgrowth during terminal branching of the tracheal system **122**, 1353
Gulledge, A. A. *See* Fujioka, M.
Gunther, T. *See* Sporle, R.
Guo, S. *See* Boyd, L.
Guo, S. *See* Watts, J. L.
Gurdon, J. B. *See* Carnac, G.
Gurdon, J. B. *See* Stennard, F.
Gurdon J. B. *See* Zernicka-Goetz, M.
Gyurkovics, H. *See* Bhat, K. M.
Haack, H. *See* Fromental-Ramain, C.
Hacker, A. *See* Collignon, J.
Hacohen, N. *See* Samakovlis, C.
Hadwiger, J. A., Natarajan, K. and Firtel, R. A. Mutations in the *Dictyostelium* heterotrimeric G protein α subunit Gα5 alter the kinetics of tip morphogenesis **122**, 1215
Haegel, H. *See* McLaughlin, K. J.
Haerry, T. E. *See* Theisen, H.
Hafen, E. *See* Guillemin, K.
Hajnal, A. F. *See* Hoskins, R.
Hake, S. *See* Smith, L. G.
Halfter, W., Schurer, B., Hasselhorn, H.-M., Christ, B., Gimpel, E. and Epperlein, H. H. An ovomucin-like protein on the surface of migrating primordial germ cells of the chick and rat **122**, 915
Hall, A., Giese, N. A. and Richardson, W. D. Spinal cord oligodendrocytes develop from ventrally derived progenitor cells that express PDGF alpha-receptors **122**, 4085
Hama, C. *See* Hoshino, M.
Han, M. *See* Sundaram, M.
Hanahan, D. *See* Gittes, G. K.
Hanratty, W. P. *See* Manfruelli, P.
Hansell, E. J. *See* Alexander, C. M.
Harbecke, R. *See* Singer, J. B.
Hardy, R. J. and Friedrich, V. L. Jr. Oligodendrocyte progenitors are generated throughout the embryonic mouse brain, but differentiate in restricted foci **122**, 2059
Harger, P. L. *See* Ault, K. T.
Hargett, L. *See* Suzuki, N.
Harp, S. A. *See* Hoskins, R.
Harper, A. *See* Tewari, R.
Harris, J., Honigberg, L., Robinson, N. and Kenyon, C. Neuronal cell migration in *C. elegans*: regulation of hox gene expression and cell position **122**, 3117
Hart, K. and Bienz, M. A test for cell autonomy, based on di-cistronic messenger translation **122**, 747
Hartmann, E. *See* Cove, D. J.
Hartnett, L. K. *See* McDaniel, C. N.
Hartwieg, E. *See* Labouesse, M.
Harvey, R. P. *See* Ross, R. S.
Haseloff, J. *See* Zernicka-Goetz, M.
Hasselhorn, H.-M. *See* Halfter, W.
Hata, N. *See* Saga, Y.
Hathaway, H. J. and Shur, B. D. Mammary gland morphogenesis is inhibited in transgenic mice that

overexpress cell surface β1,4-galactosyltransferase **122**, 2859
Haughn, G. *See* Perbal, M.-C.
Hauptmann, G. and Gerster, T. Complex expression of the *zp-50* pou gene in the embryonic zebrafish brain is altered by overexpression of *sonic hedgehog* **122**, 1769
Hawkes, S. P. *See* Alexander, C. M.
Hawkins, C. F. *See* Sweeney, C.
Hawkins, N. C., Thorpe, J. and Schupbach, T. *encore*, a gene required for the regulation of germ line mitosis and oocyte differentiation during *Drosophila* oogenises **122**, 281
Hayashi, S. *See* Fuse, N.
Hayashi, S. *See* Tanaka-Matakatsu, M.
Hayashi, S. A Cdc2 dependent checkpoint maintains diploidy in *Drosophila* **122**, 1051
Hayman, A. R., Jones, S. J., Boyde, A., Foster, D., Colledge, W. H., Carlton, M. B., Evans, M. J. and Cox, T. M. Mice lacking tartrate-resistant acid phosphatase (Acp 5) have disrupted endochondral ossification and mild osteopetrosis **122**, 3151
Hayward, D. *See* Shawber, C.
Heasman, J. *See* Wylie, C.
Heintz, N. *See* Yang, X. W.
Heintz, N. *See* Zeltser, L.
Heitzler, P., Bourouis, M., Ruel, L., Carteret, C. and Simpson, P. Genes of the *Enhancer of split* and *achaete-scute* complexes are required for a regulatory loop between *Notch* and *Delta* during lateral signalling in *Drosophila* **122**, 161
Heller, A. *See* Staab, S.
Helms, J. A., Kim, C. H., Eichele, G. and Thaller, C. Retinoic acid signaling is required during early chick limb development **122**, 1385
Hemmati-Brivanlou, A. *See* Henry, G. L.
Henderson, R. *See* Bellusci, S.
Henry, G. L., Brivanlou, I. H., Kessler, D. S., Hemmati-Brivanlou, A. and Melton, D. A. TGF-β signals and a prepattern in *Xenopus laevis* endodermal development **122**, 1007
Henyey, E. L. *See* Holland, N. D.
Herbst, R. *See* Allard, J. D.
Herman, R. K. *See* Lundquist, E. A.
Hermesz, E., Mackem, S. and Mahon, K. A. *Rpx*: a novel anterior-restricted homeobox gene progressively activated in the prechordal plate, anterior neural plate and Rathke's pouch of the mouse embryo **122**, 41
Herskowitz, I. *See* Banuett, F.
Higashijima, S.-i., Shishido, E., Matsuzaki, M. and Saigo, K. *eagle*, a member of the steroid receptor gene superfamily, is expressed in a subset of neuroblasts and regulates the fate of their putative progeny in the *Drosophila* CNS **122**, 527
Hill, R. E. *See* Phippard, D. J.
Hird, S. N. *See* Goldstein, B.
Hird, S. N., Paulsen, J. E. and Strome, S. Segregation of germ granules in living *Caenorhabditis elegans* embryos: cell-type-specific mechanisms for cytoplasmic localisation **122**, 1303
Hirose, S. *See* Fuse, N.
Hirschfeld, K. *See* Onichtchouk, D.
Hoffmeister, S. A. H. Isolation and characterization of two new morphogenetically active peptides from*Hydra vulgaris* **122**, 1941
Hofte, H. *See* Desnos, T.
Hogan, B. L. M. *See* Bellusci, S.
Hogan, B. L. M. *See* Jones, C. M.
Hogan, B. L. M. *See* Offield, M. F.
Hogan, B. L. M. *See* Suzuki, N.
Holder, K. *See* Larkin, M. K.
Holder, N. *See* Alexandre, D.
Holder, N. *See* Gale, E.
Holewa, B. *See* Weber, H.
Holland, L. Z. *See* Holland, N. D.
Holland, L. Z. and Holland, N. D. Expression of *AmphiHox-1* and *AmphiPax-1* in amphioxus embryos treated with retinoic acid: insights into evolution and patterning of the chordate nerve cord and pharynx **122**, 1829
Holland, N. D. *See* Holland, L. Z.
Holland, N. D., Panganiban, G., Henyey, E. L. and Holland, L. Z. Sequence and developmental expression of *AmphiDll*, an amphioxus *Distal-less* gene transcribed in the ectoderm, epidermis and nervous system: insights into evolution of craniate forebrain and neural crest **122**, 2911
Hong, S. K., Kitano, H., Satoh, H. and Nagato, Y. How is embryo size genetically regulated in rice? **122**, 2051
Honigberg, L. *See* Harris, J.
Hoppler, S. *See* Yu, X.
Horabin, J. I. *See* Bopp, D.
Horowitz, H. and Berg, C. A. The *Drosophila pipsqueak* gene encodes a nuclear BTB-domain-containing protein required early in oogenesis **122**, 1859
Horvitz, H. R. *See* Labouesse, M.
Hoshino, M., Suzuki, E., Nabeshima, Y.-i. and Hama, C. Hikaru genki protein is secreted into synaptic clefts from an early stage of synapse formation in *Drosophila* **122**, 589
Hoskins, R., Hajnal, A. F., Harp, S. A. and Kim, S. K. The *C. elegans* vulval induction gene *lin-2* encodes a member of the MAGUK family of cell junction proteins **122**, 97
Hosobuchi, M. *See* Wylie, C.
Hsieh, J. J.-D. *See* Shawber, C.
Huang, F. Z. and Weisblat, D. A. Cell fate determination in an annelid equivalence group **122**, 1839
Huang, Y. and Fischer-Vize, J. A. Undifferentiated cells in the developing *Drosophila* eye influence facet assembly and require the Fat facets ubiquitin-specific protease **122**, 3207
Huber, O. *See* Larue, L.
Hubner, K. *See* Yeom, Y. I.
Hughes, S. M. *See* Robson, L. G.
Humphreys, R. C., Krajewska, M., Krnacik, S., Jaeger, R., Weiher, H., Krajewski, S., Reed, J. C. and Rosen, J. M. Apoptosis in the terminal endbud of the murine mammary gland: a mechanism of ductal morphogenesis **122**, 4013
Hurle, J. M. *See* Ganan, Y.
Husain, M. *See* Weiler-Guettler, H.
Iba, H. *See* Yokouchi, Y.
Ingham, P. W. *See* Forbes, A. J.
Ingham, P. W. *See* Concordet, J.-P.
Irving, C. *See* Patel, K.
Isaacs, H. V. *See* Pownall, M. E.
Ishikawa, T. *See* Kawakami, Y.
Israel, A. *See* Schmidt-Ullrich, R.
Itoh, N., Mima, T. and Mikawa, T. Loss of fibroblast growth factor receptors is necessary for terminal differentiation of embryonic limb muscle **122**, 291
Iwamoto, M. *See* Kawakami, Y.
Iwamoto, M. *See* Tabata, M. J.
Izpisua-Belmonte, J. C. *See* Ogura, T.
Izpisua Belmonte, J-C. *See* Ros, M. A.
Izpisua-Belmonte, J.-C. *See* Vogel, A.
Jacobsen, S. E. *See* Clark, S. E.
Jaeger, R. *See* Humphreys, R. C.
Jaenisch, R. *See* ElShamy, W. M.
Jaenisch, R. *See* Kreidberg, J. A.
Jaenisch, R. *See* Lei, H.
Jahoda, C. A. B. *See* Reynolds, A. J.
Jayatalake, H. *See* Phippard, D. J.
Jaynes, J. B. *See* Smith, S. T.
Jeltsch, M. *See* Kukk, E.
Jermyn, K., Traynor, D. and Williams, J. The initiation of basal disc formation in *Dictyostelium discoideum* is an early event in culmination **122**, 753
Jesuthasan, S. Contact inhibition/collapse and pathfinding of neural crest cells in the zebrafish trunk **122**, 381
Jetton, T. L. *See* Offield, M. F.
Jin, H. *See* Twombly, V.
Johnson, G. R. *See* Schuger, L.
Johnson, M. H. *See* McGuinness, O. M.
Johnson, R. L. *See* Concordet, J.-P.
Johnson, R. L. *See* Marigo, V.
Johnson, W. A. *See* Anderson, M. G.
Johnston, L. A. and Schubiger, G. Ectopic expression of *wingless* in imaginal discs interferes with *decapentaplegic* expression and alters cell determination **122**, 3519
Jones, C. M., Dale, L., Hogan, B. L. M., Wright, C. V. E. and Smith, J. C. Bone morphogenetic protein-4 (BMP-4) acts during gastrula stages to cause ventralization of *Xenopus* embryos **122**, 1545
Jones, E. A. *See* Weber, H.
Jones, N. *See* Kuo, Y. M.
Jones, R. C. *See* Kreidberg, J. A.
Jones, R. S. *See* Carrington, E. A.
Jones, S. J. *See* Hayman, A. R.
Jonsson, J. *See* Ahlgren, U.
Jordan, K. C. *See* Morimoto, A. M.
Joseph, E. *See* Wylie, C.
Joseph, S. J., Ford, M. D., Barth, C., Portbury, S., Bartlett, P. F., Nurcombe, V. and Greferath, U. A proteoglycan that activates fibroblast growth factors during early neuronal development is a perlecan variant **122**, 3443
Joukov, V. *See* Kukk, E.
Jowett, T. *See* Alexandre, D.
Joyner, A. L. *See* Song, D.-L.
Jun, S. *See* Bertuccioli, C.
Jun, S. and Desplan, C. Cooperative interactions between paired domain and homeodomain **122**, 2639
Jurgens, G. *See* Laux, T.
Juttermann, R. *See* Lei, H.
Kaestner, K. H., Bleckmann, S. C., Monaghan, A. P., Schlondorff, J., Mincheva, A., Lichter, P. and Schutz, G. Clustered arrangement of winged helix genes *fkh-6* and *MFH-1*: possible implications for mesoderm development **122**, 1751
Kaibuchi, K. *See* Nakagawa, Y.
Kaipainen, A. *See* Kukk, E.
Kalab, P., Kubiak, J. Z., Verlhac, M.-H., Colledge, W. H. and Maro, B. Activation of $p90^{rsk}$ during meiotic maturation and first mitosis in mouse oocytes and eggs: MAP kinase-independent and -dependent activation **122**, 1957
Kameda, T. *See* Yokouchi, Y.
Kanatsu, M. and Nishikawa, S.-I. In vitro analysis of epiblast tissue potency for hematopoietic cell differentiation **122**, 823
Kaneko, T. *See* Nakagawa, Y.
Kanno, M. *See* Akasaka, T.
Karavanova, I. D., Dove, L. F., Resau, J. H. and Perantoni, A. O. Conditioned medium from a rat ureteric bud cell line in combination with bFGF induces complete differentiation of isolated metanephric mesenchyme **122**, 4159
Karch, F. *See* Bhat, K. M.
Kastner, P. *See* Grondona, J. M.
Kato, J. *See* Tabata, M. J.
Kaufman, T. C. *See* Rogers, B. T.
Kawakami, Y., Ishikawa, T., Shimabara, M., Tanda, N., Enomoto-Iwamoto, M., Iwamoto, M., Kuwana, T., Ueki, A., Noji, S. and Nohno, T. BMP signaling during bone pattern determination in the developing limb **122**, 3557
Kelly, C. S. *See* Weinberg, E. S.
Kelly, R. *See* Cossu, G.
Kemler, R. *See* Larue, L.
Kemphues, K. J. *See* Boyd, L.
Kemphues, K. J. *See* Watts, J. L.
Kent, J., Wheatley, S. C., Andrews, J. E., Sinclair, A. H. and Koopman, P. A male-specific role for *SOX9* in vertebrate sex determination **122**, 2813
Kenyon, C. *See* Harris, J.
Kenyon, C. *See* Salser, S. J.
Keshishian, H. *See* Fernandes, J. J.
Kessler, D. *See* Goriely, A.
Kessler, D. S. *See* Henry, G. L.
Kessler, J. A. *See* Michaelson, M. D.
Kessler, S. *See* Miskiewicz, P.
Kiehart, D. P. *See* Edwards, K. A.
Kikkawa, M., Takano, K. and Shinagawa, A. Location and behavior of dorsal determinants during first cell cycle in *Xenopus* eggs **122**, 3687
Kim, C. H. *See* Helms, J. A.
Kim, K. *See* Tabata, M. J.
Kim, S. K. *See* Hoskins, R.
Kimble, J. *See* Christensen, S.
Kimelman, D. *See* Schmidt, J. E.

Kimmel, C. B. *See* Melby, A. E.
Kimmel, C. B. *See* Moens, C. B.
Kimmel, C. B. *See* Schilling, T. F.
King, M. L. *See* Zhang, J.
King, M. L. *See* Zhou, Y.
Kingsley, D. M. *See* Storm, E. E.
Kintner, C. *See* Chitnis, A.
Kintner, C. *See* Papalopulu, N.
Kirchhamer, C. V. and Davidson, E. H. Spatial and temporal information processing in the sea urchin embryo: modular and intramodular organization of the *CyIIIa* gene *cis*-regulatory system **122**, 333
Kirschner, M. W. *See* Lustig, K. D.
Kishimoto, T. *See* Koshimizu, U.
Kishnani, N. S. *See* Alexander, C. M.
Kispert, A., Vainio, S., Shen, L., Rowitch, D. H. and McMahon, A. P. Proteoglycans are required for maintenance of *Wnt-11* expression in the ureter tips **122**, 3627
Kitajewski, J. *See* Uyttendaele, H.
Kitano, H. *See* Hong, S. K.
Klaes, A. *See* Gabay, L.
Klagsbrun, M. *See* Raab, G.
Klambt, C. *See* Gabay, L.
Klein, R. *See* Pinon, L. G. P.
Klein, W. H. *See* Mao, C.-A.
Knust, E. *See* Grawe, F.
Kobayashi, S. *See* Saga, Y.
Kodjabachian, L. *See* Carnac, G.
Kodoyianni, V. *See* Christensen, S.
Kofron, M. *See* Wylie, C.
Kondo, T., Dolle, P., Zakany, J. and Duboule, D. Function of posterior *HoxD* genes in the morphogenesis of the anal sphincter **122**, 2651
Kontges, G. and Lumsden, A. Rhombencephalic neural crest segmentation is preserved throughout craniofacial ontogeny **122**, 3229
Koopman, P. *See* Kent, J.
Koseki, H. *See* Akasaka, T.
Koseki, H. *See* Wallin, J.
Kosher, R. A. *See* Dealy, C. N.
Koshimizu, U., Taga, T., Watanabe, M., Saito, M., Shirayoshi, Y., Kishimoto, T. and Nakatsuji, N. Functional requirement of gp130-mediated signaling for growth and survival of mouse primordial germ cells in vitro and derivation of embryonic germ (EG) cells **122**, 1235
Kostakopoulou, K. *See* Duprez, D. M.
Kover, K. *See* Raab, G.
Krajewska, M. *See* Humphreys, R. C.
Krajewski, S. *See* Humphreys, R. C.
Krasnow, M. A. *See* Guillemin, K.
Krasnow, M. A. *See* Montagne, J.
Krasnow, M. A. *See* Samakovlis, C.
Kreidberg, J. A., Donovan, M. J., Goldstein, S. L., Rennke, H., Shepherd, K., Jones, R. C. and Jaenisch, R. Alpha 3 beta 1 integrin has a crucial role in kidney and lung organogenesis **122**, 3537
Kress, C. *See* Bernex, F.
Krieg, P. A. *See* Cleaver, O. B.
Krizek, B. A. and Meyerowitz, E. M. The *Arabidopsis* homeotic genes *APETALA3* and *PISTILLATA* are sufficient to provide the B class organ identity function **122**, 11
Krnacik, S. *See* Humphreys, R. C.
Kroll, K. *See* Lustig, K. D.
Kroll, K. L. and Amaya, E. Transgenic *Xenopus* embryos from sperm nuclear transplantations reveal FGF signaling requirements during gastrulation **122**, 3173
Kronenberger, J. *See* Desnos, T.
Krull, C. E. *See* Saldivar, J. R.
Krumlauf, R. *See* Morrison, A.
Krumlauf, R. *See* Nonchev, S.
Krumlauf, R. *See* Saldivar, J. R.
Kubelka, M. *See* Sweeney, C.
Kubiak, J. Z. *See* Kalab, P.
Kubiak, J. Z. *See* Verlhac, M.-H.
Kuhnlein, R. P. and Schuh, R. Dual function of the region-specific homeotic gene *spalt* during *Drosophila* tracheal system development **122**, 2215
Kukk, E., Lymboussaki, A., Taira, S., Kaipainen, A., Jeltsch, M., Joukov, V. and Alitalo, K. VEGF-C receptor binding and pattern of expression with VEGFR-3 suggests a role in lymphatic vascular development **122**, 3829
Kuliszewski, M. *See* Post, M.
Kumegawa, M. *See* Tabata, M. J.
Kunisada, T. *See* Yoshida, H.
Kuo, Y. M., Jones, N., Zhou, B., Panzer, S., Larson, V. and Beckendorf, S. K. Salivary duct determination in *Drosophila*: roles of the EGF receptor signaling pathway and the transcription factors Fork head and Trachealess **122**, 1909
Kurihara, H. *See* Reid, K.
Kurihara, Y. *See* Reid, K.
Kurisu, K. *See* Tabata, M. J.
Kuroiwa, A. *See* Yokouchi, Y.
Kusakabe, M. *See* Yoshida, H.
Kusch, T. *See* Singer, J. B.
Kuwabara, P. E. A novel regulatory mutation in the *C. elegans* sex determination gene *tra-2* defines a candidate ligand/receptor interaction site **122**, 2089
Kuwana, T. *See* Kawakami, Y.
Kuziora, M. A. *See* Zhu, A.
Kyozuka, K. *See* Russo, G. L.
Labosky, P. A. *See* Offield, M. F.
Labosky, P. A. *See* Suzuki, N.
Labouesse, M., Hartwieg, E. and Horvitz, H. R. The *Caenorhabditis elegans* LIN-26 protein is required to specify and/or maintain all non-neuronal ectodermal cell fates **122**, 2579
Ladher, R., Mohun, T. J., Smith, J. C. and Snape, A. M. *Xom*: a *Xenopus* homeobox gene which mediates the early effects of BMP-4 **122**, 2385
Lai, F. A. *See* Dent, M. A. R.
LaJeunesse, D. and Shearn, A. *E(z)*: a polycomb group gene or a trithorax group gene? **122**, 2189
Lakkaraju, S. *See* Fromental-Ramain, C.
Lallier, T. E., Whittaker, C. A. and DeSimone, D. W. Integrin α6 expression is required for early nervous system development in *Xenopus laevis* **122**, 2539
Lamar, E. *See* Daston, G.
Lamers, W. H. *See* Notenboom, R. G. E.
Lan, Y. *See* Miskiewicz, P.
Lance-Jones, C. *See* Matise, M. P.
Laney, J. D. and Biggin, M. D. Redundant control of *Ultrabithorax* by *zeste* involves functional levels of zeste protein binding at the *Ultrabithorax* promoter **122**, 2303
Lang, J. D. *See* Ray, A.
Lang, R. *See* Meeson, A.
Lans, D. *See* Smith, C. M.
Larabell, C. A., Rowning, B. A., Wells, J., Wu, M. and Gerhart, J. C. Confocal microscopy analysis of living *Xenopus* eggs and the mechanism of cortical rotation **122**, 1281
Large, T. *See* McKay, S. E.
Larkin, J. C., Young, N., Prigge, M. and Marks, M. D. The control of trichome spacing and number in *Arabidopsis* **122**, 997
Larkin, M. K., Holder, K., Yost, C., Giniger, E. and Ruohola-Baker, H. Expression of constitutively active Notch arrests follicle cells at a precursor stage during *Drosophila* oogenesis and disrupts the anterior-posterior axis of the oocyte **122**, 3639
Larson, V. *See* Kuo, Y. M.
Larsson-Blomberg, L. B. *See* Durbec, P. L.
Larue, L., Antos, C., Butz, S., Huber, O., Delmas, V., Dominis, M. and Kemler, R. A role for cadherins in tissue formation **122**, 3185
Lasagna, M. *See* Levi, G.
Laufer, E. *See* Nelson, C. E.
Launay, C., Fromentoux, V., Shi, D.-L. and Boucaut, J.-C. A truncated FGF receptor blocks neural induction by endogenous *Xenopus* inducers **122**, 869
Laux, T., Mayer, K. F. X., Berger, J. and Jurgens, G. The *WUSCHEL* gene is required for shoot and floral meristem integrity in *Arabidopsis* **122**, 87
Lawrence, P. A., Sanson, B. and Vincent, J.-P. Compartments, wingless and engrailed: patterning the ventral epidermis of *Drosophila* embryos **122**, 4095
Le Douarin, N. M. *See* Catala, M.
Le Douarin, N. M. *See* Couly, G.
Le Douarin, N. *See* Lecoin, L.
Le Douarin, N. *See* Monsoro-Burq, A.-H.
Lecoin, L., Gabella, G. and Le Douarin, N. Origin of the c-*kit*-positive interstitial cells in the avian bowel **122**, 725
Lecourtois, M. *See* Gho, M.
Lecuit, T. *See* Wiersdorff, V.
Lee, B. *See* Grawe, F.
Lee, E. *See* Rankin, T.
Lee, J. K. *See* de Cuevas, M.
Lee, K. *See* Bettinger, J. C.
Lee, K.-F. *See* ElShamy, W. M.
Lee, T. *See* Anderson, M. G.
Lee, T., Feig, L. and Montell, D. J. Two distinct roles for Ras in a developmentally regulated cell migration **122**, 409
Lehmann, R. *See* Gavis, E. R.
Lei, H., Oh, S. P., Okano, M., Juttermann, R., Goss, K. A., Jaenisch, R. and Li, E. De novo DNA cytosine methyltransferase activities in mouse embryonic stem cells **122**, 3195
Leiter, A. B. *See* Upchurch, B. H.
Lemaire, P. *See* Carnac, G.
Lemarchandel, V. *See* Renucci, A.
LeMeur, M. *See* Fromental-Ramain, C.
Lengyel, J. A. *See* Singer, J. B.
Levi, G., Topilko, P., Schneider-Maunoury, S., Lasagna, M., Mantero, S., Cancedda, R. and Charnay, P. Defective bone formation in *Krox-20* mutant mice **122**, 113
Levin, J. Z. *See* Clark, S. E.
Levine, M. *See* Arnosti, D. N.
Levitan, D. *See* Boyd, L.
Lewin, G. R. *See* Ockel, M.
Lewis, K. E. *See* Concordet, J.-P.
Li, E. *See* Lei, H.
Li, L. *See* Wood, S. A.
Li, Z. *See* Moessler, H.
Lichter, P. *See* Kaestner, K. H.
Lieberfarb, M. E., Chu, T., Wreden, C., Theurkauf, W., Gergen, J. P. and Strickland, S. Mutations that perturb poly (A)-dependent maternal mRNA activation block the initiaion of development **122**, 579
Ligoxygakis, P. *See* de Celis, J. F.
Lilienbaum, A. *See* Schmidt-Ullrich, R.
Lim, H. *See* Benson, G. V.
Lim, K.-C. *See* Briegel, K.
Lin, H. *See* Forbes, A. J.
Lin, T.-Y., Viswanathan, S., Wood, C., Wilson, P. G., Wolf, N. and Fuller, M. T. Coordinate developmental control of the meiotic cell cycle and spermatid differentiation in *Drosophila* males **122**, 1331
Linden, R. *See* Rehen, S. K.
Lindsay, R. M. *See* Bianchi, L. M.
Lindsell, C. *See* Shawber, C.
Linnarsson, S. *See* ElShamy, W. M.
Litvin, J. *See* Wei, Y.
Liu, J. *See* Park, W. J.
Liu, J. *See* Post, M.
Liu, J.-G. *See* Tabata, M. J.
Liu, Y.-H. *See* Phippard, D. J.
Lo, L. *See* Blaugrund, E.
Logan, C. Y. *See* McClay, D. R.
Loomis, W. F. *See* Nuckolls, G. H.
Lopez-Martinez, A. *See* Rios, M. A.
Lovell-Badge, R. *See* Collignon, J.
Lumsden, A. *See* Gale, E.
Lumsden, A. *See* Graham, A.
Lumsden, A. *See* Kontges, G.
Lumsden, A. *See* Niedlander, C.
Lumsden, A. *See* Wingate, R. J. T.
Lund, L. R., Romer, J., Thomasset, N., Solberg, H., Pyke, C., Bissell, M. J., Dano, K. and Werb. Z. Two distinct phases of apoptosis in mammary gland involution: proteinase-independent and -dependent pathways **122**, 181
Lundquist, E. A., Herman, R. K., Rogalski, T. M., Mullen, G. P., Moerman, D. G. and Shaw, J. E. The *mec-8* gene of *C. elegans* encodes a protein with two RNA recognition motifs and regulates alternative splicing of *unc-52* transcripts **122**, 1601
Lunsford, L. *See* Gavis, E. R.
Lustig, K. D., Kroll, K., Sun, E., Ramos, R.,

Elmendorf, H. and Kirschner, M. W. A *Xenopus* nodal-related gene that acts in synergy with noggin to induce complete secondary axis and notochord formation **122**, 3275
Lustig, K. D., Kroll, K. L., Sun, E. E. and Kirschner, M. W. Expression cloning of a *Xenopus* T-related gene (*Xombi*) involved in mesodermal patterning and blastopore lip formation **122**, 4001
Luton, D. *See* Pardanaud, L.
Lymboussaki, A. *See* Kukk, E.
Ma, J. *See* Ma, X.
Ma, X., Yuan, D., Diepold, K., Scarborough, T. and Ma, J. The *Drosophila* morphogenetic protein Bicoid binds DNA cooperatively **122**, 1195
Maas, R. *See* Chen, Y.
Maas, R. *See* Phippard, D. J.
Maas, R. L. *See* Benson, G. V.
Macagno, E. R. *See* Becker, T. S.
Macdonald, P. M. *See* Wilson, J. E.
Macias, D. *See* Ganan, Y.
Mackem, S. *See* Hermesz, E.
Maconochie, M. *See* Nonchev, S.
Maden, M. *See* Gale, E.
Maeda, N. and Noda, M. 6B4 proteoglycan/phosphacan is a repulsive substratum but promotes morphological differentiation of cortical neurons **122**, 647
Magnuson, M. A. *See* Offield, M. F.
Magnuson, T. *See* Saga, Y.
Mahon, K. A. *See* Hermesz, E.
Mailhos, C. *See* Goriely, A.
Mallo, M. and Gridley, T. Development of the mammalian ear: coordinate regulation of formation of the tympanic ring and the external acoustic meatus **122**, 173
Mandel, R. *See* Schuger, L.
Mandoli, D. F. *See* Runft, L. L.
Manfruelli, P., Arquier, N., Hanratty, W. P. and Semeriva, M. The tumor suppressor gene, *lethal(2)giant larvae (l(2)gl)*, is required for cell shape change of epithelial cells during *Drosophila* development **122**, 2283
Mangan, M. E. and Olmsted, J. B. A muscle-specific variant of microtubule-associated protein 4 (MAP4) is required in myogenesis **122**, 771
Manley, N. R. *See* Goddard, J. M.
Mann, J. R. *See* McLaughlin, K. J.
Manning, G. *See* Samakovlis, C.
Manseau, L., Calley, J. and Phan, H. Profilin is required for posterior patterning of the *Drosophila* oocyte **122**, 2109
Mansouri, A. *See* Pellegrini, M.
Mansouri, A., Stoykova, A., Torres, M. and Gruss, P. Dysgenesis of cephalic neural crest derivatives in *Pax7*$^{-/-}$ mutant mice **122**, 831
Mantero, S. *See* Levi, G.
Mao, C.-A., Wikramanayake, A. H., Gan, L., Chuang, C.-K., Summers, R. G. and Klein, W. H. Altering cell fates in sea urchin embryos by overexpressing SpOtx, an orthodenticle-related protein **122**, 1489
Marazzi, G. *See* Uyttendaele, H.
Marcus, R. C., Wang, L.-C. and Mason, C. A. Retinal axon divergence in the optic chiasm: midline cells are unaffected by the albino mutation **122**, 859
Maricq, A. V. *See* Wightman, B.
Marigo, V., Scott, M. P., Johnson, R. L., Goodrich, L. V. and Tabin, C. J. Conservation in *hedgehog* signaling: induction of a chicken *patched* homolog by *Sonic hedgehog* in the developing limb **122**, 1225
Marikawa, Y. *See* Yoshida, S.
Mark, M. *See* Grondona, J. M.
Marks, M. D. *See* Larkin, J. C.
Marks, M. D. *See* Masucci, J. D.
Maro, B. *See* Kalab, P.
Maro, B. *See* Verlhac, M.-H.
Marsh, J. L. *See* Theisen, H.
Marshall, H. *See* Nonchev, S.
Marti, E. *See* Epstein, D. J.
Marti, E. *See* Frade, J. M.
Martin, G. R. *See* Grieshammer, U.
Mason, C. A. *See* Marcus, R. C.
Masucci, J. D., Rerie, W. G., Foreman, D. R., Zhang, M., Galway, M. E., Marks, M. D. and Schiefelbein, J. W. The homeobox gene *GLABRA 2* is required for position-dependent cell differentiation in the root epidermis of *Arabidopsis thaliana* **122**, 1253
Masuko, K. *See* Furuchi, T.
Mathis, L. *See* Nicolas, J. F.
Matise, M. P. and Lance-Jones, C. A critical period for the specification of motor pools in the chick lumbosacral spinal cord **122**, 659
Matsui, Y. *See* Furuchi, T.
Matsumoto, K. *See* Tabata, M. J.
Matsumura, T. *See* Tabata, M. J.
Matsuzaki, M. *See* Higashijima, S.-i.
Matsuzaki, M. and Saigo, K. *hedgehog* signaling independent of *engrailed* and *wingless* required for post-S1 neuroblast formation in *Drosophila* CNS **122**, 3567
Mavilio, F. *See* Morrison, A.
Maxson, R. *See* Phippard, D. J.
Maxwell, G. D. *See* Reid, K.
Mayer, K. F. X. *See* Laux, T.
McCabe, K. L. *See* Bermingham-McDonogh, O.
McClay, D. R. and Logan, C. Y. Regulative capacity of the archenteron during gastrulation in the sea urchin **122**, 607
McCormick, S. *See* Chen, Y.-C. S.
McDaniel, C. N. and Hartnett, L. K. Flowering as metamorphosis: two sequential signals regulate floral initiation in *Lolium temulentum* **122**, 3661
McGuinness, O. M., Moreton, R. B., Johnson, M. H. and Berridge, M. J. A direct measurement of increased divalent cation influx in fertilised mouse oocytes **122**, 2199
McHale, N. A. *See* Carland, F. M.
McKay, S. E., Garner, A., Caldero, J., Tucker, R. P., Large, T. and Oppenheim, R. W. The expression of *trk*B and p75 and the role of BDNF in the developing neuromuscular system of the chick embryo **122**, 715
McKearin, D. M. *See* Clark, K. A.
McLaughlin, K. J., Szabo, P., Haegel, H. and Mann, J. R. Mouse embryos with paternal duplication of an imprinted chromosome 7 region die at midgestation and lack placental spongiotrophoblast **122**, 265
McMahon, A. P. *See* Epstein, D. J.
McMahon, A. P. *See* Kispert, A.
McMorris, F. A. *See* Vemuri, G. S.
McNeill, H. *See* Allard, J. D.
Meeks-Wagner, D. R. *See* Pickett, F. B.
Meeson, A., Palmer, M., Calfon, M. and Lang, R. A relationship between apoptosis and flow during programmed capillary regression is revealed by vital analysis **122**, 3929
Mehler, M. F. *See* Michaelson, M. D.
Melancon, E. *See* Devoto, S. H.
Melby, A. E., Warga, R. M. and Kimmel, C. B. Specification of cell fates at the dorsal margin of the zebrafish gastrula **122**, 2225
Mello, C. C. *See* Mickey, K. M.
Mello, C. C. *See* Watts, J. L.
Mellon, P. L. *See* Alarid, E. T.
Melnick, M. *See* Goode, S.
Melton, D. A. *See* Henry, G. L.
Melton, D. A. *See* Newfeld, S. J.
Memet, S. *See* Schmidt-Ullrich, R.
Mericskay, M. *See* Moessler, H.
Messadecq, N. *See* Fromental-Ramain, C.
Mevel-Ninio, M., Fouilloux, E., Guenal, I. and Vincent, A. The three dominant female-sterile mutations of the *Drosophila ovo* gene are point mutations that create new translation-initiator AUG codons **122**, 4131
Meyerowitz, E. M. *See* Clark, S. E.
Meyerowitz, E. M. *See* Krizek, B. A.
Meyerowitz, E. M. *See* Running, M. P.
Michaelson, M. D., Bieri, P. L., Mehler, M. F., Xu, H., Arezzo, J. C., Pollard, J. W. and Kessler, J. A. CSF-1 deficiency in mice results in abnormal brain development **122**, 2661
Michelson, A. M. *See* Rehorn, K.-P.
Mickey, K. M., Mello, C. C., Montgomery, M. K., Fire, A. and Priess, J. R. An inductive interaction in 4-cell stage *C. elegans* embryos involves APX-1 expression in the signalling cell **122**, 1791
Middleton, G., Nunez, G. and Davies, A. M. Bax promotes neuronal survival and antagonises the survival effects of neurotrophic factors **122**, 695
Mieza, M. A. *See* Akasaka, T.
Mikawa, T. *See* Itoh, N.
Miller, E. *See* Bornemann, D.
Miller, J. *See* Fredette, B. J.
Miller, S. J. *See* Adam, G. I. R.
Millet, S., Bloch-Gallego, E., Simeone, A. and Alvarado-Mallart, R.-M. The caudal limit of *Otx2* gene expression as a marker of the midbrain/hindbrain boundary: a study using in situ hybridisation and chick/quail homotopic grafts **122**, 3785
Mima, T. *See* Itoh, N.
Mincheva, A. *See* Kaestner, K. H.
Minichiello, L. *See* Pinon, L. G. P.
Minowada, G. *See* Grieshammer, U.
Miskiewicz, P. *See* Fujioka, M.
Miskiewicz, P., Morrissey, D., Lan, Y., Raj, L., Kessler, S., Fujioka, M., Goto, T. and Weir, M. Both the paired domain and homeodomain are required for in vivo function of *Drosophila* Paired **122**, 2709
Mlodzik, M. *See* Wiersdorff, V.
Moens, C. B., Yan, Y.-L., Appel, B., Force, A. G. and Kimmel, C. B. *valentino*: a zebrafish gene required for normal hindbrain segmentation **122**, 3981
Moerman, D. G. *See* Lundquist, E. A.
Moessler, H., Mericskay, M., Li, Z., Nagl, S., Paulin, D. and Small, J. V. The *SM 22* promoter directs tissue-specific expression in arterial but not in venous or visceral smooth muscle cells in transgenic mice **122**, 2415
Mohun, T. J. *See* Ladher, R.
Monaghan, A. P. *See* Kaestner, K. H.
Monkley, S. J., Delaney, S. J., Pennisi, D. J., Christiansen, J. H. and Wainwright, B. J. Targeted disruption of the *Wnt2* gene results in placentation defects **122**, 3343
Monsoro-Burq, A.-H., Duprez, D., Watanabe, Y., Bontoux, M., Vincent, C., Brickell, P. and Le Douarin, N. The role of bone morphogenetic proteins in vertebral development **122**, 3607
Montagne, J., Groppe, J., Guillemin, K., Krasnow, M. A., Gehring, W. J. and Affolter, M. The *Drosophila* Serum Response Factor gene is required for the formation of intervein tissue of the wing and is allelic to *blistered* **122**, 2589
Montell, D. J. *See* Anderson, M. G.
Montell, D. J. *See* Lee, T.
Montgomery, M. K. *See* Mickey, K. M.
Moore, J. G. *See* Yuh, C.-H.
Moore, J. W. *See* Concordet, J.-P.
Moorman, A. F. M. *See* Notenboom, R. G. E.
Moraes, M. O. *See* Rehen, S. K.
Morata, G. *See* Gonzalez-Crespo, S.
Moreton, R. B. *See* McGuinness, O. M.
Morgan, B. A. *See* Nelson, C. E.
Morimoto, A. M., Jordan, K. C., Tietze, K., Britton, J. S., O'Neill, E. M. and Ruohola-Baker, H. Pointed, an ETS domain transcription factor, negatively regulates the EGF receptor pathway in *Drosophila* oogenesis **122**, 3745
Morisawa, M. *See* Deguchi, R.
Moroni, M. C. *See* Morrison, A.
Morrison, A., Moroni, M. C., Ariza-McNaughton, L., Krumlauf, R. and Mavilio, F. In vitro and transgenic analysis of a human *HOXD4* retinoid-responsive enhancer **122**, 1895
Morrissey, D. *See* Miskiewicz, P.
Moskowitz, I. P. G. and Rothman, J. H. *lin-12* and *glp-1* are required zygotically for early embryonic cellular interactions and are regulated by maternal GLP-1 signaling in *Caenorhabditis elegans* **122**, 4105
Mullen, G. P. *See* Lundquist, E. A.
Mullen, L. M., Bryant, S. V., Torok, M. A., Blumberg, B. and Gardiner, D. M. Nerve dependency of regeneration: the role of *Distal-less* and FGF signaling in amphibian limb regeneration **122**, 3487
Muller, M., Weizsacker, E. V. and Campos-Ortega, J. A. Expression domains of a zebrafish homologue of

the *Drosophila* pair-rule gene *hairy* correspond to primordia of alternating somites **122**, 2071
Murakami, T. *See* Weinberg, E. S.
Murphey, R. K. *See* Phillis, R.
Murphy, M. *See* Reid, K.
Murphy, M. *See* Sweeney, C.
Murphy, P., Topilko, P., Schneider-Maunoury, S., Seitanidou, T., Baron-Van Evercooren, A. and Charnay, P. The regulation of *Krox-20* expression reveals important steps in the control of peripheral glial cell development **122**, 2847
Murtaugh, C. *See* Nelson, C. E.
Nabeshima, Y.-i. *See* Hoshino, M.
Nagamine, C. M. and Carlisle, C. The dominant white spotting oncogene allele *Kit*$^{W-42J}$ exacerbates XY^{DOM} sex reversal **122**, 3597
Nagato, Y. *See* Hong, S. K.
Nagl, S. *See* Moessler, H.
Nagy, L. M. *See* Grbic, M.
Nakafuku, M. *See* Nakagawa, Y.
Nakagawa, Y., Kaneko, T., Ogura, T., Susuki, T., Torii, M., Kaibuchi, K., Arai, K.-I., Nakamura, S. and Nakafuku, M. Roles of cell-autonomous mechanisms for differential expression of region-specific transcription factors in neuroepithelial cells **122**, 2449
Nakamura, M. *See* Fukushima, M.
Nakamura, S. *See* Nakagawa, Y.
Nakamura, T. *See* Tabata, M. J.
Nakatani, Y., Yasuo, H., Satoh, N. and Nishida, H. Basic fibroblast growth factor induces notochord formation and the expression of *As-T*, a *Brachyury* homolog, during ascidian embryogenesis **122**, 2023
Nakatsuji, N. *See* Koshimizu, U.
Nambu, J. R. *See* Nambu, P. A.
Nambu, P. A. and Nambu, J. R. The *Drosophila fish-hook* gene encodes a HMG domain protein essential for segmentation and CNS development **122**, 3467
Natarajan, K. *See* Hadwiger, J. A.
Navankasattusas, S. *See* Ross, R. S.
Naylor, M. S. *See* Phippard, D. J.
Negi, A. *See* Fukushima, M.
Nelson, C. E., Morgan, B. A., Burke, A. C., Laufer, E., DiMambro, E., Murtaugh, C., Gonzales, E., Tessarollo, L., Parada, L. F. and Tabin, C. Analysis of *Hox* gene expression in the chick limb bud **122**, 1449
Neubuser, A. *See* Wallin, J.
Neumann, C. J. and Cohen, S. M. Distinct mitogenic and cell fate specification functions of *wingless* in different regions of the wing **122**, 1781
Neumann, C. J. and Cohen, S. M. A hierarchy of cross-regulation involving *Notch, wingless, vestigial* and *cut* organizes the dorsal/ventral axis of the *Drosophila* wing **122**, 3477
Newfeld, S. J., Chartoff, E. H., Graff, J. M., Melton, D. A. and Gelbart, W. M. *Mothers against dpp* encodes a conserved cytoplasmic protein required in DPP/TGF-β responsive cells **122**, 2099
Newman, A. P., White, J. G. and Sternberg, P. W. Morphogenesis of the *C. elegans* hermaphrodite uterus **122**, 3617
Nicolas, J. F., Mathis, L. and Bonnerot, C. Evidence in the mouse for self-renewing stem cells in the formation of a segmented longitudinal structure, the myotome **122**, 2933
Nie, Z. *See* Reiter, C.
Niedlander, C. and Lumsden, A. Late emigrating neural crest cells migrate specifically to the exit points of cranial branchiomotor nerves **122**, 2367
Niehrs, C. *See* Onichtchouk, D.
Nishida, H. Vegetal egg cytoplasm promotes gastrulation and is responsible for specification of vegetal blastomeres in embryos of the ascidian *Halocynthia roretzi* **122**, 1271
Nishida, H. *See* Nakatani, Y.
Nishikawa, S. *See* Yoshida, H.
Nishikawa, S.-I. *See* Kanatsu, M.
Nishikawa, S.-I. *See* Yoshida, H.
Nishimune, Y. *See* Furuchi, T.
Nittenberg, R. *See* Patel, K.
Noda, M. *See* Maeda, N.
Nofziger, D. *See* Shawber, C.
Nohno, T. *See* Kawakami, Y.
Noji, S. *See* Kawakami, Y.
Nonchev, S., Vesque, C., Maconochie, M., Seitanidou, T., Ariza-McNaughton, L., Frain, M., Marshall, H., Sham, M. H., Krumlauf, R. and Charnay, P. Segmental expression of *Hoxa-2* in the hindbrain is directly regulated by *Krox-20* **122**, 543
Norris, D. *See* Collignon, J.
Northcutt, R. G. *See* Barlow, L. A.
Notenboom, R. G. E., de Boer, P. A. J., Moorman, A. F. M. and Lamers, W. H. The establishment of the hepatic architecture is a prerequisite for the development of a lobular pattern of gene expression **122**, 321
Nuckolls, G. H., Osherov, N., Loomis, W. F. and Spudich, J. A. The *Dictyostelium* dual-specificity kinase splA is essential for spore differentiation **122**, 3295
Nunez, G. *See* Middleton, G.
Nurcombe, V. *See* Joseph, S. J.
Nusse, R. *See* Cadigan, K. M.
Obinata, M. *See* Furuchi, T.
Ockel, M., Lewin, G. R. and Barde, Y.-A. In vivo effects of neurotrophin-3 during sensory neurogenesis **122**, 301
O'Connor, M. B. *See* Theisen, H.
Oda, H. *See* Tanaka-Matakatsu, M.
Offield, M. F., Jetton, T. L., Labosky, P. A., Ray, M., Stein, R., Magnuson, M. A., Hogan, B. L. M. and Wright, C. V. E. PDX-1 is required for pancreatic outgrowth and differentiation of the rostral duodenum **122**, 983
Ogura, T. *See* Nakagawa, Y.
Ogura, T., Alvarez, I. S., Vogel, A., Rodriguez, C., Evans, R. M. and Izpisua-Belmonte, J. C. Evidence that *Shh* cooperates with a retinoic acid inducible co-factor ZPA-like activity **122**, 537
Oh, S. P. *See* Lei, H.
Ohbo, K. *See* Yeom, Y. I.
Ohlsson, R. *See* Adam, G. I. R.
Ohta, K. *See* Fukushima, M.
Oikawa, T. *See* Bellusci, S.
Okamura, R. *See* Fukushima, M.
Okano, M. *See* Lei, H.
Oliver, M. *See* Daston, G.
Olmsted, J. B. *See* Mangan, M. E.
O'Neill, E. M. *See* Morimoto, A. M.
Onichtchouk, D., Gawantka, V., Dosch, R., Delius, H., Hirschfeld, K., Blumenstock, C. and Niehrs, C. The *Xvent-2* homeobox gene is part of the *BMP-4* signalling pathway controling dorsoventral patterning of *Xenopus* mesoderm **122**, 3045
Oppenheim, R. W. *See* McKay, S. E.
Orbovic, V. *See* Desnos, T.
Osanai, K. *See* Deguchi, R.
Osherov, N. *See* Nuckolls, G. H.
Ou, J. *See* Ang, S.-L.
Ovitt, C. E. *See* Yeom, Y. I.
Oxtoby, E. *See* Alexandre, D.
Pachnis, V. *See* Durbec, P. L.
Pachnis, V. *See* Schuchardt, A.
Padgett, R. W. *See* Twombly, V.
Padgett, R. W. *See* Yu, K.
Pain, B., Clark, M. E., Nakazawa, H., Sakurai, M., Samarut, J., Etches, R. J. Long-term in vitro culture and characterisation of avian embryonic stem cells with multiple morphogenetic potentialities **122**, 2339
Palmer, M. *See* Meeson, A.
Panganiban, G. *See* Holland, N. D.
Panthier, J.-J. *See* Bernex, F.
Panzer, S. *See* Kuo, Y. M.
Papaioannou, V. E. *See* Roffler-Tarlov, S.
Papalopulu, N. and Kintner, C. A posteriorising factor, retinoic acid, reveals that anteroposterior patterning controls the timing of neuronal differentiation in *Xenopus* neuroectoderm **122**, 3409
Parada, L. F. *See* Nelson, C. E.
Pardanaud, L., Luton, D., Prigent, M., Bourcheix, L.-M., Catala, M. and Dieterlen-Lievre, F. Two distinct endothelial lineages in ontogeny, one of them related to hemopoiesis **122**, 1363
Paria, B. C. *See* Benson, G. V.
Paria, B. C. *See* Raab, G.
Park, M. *See* Yang, X.-M.
Park, W. J., Liu, J., Sharp, E. J. and Adler, P. N. The *Drosophila* tissue polarity gene *inturned* acts cell autonomously and encodes a novel protein **122**, 961
Partanen, J., Puri, M. C., Schwartz, L., Fischer, K.-D., Bernstein, A. and Rossant, J. Cell autonomous functions of the receptor tyrosine kinase TIE in a late phase of angiogenic capillary growth and endothelial cell survival during murine development **122**, 3013
Patel, K., Nittenberg, R., D'Souza, D., Irving, C., Burt, D., Wilkinson, D. G. and Tickle, C. Expression and regulation of *Cek-8*, a cell to cell signalling receptor, in developing chick limb buds **122**, 1147
Patterson, K. D. *See* Cleaver, O. B.
Pauli, D. *See* Seum, C.
Paulin, D. *See* Moessler, H.
Paulsen, J. E. *See* Hird, S. N.
Payne, C. *See* Wylie, C.
Pellegrini, M., Mansouri, A., Simeone, A., Boncinelli, E. and Gruss, P. Dentate gyrus formation requires *Emx2* **122**, 3893
Pennica, D. *See* Sheng, Z.
Pennisi, D. J. *See* Monkley, S. J.
Perantoni, A. O. *See* Karavanova, I. D.
Perbal, M.-C., Haughn, G., Saedler, H. and Schwarz-Sommer, Z. Non-cell-autonomous function of the *Antirrhinum* floral homeotic proteins *DEFICIENS* and *GLOBOSA* is exerted by their polar cell-to-cell trafficking **122**, 3433
Perez-Garcia, D. *See* Frade, J. M.
Perrimon, N. *See* Goode, S.
Pesce, M., Canipari, R., Ferri, G.-L., Siracusa, G. and De Felici, M. Pituitary adenylate cyclase-activating polypeptide (PACAP) stimulates adenylate cyclase and promotes proliferation of mouse primordial germ cells **122**, 215
Peters, D. M. P. *See* Suzuki, N.
Pettitt, J., Wood, W. B. and Plasterk, R. H. A. *cdh-3*, a gene encoding a member of the cadherin superfamily, functions in epithelial cell morphogenesis in *Caenorhabditis elegans* **122**, 4149
Petty, L. M. *See* Furner, I. J.
Pfleger, C. M. *See* Foty, R. A.
Pham, T. D. *See* Blaugrund, E.
Phan, H. *See* Manseau, L.
Phelps, P. E., Barber, R. P. and Vaughn, J. E. Nonradial migration of interneurons can be experimentally altered in spinal cord slice cultures **122**, 2013
Philipsen, S. *See* Tewari, R.
Phillis, R., Statton, D., Caruccio, P. and Murphey, R. K. Mutations in the 8 kDa dynein light chain gene disrupt sensory axon projections in the *Drosophila* imaginal CNS **122**, 2955
Phippard, D. J., Weber-Hall, S. J., Sharpe, P. T., Naylor, M. S., Jayatalake, H., Maas, R., Woo, I., Roberts-Clark, D., Francis-West, P. H., Liu, Y.-H., Max Regulation of *Msx-1*, *Msx-2*, *Bmp-2* and *Bmp-4* during foetal and postnatal mammary gland development **122**, 2729
Pickett, F. B., Champagne, M. M. and Meeks-Wagner, D. R. Temperature-sensitive mutations that arrest *Arabidopsis* shoot development **122**, 3799
Pines, J. *See* Zernicka-Goetz, M.
Pisenti, J. M. *See* Grieshammer, U.
Pituello, F. *See* Tremblay, P.
Pinon, L. G. P., Minichiello, L., Klein, R. and Davies, A. M. Timing of neuronal death in *trkA*, *trkB* and *trkC* mutant embryos reveals developmental changes in sensory neuron dependence on Trk signalling **122**, 3255
Plasterk, R. H. A. *See* Pettitt, J.
Plowman, G. D. *See* Schuger, L.
Pollard, J. W. *See* Michaelson, M. D.
Portbury, S. *See* Joseph, S. J.
Posakony, J. W. *See* Gho, M.
Post, M., Souza, P., Liu, J., Tseu, I., Wang, J., Kuliszewski, M. and Tanswell, A. K. Keratinocyte growth factor and its receptor are involved in regulating early lung branching **122**, 3107
Pownall, M. E., Strunk, K. E. and Emerson Jr., C. P. Notochord signals control the transcriptional cascade

of myogenic bHLH genes in somites of quail embryos **122**, 1475
Pownall, M. E., Tucker, A. S., Slack, J. M. W. and Isaacs, H. V. *eFGF, Xcad3* and Hox genes form a molecular pathway that establishes the anteroposterior axis in *Xenopus* **122**, 3881
Preiss, A. *See* de Celis, J. F.
Priess, J. R. *See* Mickey, K. M.
Priess, J. R. *See* Watts, J. L.
Prigent, M. *See* Pardanaud, L.
Prigge, M. *See* Larkin, J. C.
Prince, V. *See* Gale, E.
Psychoyos, D. and Stern, C. D. Fates and migratory routes of primitive streak cells in the chick embryo **122**, 1523
Psychoyos, D. and Stern, C. D. Restoration of the organizer after radical ablation of Hensen's node and the anterior primitive streak in the chick embryo **122**, 3263
Pumfrey, J. A. *See* Furnæ, I. J.
Puri, M. C. *See* Partanen, J.
Pyke, C. *See* Lund, L. R.
Quatrano, R. S. *See* Cove, D. J.
Quatrano, R. S. *See* Shaw, S. L.
Raab, G., Kover, K., Paria, B. C., Dey, S. K., Ezzell, R. M. and Klagsbrun, M. Mouse preimplantation blastocysts adhere to cells expressing the transmembrane form of heparin-binding EGF-like growth factor **122**, 637
Raible, D. W. and Eisen, J. S. Regulative interactions in zebrafish neural crest **122**, 501
Raisman, G. *See* Dent, M. A. R.
Raj, L. *See* Fujioka, M.
Raj, L. *See* Miskiewicz, P.
Ramos, J. W., Whittaker, C. A. and DeSimone, D. W. Integrin-dependent adhesive activity is spatially controlled by inductive signals at gastrulation **122**, 2873
Ramos, R. *See* Lustig, K. D.
Rankin, T., Familari, M., Lee, E., Ginsberg, A., Dwyer, N., Blanchette-Mackie, J., Drago, J., Westphal, H. and Dean, J. Mice homozygous for an insertional mutation in the *Zp3* gene lack a zona pellucida and are infertile **122**, 2903
Ranscht, B. *See* Fredette, B. J.
Raphael, M. *See* Schmidt-Ullrich, R.
Rastan, S. *See* Collignon, J.
Ravnik, S. E. *See* Sweeney, C.
Ray, A., Lang, J. D., Golden, T. and Ray, S. *SHORT INTEGUMENT* (*SIN1*), a gene required for ovule development in *Arabidopsis*, also controls flowering time **122**, 2631
Ray, M. *See* Offield, M. F.
Ray, S. *See* Ray, A.
Rayburn, H. *See* Weiler-Guettler, H.
Raz, E. *See* Golembo, M.
Reed, J. C. *See* Humphreys, R. C.
Reh, T. A. *See* Bermingham-McDonogh, O.
Rehen, S. K., Varella, M. H., Freitas, F. G., Moraes, M. O. and Linden, R. Contrasting effects of protein synthesis inhibition and of cyclic AMP on apoptosis in the developing retina **122**, 1439
Rehorn, K.-P., Thelen, H., Michelson, A. M. and Reuter, R. A molecular aspect of hematopoiesis and endoderm development common to vertebrates and *Drosophila* **122**, 4023
Reid, K., Turnley, A. M., Maxwell, G. D., Kurihara, Y., Kurihara, H., Bartlett, P. F. and Murphy, M. Multiple roles for endothelin in melanocyte development: regulation of progenitor number and stimulation of differentiation **122**, 3911
Reissmann, E., Ernsberger, U., Francis-West, P. H., Rueger, D., Brickell, P. M. and Rohrer, H. Involvement of bone morphogenetic protein-4 and bone morphogenetic protein-7 in the differentiation of the adrenergic phenotype in developing sympathetic neurons **122**, 2079
Reiter, C., Schimansky, T., Nie, Z. and Fischbach, K.-F. Reorganization of membrane contacts prior to apoptosis in the *Drosophila* retina: the role of the IrreC-rst protein **122**, 1931
Renfree, M. B. *See* Whitworth, D. J.
Rennke, H. *See* Kreidberg, J. A.
Renucci, A., Lemarchandel, V. and Rosa, F. An activated form of type I serine/threonine kinase receptor TARAM-A reveals a specific signalling pathway involved in fish head organiser formation **122**, 3735
Rerie, W. G. *See* Masucci, J. D.
Resau, J. H. *See* Karavanova, I. D.
Reuter, G. *See* Seum, C.
Reuter, R. *See* Rehorn, K.-P.
Reuter, R. *See* Singer, J. B.
Reynolds, A. J. and Jahoda, C. A. B. Hair matrix germinative epidermal cells confer follicle-inducing capabilities on dermal sheath and high passage papilla cells **122**, 3085
Rhinn, M. *See* Ang, S.-L.
Richardson, W. D. *See* Hall, A.
Riggleman, B. *See* Weinberg, E. S.
Rijli, F. M. *See* Favier, B.
Rindi, G. *See* Upchurch, B. H.
Roberts-Clark, D. *See* Phippard, D. J.
Robinson, N. *See* Harris, J.
Robson, L. G. and Hughes, S. M. The distal limb environment regulates MyoD accumulation and muscle differentiation in mouse-chick chimaeric limbs **122**, 3899
Rodriguez, C. *See* Ogura, T.
Rodriguez, C. *See* Ros, M. A.
Rodriguez, C. *See* Vogel, A.
Rodriguez-Pena, M. A. *See* Frade, J. M.
Rodriguez-Tebar, A. *See* Frade, J. M.
Roffler-Tarlov, S., Gibson Brown, J. J., Tarlov, E., Stolarov, J., Chapman, D. L., Alexiou, M. and Papaioannou, V. E. Programmed cell death in the absence of c-Fos and c-Jun **122**, 1
Rogalski, T. M. *See* Lundquist, E. A.
Rogers, B. T. and Kaufman, T. C. Structure of the insect head as revealed by the EN protein pattern in developing embryos **122**, 3419
Rohrer, H. *See* Frade, J. M.
Rohrer, H. *See* Reissmann, E.
Roller, M. L. *See* Gage, P. J.
Romer, J. *See* Lund, L. R.
Ronco, A. *See* Upchurch, B. H.
Roote, C. E. and Zusman, S. Alternatively spliced forms of the *Drosophila* α_{PS2} subunit of integrin are sufficient for viability and can replace the function of the α_{PS1} subunit of integrin in the retina **122**, 1985
Ros, M. A. *See* Ganan, Y.
Ros, M. A., Lopez-Martinez, A., Simandl, B. K., Rodriguez, C., Izpisua Belmonte, J-C., Dahn, R. and Fallon, J. F. The limb field mesoderm determines initial limb bud anteroposterior asymmetry and budding independent of *sonic hedgehog* or apical ectodermal **122**, 2319
Rosa, F. *See* Renucci, A.
Rosen, J. M. *See* Humphreys, R. C.
Rosenberg, R. D. *See* Weiler-Guettler, H.
Ross, R. S., Navankasattusas, S., Harvey, R. P. and Chien, K. R. An HF-1a/ HF-1b/MEF-2 combinatorial element confers cardiac ventricular specificity and establishes an anterior-posterior gradient of expression **122**, 1799
Rossant, J. *See* Ang, S.-L.
Rossant, J. *See* Partanen, J.
Rossel, M. *See* Goddard, J. M.
Rossi, P. *See* Albanesi, C.
Rothman, J. H. *See* Moskowitz, I. P. G.
Rougvie, A. E. *See* Bettinger, J. C.
Rowitch, D. H. *See* Kispert, A.
Rowning, B. A. *See* Larabell, C. A.
Roy, S. *See* DeSimone, S.
Royet, J. and Finkelstein, R. *hedgehog, wingless* and *orthodenticle* specifiy adult head development in *Drosophila* **122**, 1849
Rueger, D. *See* Reissmann, E.
Ruel, L. *See* Heitzler, P.
Ruffins, S. W. and Ettensohn, C. A. A fate map of the vegetal plate of the sea urchin (*Lytechinus variegatus*) mesenchyme blastula **122**, 253
Runft, L. L. and Mandoli, D. F. Coordination of cellular events that precede reproductive onset in *Acetabularia acetabulum*: evidence for a 'loop' in development **122**, 1187
Running, M. P. and Meyerowitz, E. M. Mutations in the *PERIANTHIA* gene of *Arabidopsis* specifically alter floral organ number and initiation pattern **122**, 1261
Ruohola-Baker, H. *See* Larkin, M. K.
Ruohola-Baker, H. *See* Morimoto, A. M.
Rushlow, C. *See* Frank, L. H.
Russell, S. R. H., Sanchez-Soriano, N., Wright, C. R. and Ashburner, M. The *Dichaete* gene of *Drosophila melanogaster* encodes a SOX-domain protein required for embryonic segmentation **122**, 3669
Russo, G. L., Kyozuka, K., Antonazzo, L., Tosti, E. and Dale, B. Maturation Promoting Factor in ascidian oocytes is regulated by different intracellular signals at meiosis I and II **122**, 1995
Rutter, W. J. *See* Gittes, G. K.
Ryan, K. *See* Zernicka-Goetz, M.
Ryffel, G. U. *See* Weber, H.
Saedler, H. *See* Perbal, M.-C.
Saga, Y., Hata, N., Kobayashi, S., Magnuson, T., Seldin, M. F. and Taketo, M. M. MesP1: a novel basic helix-loop-helix protein expressed in the nascent mesodermal cells during mouse gastrulation **122**, 2769
Sagerstrom, C. G., Grinblat, Y. and Sive, H. Anteroposterior patterning in the zebrafish, *Danio rerio*: an explant assay reveals inductive and suppressive cell interactions **122**, 1873
Saigo, K. *See* Higashijima, S.-i.
Saigo, K. *See* Matsuzaki, M.
Saito, M. *See* Koshimizu, U.
Sakai, M. The vegetal determinants required for the Spemann organizer move equatorially during the first cell cycle **122**, 2207
Sakiyama, J.-i. *See* Yokouchi, Y.
Saldivar, J. R., Krull, C. E., Krumlauf, R., Ariza-McNaughton, L. and Bronner-Fraser, M. Rhombomere of origin determines autonomous versus environmentally regulated expression of *Hoxa3* in the avian embryo **122**, 895
Salser, S. J. and Kenyon, C. A *C. elegans* Hox gene sitches on, off, on and off again to regulate proliferation, differentiation and morphogenesis **122**, 1651
Samakovlis, C., Hacohen, N., Manning, G., Sutherland, D. C., Guillemin, K. and Krasnow, M. A. Development of the *Drosophila* tracheal system occurs by a series of morphologically distinct but genetically coupled branching events **122**, 1395
Samakovlis, C., Manning, G., Steneberg, P., Hacohen, N., Cantera, R. and Krasnow, M. A. Genetic control of epithelial tube fusion during *Drosophila* tracheal development **122**, 3531
Samuels, M. *See* Bopp, D.
Sanchez-Soriano, N. *See* Russell, S. R. H.
Sanson, B. *See* Lawrence, P. A.
Sassoon, D. *See* Uyttendaele, H.
Satoh, H. *See* Hong, S. K.
Satoh, N. *See* Nakatani, Y.
Satoh, N. *See* Yoshida, S.
Satokata, I. *See* Benson, G. V.
Satokata, I. *See* Chen, Y.
Saunders, T. L. *See* Gage, P. J.
Scanlon, M. J., Schneeberger, R. G. and Freeling, M. The maize mutant *narrow sheath* fails to establish leaf margin identity in a meristematic domain **122**, 1683
Scarborough, T. *See* Ma, X.
Scarlett, L. M. *See* Gage, P. J.
Schedl, P. *See* Bhat, K. M.
Schedl, P. *See* Bopp, D.
Scheller, R. H. *See* Campanelli, J. T.
Schiefelbein, J. W. *See* Masucci, J. D.
Schilling, T. F., Walker, C. and Kimmel, C. B. The *chinless* mutation and neural crest cell interactions in zebrafish jaw development **122**, 1417
Schimansky, T. *See* Reiter, C.
Schlondorff, J. *See* Kaestner, K. H.
Schmidt, J. E., von Dassow, G. and Kimelman, D. Regulation of dorsal-ventral patterning: the ventralizing effects of the novel *Xenopus* homeobox gene *Vox* **122**, 1711

Schmidt-Ullrich, R., Memet, S., Lilienbaum, A., Feuillard, J., Raphael, M. and Israel, A. NF-κB activity in transgenic mice: developmental regulation and tissue specificity **122**, 2117
Schneeberger, R. G. *See* Scanlon, M. J.
Schneider-Maunoury, S. *See* Levi, G.
Schneider-Maunoury, S. *See* Murphy, P.
Scholer, H. R. *See* Yeom, Y. I.
Scholz, H. *See* Gabay, L.
Schubiger, G. *See* Baker, R.
Schubiger, G. *See* Johnston, L. A.
Schuchardt, A. *See* Durbec, P. L.
Schuchardt, A., D'Agati, V., Pachnis, V. and Costantini, F. Renal agenesis and hypodysplasia in *ret-k*⁻mutant mice result from defects in ureteric bud development **122**, 1919
Schuger, L., Johnson, G. R., Gilbride, K., Plowman, G. D. and Mandel, R. Amphiregulin in lung branching morphogenesis: interaction with heparan sulfate proteoglycan modulates cell proliferation **122**, 1759
Schughart, K. *See* Sporle, R.
Schuh, R. *See* Kuhnlein, R. P.
Schupbach, T. *See* Hawkins, N. C.
Schurer, B. *See* Halfter, W.
Schutz, G. *See* Kaestner, K. H.
Schwartz, L. *See* Partanen, J.
Schwarz-Sommer, Z. *See* Perbal, M.-C.
Schweisguth, F. *See* Gho, M.
Schweitzer, R. *See* Golembo, M.
Scott, M. P. *See* Concordet, J.-P.
Scott, M. P. *See* Epstein, D. J.
Scott, M. P. *See* Marigo, V.
Scully, A. L. *See* Callahan, C. A.
Seaver, E. C., Carpenter, E. M. and Bastiani, M. J. REGA-1 is a GPI-linked member of the immunoglobulin superfamily present on restricted regions of sheath cell processes in grasshopper **122**, 567
Sedgwick, S. G. *See* Conlon, F. L.
Seitanidou, T. *See* Murphy, P.
Seitanidou, T. *See* Nonchev, S.
Seldin, M. F. *See* Saga, Y.
Semb, H. *See* Dahl, U.
Semeriva, M. *See* Manfruelli, P.
Sette, C. *See* Albanesi, C.
Seum, C., Spierer, A., Pauli, D., Szidonya, J., Reuter, G. and Spierer, P. Position-effect variegation in *Drosophila* depends on the dose of the gene encoding the E2F transcriptional activator and cell cycle regulator **122**, 1949
Sham, M. H. *See* Nonchev, S.
Sharp, E. J. *See* Park, W. J.
Sharpe, P. T. *See* Phippard, D. J.
Shaw, G. *See* Whitworth, D. J.
Shaw, J. E. *See* Lundquist, E. A.
Shaw, S. L. and Quatrano, R. S. The role of targeted secretion in the establishment of cell polarity and the orientation of the division plane in *Fucus* zygotes **122**, 2623
Shawber, C., Nofziger, D., Hsieh, J. J.-D., Lindsell, C., Bogler, O., Hayward, D. and Weinmaster, G. Notch signaling inhibits muscle cell differentiation through a CBF1-independent pathway **122**, 3765
Shearn, A. *See* LaJeunesse, D.
Shelton, C. A. and Bowerman, B. Time-dependent responses to *glp-1*-mediated inductions in early *C. elegans* embryos **122**, 2043
Shen, L. *See* Kispert, A.
Sheng, G. *See* Bertuccioli, C.
Sheng, Z., Pennica, D., Wood, W. I. and Chien, K. R. Cardiotrophin-1 displays early expression in the murine heart tube and promotes cardiac myocyte survival **122**, 419
Shepherd, D. and Smith S. A. Central projections of persistant larval sensory neurons prefigure adult sensory pathways in the CNS of *Drosophila* **122**, 2375
Shepherd, K. *See* Kreidberg, J. A.
Shi, D.-L. *See* Launay, C.
Shih, J. and Fraser, S. E. Characterizing the zebrafish organizer: microsurgical analysis at the early-shield stage **122**, 1313
Shilo, B.-Z. *See* Gabay, L.
Shilo, B.-Z. *See* Golembo, M.
Shimabara, M. *See* Kawakami, Y.
Shinagawa, A. *See* Kikkawa, M.
Shirayoshi, Y. *See* Koshimizu, U.
Shishido, E. *See* Higashijima, S.-i.
Shur, B. D. *See* Hathaway, H. J.
Siegert, F. *See* Dormann, D.
Siemering, K. R. *See* Zernicka-Goetz, M.
Simandl, B. K. *See* Ros, M. A.
Simeone, A. *See* Millet, S.
Simeone, A. *See* Pellegrini, M.
Simon, J. *See* Bornemann, D.
Simon, M. A. *See* Allard, J. D.
Simpson, P. *See* Heitzler, P.
Sinclair, A. H. *See* Kent, J.
Singer, J. B., Harbecke, R., Kusch, T., Reuter, R. and Lengyel, J. A. *Drosophila brachyenteron* regulates gene activity and morphogenesis in the gut **122**, 3707
Siracusa, G. *See* Pesce, M.
Sive, H. *See* Bradley, L.
Sive, H. *See* Sagerstrom, C. G.
Sjodin, A. *See* Dahl, U.
Skaer, H. *See* Grawe, F.
Slack, J. M. W. *See* Pownall, M. E.
Small, J. V. *See* Moessler, H.
Small, S. *See* Arnosti, D. N.
Smith, C. M. *See* Bissen, S. T.
Smith, C. M., Lans, D. and Weisblat, D. A. Cellular mechanisms of epiboly in leech embryos **122**, 1885
Smith, J. C. *See* Conlon, F. L.
Smith, J. C. *See* Jones, C. M.
Smith, J. C. *See* Ladher, R.
Smith, L. G., Hake, S. and Sylvester, A. W. The *tangled-1* mutation alters cell division orientations throughout maize leaf development without altering leaf shape **122**, 481
Smith, S. A. *See* Shepherd, D.
Smith, S. T. and Jaynes, J. B. A conserved region of engrailed, shared among all en-, gsc-, Nk1-, Nk2- and msh-class homeoproteins, mediates active transcriptional repression in vivo **122**, 3141
Smyth, D. R. *See* Bossinger, G.
Snape, A. M. *See* Ladher, R.
Sockanathan, S. *See* Collignon, J.
Solberg, H. *See* Lund, L. R.
Sommer, L. *See* Blaugrund, E.
Song, D.-L., Chalepakis, G., Gruss, P. and Joyner, A. L. Two Pax-binding sites are required for early embryonic brain expression of an *Engrailed-2* transgene **122**, 627
Souza, P. *See* Post, M.
Spann, T. *See* Wood, S. A.
Spann, T. P. *See* Brock, D. A.
Spence, M. S., Yip, J. and Erickson, C. A. The dorsal neural tube organizes the dermamyotome and induces axial myocytes in the avian embryo **122**, 231
Spierer, A. *See* Seum, C.
Spierer, P. *See* Seum, C.
Sporle, R., Gunther, T., Struwe, M. and Schughart, K. Severe defects in the formation of epaxial musculature in *open brain* (*opb*) mutant mouse embryos **122**, 79
Spradling, A. C. *See* de Cuevas, M.
Spradling, A. C. *See* Forbes, A. J.
Sprenger, F. *See* Furriols, M.
Spudich, J. A. *See* Nuckolls, G. H.
Srtavanis-Tsakonas, S. *See* Sun, X.
Staab, S., Heller, A. and Steinmann-Zwicky, M. Somatic sex-determining signals act on XX germ cells in *Drosophila* embryos **122**, 4065
Stachecki, J. J., and Armant, D. R. Transient release of calcium from inositol 1,4,5-trisphosphate-specific stores regulates mouse preimplantation development **122**, 2485
Staley, K. *See* Blaschke, A. J.
Statton, D. *See* Phillis, R.
Stein, R. *See* Offield, M. F.
Steinberg, M. S. *See* Foty, R. A.
Steinmann-Zwicky, M. *See* Staab, S.
Stella, M. *See* Goriely, A.
Steneberg, P. *See* Samakovlis, C.
Stengl, G. *See* Briegel, K.
Stennard, F., Carnac, G. and Gurdon, J. B. The *Xenopus* T-box gene, *Antipodean*, encodes a vegetally localised maternal mRNA that can trigger mesoderm formation **122**, 4179
Stern, C. D. *See* Psychoyos, D.
Sternberg, P. W. *See* Felix, M.-A.
Sternberg, P. W. *See* Newman, A. P.
Stevanovic, M. *See* Collignon, J.
Stevenson, L. *See* Ang, S.-L.
Stinchcomb, D. T. *See* Boyd, L.
Stolarov, J. *See* Roffler-Tarlov, S.
Storm, E. E. and Kingsley, D. M. Joint patterning defects caused by single and double mutations in members of the bone morphogenetic protein (BMP) family **122**, 3969
Stoykova, A. *See* Mansouri, A.
Stoykova, A., Fritsch, R., Walther, C. and Gruss, P. Forebrain patterning defects in *Small eye* mutant mice **122**, 3453
Strand, M. *See* Grbic, M.
Strickland, S. *See* Lieberfarb, M. E.
Strome, S. *See* Browning, H.
Strome, S. *See* Hird, S. N.
Strunk, K. E. *See* Pownall, M. E.
Struwe, M. *See* Sporle, R.
Sturtevant, M. A. *See* Yu, K.
Sullivan, W. *See* de Saint Phalle, B.
Sulston, I. A. and Anderson, K. V. Embryonic patterning mutants in *Tribolium castaneum* **122**, 805
Summers, R. G. *See* Mao, C.-A.
Sun, E. *See* Lustig, K. D.
Sun, X. and Srtavanis-Tsakonas, S. The intracellular deletions of DELTA and SERRATE define dominant negative forms of the *Drosophila Notch* ligands **122**, 2465
Sundaram, M., Yochem, J. and Han, M. A Ras-mediated signal transduction pathway is involved in the control of sex myoblast migration in *Caenorhabditis elegans* **122**, 2823
Susuki, T. *See* Nakagawa, Y.
Suter, B. *See* Swan, A.
Sutherland, D. C. *See* Samakovlis, C.
Suzuki, A. *See* Yokouchi, Y.
Suzuki, E. *See* Hoshino, M.
Suzuki, N., Labosky, P. A., Furuta, Y., Hargett, L., Dunn, R., Fogo, A. B., Takahara, K., Peters, D. M. P., Greenspan, D. S. and Hogan, B. L. M. Failure of ventral body wall closure in mouse embryos lacking a procollagen C-proteinase encoded by *Bmp1*, a mammalian gene related to *Drosophila tolloid* **122**, 3587
Swan, A. and Suter, B. Role of *Bicaudal-D* in patterning the *Drosophila* egg chamber in mid-oogenesis **122**, 3577
Sweeney, C., Murphy, M., Kubelka, M., Ravnik, S. E., Hawkins, C. F., Wolgemuth, D. J. and Carrington, M. A distinct cyclin A is expressed in germ cells in the mouse **122**, 53
Sylvester, A. W. *See* Smith, L. G.
Szabo, P. *See* McLaughlin, K. J.
Szidonya, J. *See* Seum, C.
Tabata, M. J., Kim, K., Liu, J.-G., Yamashita, K., Matsumura, T., Kato, J., Iwamoto, M., Wakisaka, S., Matsumoto, K., Nakamura, T., Kumegawa, M. and Kurisu, K. Hepatocyte growth factor is involved in the morphogenesis of tooth germ in murine molars **122**, 1243
Tabin, C. *See* Nelson, C. E.
Tabin, C. J. *See* Marigo, V.
Taga, T. *See* Koshimizu, U.
Taira, S. *See* Kukk, E.
Tajbakhsh, S. *See* Cossu, G.
Takahara, K. *See* Suzuki, N.
Takano, K. *See* Kikkawa, M.
Takeichi, M. *See* Tanaka-Matakatsu, M.
Taketo, M. M. *See* Saga, Y.
Tanaka, H. *See* Fukushima, M.
Tanaka-Matakatsu, M., Uemura, T., Oda, H., Takeichi, M. and Hayashi, S. Cadherin-mediated cell adhesion and cell motility in *Drosophila* trachea regulated by the transcription factor Escargot **122**, 3697
Tanda, N. *See* Kawakami, Y.

Taniguchi, M. *See* Akasaka, T.
Tanswell, A. K. *See* Post, M.
Tarlov, E. *See* Roffler-Tarlov, S.
Taskar, A. M. *See* Wightman, B.
Teillet, M.-A. *See* Catala, M.
Tennyson, V. M. *See* Blaugrund, E.
Tessarollo, L. *See* Nelson, C. E.
Tewari, R., Gillemans, N., Harper, A., Wijgerde, M., Zafarana, G., Drabek, D., Grosveld, F. and Philipsen, S. The human β-*globin* locus control region confers an early embryonic erythroid-specific expression pattern to a basic promoter driving the bacterial *lacZ* gene **122**, 3991
Thaller, C. *See* Helms, J. A.
Theisen, H., Haerry, T. E., O'Connor, M. B. and Marsh, J. L. Developmental territories created by mutual antagonism between Wingless and Decapentaplegic **122**, 3939
Thelen, H. *See* Rehorn, K.-P.
Thesleff, I. *See* Vaahtokari, A.
Theurkauf, W. *See* Lieberfarb, M. E.
Thomas, J. B. *See* Callahan, C. A.
Thomasset, N. *See* Lund, L. R.
Thomsen, G. H. *Xenopus* mothers against decapentaplegic is an embryonic ventralizing agent that acts downstream of the BMP-2/4 receptor **122**, 2359
Thorpe, J. *See* Hawkins, N. C.
Tickle, C. *See* Duprez, D. M.
Tickle, C. *See* Patel, K.
Tiemeyer, M. and Goodman, C. S. Gliolectin is a novel carbohydrate-binding protein expressed by a subset of glia in the embryonic *Drosophila* nervous system **122**, 925
Tietze, K. *See* Morimoto, A. M.
Topilko, P. *See* Levi, G.
Topilko, P. *See* Murphy, P.
Torii, M. *See* Nakagawa, Y.
Torch, M. A. *See* Mullen, L. M.
Torres, M. *See* Mansouri, A.
Torres, M., Gomez-Pardo, E. and Gruss, P. *Pax2* contributes to inner ear patterning and optic nerve trajectory **122**, 3381
Tosti, E. *See* Russo, G. L.
Traas, J. *See* Desnos, T.
Traynor, D. *See* Jermyn, K.
Treisman, R. *See* Guillemin, K.
Tremblay, P., Pituello, F. and Gruss P. Inhibition of floor plate differentiation by *Pax 3*: evidence from ectopic expression in transgenic mice. **122**, 2555
Truman, J. W., De Vente, J. and Ball, E. E. Nitric oxide-sensitive guanylate cyclase activity is associated with the maturational phase of neuronal development in insects **122**, 3949
Tseu, I. *See* Post, M.
Tsuge, T., Tsukaya, H. and Uchimiya, H. Two independent and polarized processes of cell elongation regulate leaf blade expansion in *Arabidopsis thaliana* (L.) Heynh. **122**, 1589
Tsukaya, H. *See* Tsuge, T.
Tucker, A. S. *See* Pownall, M. E.
Tucker, R. P. *See* McKay, S. E.
Turnley, A. M. *See* Reid, K.
Twombly, V., Blackman, R. K., Jin, H., Graff, J. M., Padgett, R. W. and Gelbart, W. M. The TGF-β signaling pathway is essential for *Drosophila* oogenesis **122**, 1555
Uchimiya, H. *See* Tsuge, T.
Ueki, A. *See* Kawakami, Y.
Uemura, T. *See* Tanaka-Matakatsu, M.
Ueno, N. *See* Yokouchi, Y.
Upchurch, B. H., Fung, B. P., Rindi, G., Ronco, A. and Leiter, A. B. Peptide YY expression is an early event in colonic endocrine cell differentiation: evidence from normal and transgenic mice **122**, 1157
Uyttendaele, H., Marazzi, G., Wu, G., Yan, Q., Sassoon, D. and Kitajewski, J. *Notch4/int-3*, a mammary proto-oncogene, is an endothelial cell-specific mammalian *Notch* gene **122**, 2251
Vaahtokari, A., Aberg, T. and Thesleff, I. Apoptosis in the developing tooth: association with an embryonic signaling center and suppression by EGF and FGF-4 **122**, 121
Vainio, S. *See* Kispert, A.
Varella, M. H. *See* Rehen, S. K.
Vaughn, J. E. *See* Phelps, P. E.
Vemuri, G. S. and McMorris, F. A. Oligodendrocytes and their precursors require phosphatidylinositol 3-kinase signaling for survival **122**, 2529
Verlhac, M.-H. *See* Kalab, P.
Verlhac, M.-H., Kubiak, J. Z., Weber, M., Geraud, G., Colledge, W. H., Evans, M. J. and Maro, B. Mos is required for MAP kinase activation and is involved in microtubule organization during meiotic maturation in the mouse **122**, 815
Vesque, C. *See* Nonchev, S.
VijayRaghavan, K. *See* DeSimone, S.
Vincent, A. V. *See* Mevel-Ninio, M.
Vincent, C. *See* Bradley, D.
Vincent, C. *See* Monsoro-Burq, A.-H.
Vincent, J.-P. *See* Lawrence, P. A.
Vincent, S., Vonesch, J.-L. and Giangrande, A. *glide* directs glial fate commitment and cell fate switch between neurones and glia **122**, 131
Viswanathan, S. *See* Lin, T.-Y.
Vivarelli, E. *See* Cossu, G.
Vlahou, A., Gonzalez-Rimbau, M. and Flytzanis, C. N. Maternal mRNA encoding the orphan steroid receptor SpCOUP-TF is localized in sea urchin eggs **122**, 521
Vogan, K. *See* Yang, X.-M.
Vogel, A. *See* Ogura, T.
Vogel, A., Rodriguez, C. and Izpisua-Belmonte, J.-C. Involvement of FGF-8 in initiation, outgrowth and patterning of the vertebrate limb **122**, 1737
von Dassow, G. *See* Schmidt, J. E.
Vonesch, J.-L. *See* Vincent, S.
Wainstock, D. *See* Bradley, L.
Wainwright, B. J. *See* Monkley, S. J.
Wakisaka, S. *See* Tabata, M. J.
Walker, C. *See* Schilling, T. F.
Wallin, J., Eibel, H., Neubuser, A., Wilting, J., Koseki, H. and Balling, R. *Pax1* is expressed during development of the thymus epithelium and is required for normal T-cell maturation **122**, 23
Walther, C. *See* Stoykova, A.
Wang, J. *See* Post, M.
Wang, L.-C. *See* Marcus, R. C.
Wang, S. *See* Bertuccioli, C.
Warga, R. M. *See* Melby, A. E.
Warot, X. *See* Fromental-Ramain, C.
Watanabe, M. *See* Koshimizu, U.
Watanabe, Y. *See* Monsoro-Burq, A.-H.
Watts, J. L., Etemad-Moghadam, B., Guo, S., Boyd, L., Draper, B. W., Mello, C. C., Priess, J. R. and Kemphues, K. J. *par-6*, a gene involved in the establishment of asymmetry in early *C. elegans* embryos, mediates the asymmetric localization of PAR-3 **122**, 3133
Weber, H., Holewa, B., Jones, E. A. and Ryffel, G. U. Mesoderm and endoderm differentiation in animal cap explants: identification of the HNF4-binding site as an activin A responsive element in the *Xenopus HNF1α* promoter **122**, 1975
Weber, M. *See* Verlhac, M.-H.
Weber-Hall, S. J. *See* Phippard, D. J.
Wei, Y., Bader, D. and Litvin, J. Identification of a novel cardiac-specific transcript critical for cardiac myocyte differentiation **122**, 2779
Weiher, H. *See* Humphreys, R. C.
Weijer, C. J. *See* Dormann, D.
Weiler-Guettler, H., Aird, W. C., Rayburn, H., Husain, M. and Rosenberg, R. D. Developmentally regulated gene expression of thrombomodulin in postimplantation mouse embryos **122**, 2271
Weinberg, E. S., Allende, M. L., Kelly, C. S., Abdelhamid, A, Murakami, T., Andermann, P., Doerre, G., Grunwald, D. J. and Riggleman, B. Developmental regulation of zebrafish *MyoD* in wild-type, *no tail* and spadetail embryos **122**, 271
Weinmaster, G. *See* Shawber, C.
Weir, M. *See* Fujioka, M.
Weir, M. *See* Miskiewicz, P.
Weisblat, D. A. *See* Huang, F. Z.
Weisblat, D. A. *See* Smith, C. M.
Weizsacker, E. V. *See* Muller, M.
Wells, J. *See* Larabell, C. A.
Werb, Z. *See* Alexander, C. M.
Werb, Z. *See* Lund, L. R.
Wessel, G. M. *See* Berg, L. K.
Westerfield, M. *See* Devoto, S. H.
Weston, K. M. *See* Conlon, F. L.
Westphal, H. *See* Rankin, T.
Wheatley, S. C. *See* Kent, J.
White, J. G. *See* Newman, A. P.
White, K. *See* DeSimone, S.
Whittaker, C. A. *See* Lallier, T. E.
Whittaker, C. A. *See* Ramos, J. W.
Whitworth, D. J., Shaw, G. and Renfree, M. B. Gonadal sex reversal of the developing marsupial ovary in vivo and in vitro **122**, 4057
Whyte, D. B. *See* Alarid, E. T.
Wiersdorff, V., Lecuit, T., Cohen, S. M. and Mlodzik, M. *Mad* acts downstream of Dpp receptors, revealing a differential requirement for *dpp* signaling in initiation and propagation of morphogenesis in the *Drosophila* eye **122**, 2153
Wightman, B., Clark, S. G., Taskar, A. M., Forrester, W. C., Maricq, A. V., Bargmann, C. I. and Garriga, G. The *C. elegans* gene *vab-8* guides posteriorly directed axon outgrowth and cell migration **122**, 671
Wijgerde, M. *See* Tewari, R.
Wikramanayake, A. H. *See* Mao, C.-A.
Wilkinson, D. G. *See* Patel, K.
Williams, J. *See* Jermyn, K.
Wilson, J. E., Connell, J. E. and Macdonald, P. M. *aubergine* enhances *oskar* translation in the *Drosophila* ovary **122**, 1631
Wilson, P. G. *See* Lin, T.-Y.
Wilting, J. *See* Wallin, J.
Windle, J. J. *See* Alarid, E. T.
Wingate, R. J. T. and Lumsden, A. Persistence of rhombomeric organisation in the postsegmental hindbrain **122**, 2143
Winnier, G. *See* Bellusci, S.
Wodarz, A. *See* Grawe, F.
Wolf, N. *See* Lin, T.-Y.
Wolgemuth, D. J. *See* Sweeney, C.
Woo, I. *See* Chen, Y.
Woo, I. *See* Phippard, D. J.
Wood, C. *See* Lin, T.-Y.
Wood, S. A. *See* Brock, D. A.
Wood, S. A., Ammann, R. R., Brock, D. A., Li, L., Spann, T. and Gomer, R. H. RtoA links initial cell type choice to the cell cycle in *Dictyostelium* **122**, 3677
Wood, W. B. *See* Pettitt, J.
Wood, W. I. *See* Sheng, Z.
Wreden, C. *See* Lieberfarb, M. E.
Wright, C. R. *See* Russell, S. R. H.
Wright, C. V. E. *See* Offield, M. F.
Wright, C. V. E. *See* Jones, C. M.
Wu, G. *See* Uyttendaele, H.
Wu, J.-X. and Adamson, E. D. Kinase-negative mutant epidermal growth factor receptor (EGFR) expression during embryonal stem cell differentiation favours EGFR-independent lineages **122**, 3331
Wu, M. *See* Larabell, C. A.
Wylie, C., Kofron, M., Payne, C., Anderson, R., Hosobuchi, M., Joseph, E. and Heasman, J. Maternal β-catenin establishes a 'dorsal signal' in early *Xenopus* embryos **122**, 2987.
Xu, H. *See* Michaelson, M. D.
Yamashita, K. *See* Tabata, M. J.
Yan, Q. *See* Uyttendaele, H.
Yan, Y.-L. *See* Alexandre, D.
Yan, Y.-L. *See* Moens, C. B.
Yancopoulos, G. D. *See* Bianchi, L. M.
Yang, X.-M., Vogan, K., Gros, P. and Park, M. Expression of the *met* receptor tyrosine kinase in muscle progenitor cells in somites and limbs is absent in *Splotch* mice **122**, 2163
Yang, X. W., Zhong, R. and Heintz, N. Granule cell specification in the developing mouse brain as defined by expression of the zinc finger transcription factor RU49 **122**, 555
Yasuo, H. *See* Nakatani, Y.
Yeom, Y. I., Fuhrmann, G., Ovitt, C. E., Brehm, A.,

Ohbo, K., Gross, M., Hubner, K. and Scholer, H. R. Germline regulatory element of Oct-4 specific for the totipotent cycle of embryonal cells **122**, 881
Yip, J. *See* Spence, M. S.
Yochem, J. *See* Sundaram, M.
Yokouchi, Y., Sakiyama, J.-i., Kameda, T., Iba, H., Suzuki, A., Ueno, N. and Kuroiwa, A. BMP-2/-4 mediate programmed cell death in chicken limb buds **122**, 3725
Yoshida, H., Kunisada, T., Kusakabe, M., Nishikawa, S. and Nishikawa, S.-I. Distinct stages of melanocyte differentiation revealed by analysis of nonuniform pigmentation patterns **122**, 1207
Yoshida, S., Marikawa, Y. and Satoh, N. *posterior end mark*, a novel maternal gene encoding a localized factor in the ascidian embryo **122**, 2005
Yost, C. *See* Larkin, M. K.
Young, N. *See* Larkin, J. C.
Yu, K., Sturtevant, M. A., Biehs, B., Francois, V., Padgett, R. W., Blackman, R. K. and Bier, E. The *Drosophila decapentaplegic* and *short gastrulation* genes function antagonistically during adult wing vein development **122**, 4033
Yu, X., Hoppler, S., Eresh, S. and Bienz, M. *decapentaplegic*, a target gene of the wingless signalling pathway in the *Drosophila* midgut **122**, 849
Yuan, D. *See* Ma, X.
Yuh, C.-H. and Davidson, E. H. Modular *cis*-regulatory organization of *Endo16*, a gut-specific gene of the sea urchin embryo **122**, 1069
Yuh, C.-H., Moore, J. G. and Davidson, E. H. Quantitative functional interrelations within the *cis*-regulatory system of the *S. purpuratus Endo16* gene **122**, 4045
Zafarana, G. *See* Tewari, R.
Zakany, J. *See* Kondo, T.
Zeltser, L., Desplan, C. and Heintz, N. *Hoxb-13*: a new Hox gene in a distant region of the HOXB cluster maintains colinearity **122**, 2475
Zenke, M. *See* Briegel, K.
Zernicka-Goetz, M., Pines, J., Ryan, K., Siemering, K. R., Haseloff, J., Evans, M. J. and Gurdon J. B. An indelible lineage marker for *Xenopus* using a mutated green fluorescent protein **122**, 3719
Zhang, H. and Bradley, A. Mice deficient for BMP2 are nonviable and have defects in amnion/chorion and cardiac development **122**, 2977
Zhang, J. and King, M. L. *Xenopus VegT* RNA is localized to the vegetal cortex during oogenesis and encodes a novel T-box transcription factor involved in mesodermal patterning **122**, 4119
Zhang, M. *See* Masucci, J. D.
Zhong, R. *See* Yang, X. W.
Zhou, B. *See* Kuo, Y. M.
Zhou, Y. and King, M. L. Localization of *Xcat-2* RNA, a putative germ plasm component, to the mitochondrial cloud in *Xenopus* stage I oocytes **122**, 2947
Zhu, A. and Kuziora, M. A. Functional domains in the Deformed protein **122**, 1577
Zipursky, S. L. *See* Dokucu, M. E.
Zusman, S. *See* Roote, C. E.

Subject Index

Abdominal-A
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
Abdominal-B
Deformed functional domains: ZHU AND KUZIORA **122**, 1577.
Aboral ectoderm
CyIIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
Acetabularia acetabulum
coordinating reproduction in *Acetabularia*: RUNFT AND MANDOLI **122**, 1187.
acheate
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Acid phosphatase
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX **122**, 3151.
Acp 5
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX **122**, 3151.
Activation
Deformed functional domains: ZHU AND KUZIORA **122**, 1577.
$p90^{rsk}$ in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
Active repression
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
Activin
activin A responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
Xom mediates BMP-4 signalling in *Xenopus*: LADHER, MOHUN, SMITH AND SNAPE **122**, 2385.
Adenohypophysis
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
Adenylate cyclase
mitogenic effect of PACAP on mouse primordial germ cells: PESCE, CANIPARI, FERRI, SIRACUSA AND DE FELICI **122**, 215.
Adherens junction
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
Adhesion
PS integrins and wing morphogenesis: BRABANT, FRISTROM, BUNCH AND BROWER **122**, 3307.
Adrenergic
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
AER
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
AFP
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
Aggregate
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.
Agrin
binding to dystroglycan and heparin: CAMPANELLI, GAYER AND SCHELLER **122**, 1663.
alb1
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.
Albino
axon paths in the albino optic chiasm: MARCUS, WANG AND MASON **122**, 859.
Albumin
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.
Allantois
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.
Alternative RNA splicing
C. elegans mec-8 gene: LUNDQUIST, HERMAN, ROGALSKI, MULLEN, MOERMAN AND SHAW **122**, 1601.
α-amanitin
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.
Ameloblast
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
Amnion
Bmp1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.
Amnioserosa
cell death in ush-group mutants: FRANK AND RUSHLOW **122**, 1343.
Amphioxus
Distal-less gene: HOLLAND, PANGANIBAN, HENYEY AND HOLLAND **122**, 2911.
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.
Amphiregulin
in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
amputated
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
Anal sphincter
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
Analysis of potency
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.
Anchor cell
Caenorhabditis uterine morphogenesis: NEWMAN, WHITE AND STERNBERG **122**, 3617.
Angiogenesis
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
Kit^{W-42J} exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
angustifolia
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.
Animal cap
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
Annelid
epiboly in leech embryos: SMITH, LANS AND WEISBLAT **122**, 1885.
O/P cell fate in *Helobdella*: HUANG AND WEISBLAT **122**, 1839.
Antagonism
Drosophila wing vein development: YU, STURTEVANT, BIEHS, FRANCOIS, PADGETT, BLACKMAN AND BIER **122**, 4033.
Antagonists
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
Anterior
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.
Anterior neural plate
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
Anteroposterior axis
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR, FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
dynamic Hox expression patterns A/P axis: SALSER AND KENYON **122**, 1651.
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
Anti-Müllerian hormone
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
Antioxidants
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.
Antipodean
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
Antirrhinum
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.
Antisense
integrin α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.
Antisense construct
MAP4 in myogenesis: MANGAN AND OLMSTED **122**, 771.
Antisense oligodeoxynucleotide
HGF in tooth morphogenesis: TABATA, KIM, LIU, YAMASHITA, MATSUMURA, KATO, IWAMOTO, WAKISAKA, MATSUMOTO, NAKAMURA, KUMEGAWA AND KURISU **122**, 1243.
AP-1
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
Apancreatic
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
APETALA3
AP3 and PI sufficient for B function: KRIZEK AND MEYEROWITZ **122**, 11.

Apical ectodermal cap
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
Apical ectodermal ridge (AER)
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.
Apical meristem
the *PERIANTHIA* gene of *Arabidopsis*: RUNNING AND MEYEROWITZ **122**, 1261.
Apoptosis
amnioserosa cell death in ush-group mutants: FRANK AND RUSHLOW **122**, 1343.
Bcl-2 controls spermatogonial apoptosis: FURUCHI, MASUKO, NISHIMUNE, OBINATA AND MATSUI **122**, 1703.
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
regulation of neuronal survival by Bax: MIDDLETON, NUNEZ AND DAVIES **122**, 695.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.
Appendage neogenesis
hair follicle induction: REYNOLDS AND JAHODA **122**, 3085.
APX-1
localization of APX-1: MICKEY, MELLO, MONTGOMERY, FIRE AND PRIESS **122**, 1791.
apx-1
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.
Arabidopsis
AP3 and PI sufficient for B function: KRIZEK AND MEYEROWITZ **122**, 11.
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.
auxin transport gene: CARLAND AND MCHALE **122**, 1811.
body plan: GRBIC AND BLEECKER **122**, 2395.
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.
floral initiation patterns: BOSSINGER AND SMYTH **122**, 1093.
flowering time defect in *sin1* mutant: RAY, LANG, GOLDEN AND RAY **122**, 2631.
leaf blade expansion mutants: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.
shoot and floral meristem development: LAUX, MAYER, BERGER AND JURGENS **122**, 87.
temperature sensitive mutants: PICKETT, CHAMPAGNE AND MEEKS-WAGNER **122**, 3799.
the *PERIANTHIA* gene: RUNNING AND MEYEROWITZ **122**, 1261.
trichome spacing LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
argos
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
ARIA
neuregulins promote neuronal development: BERMINGHAM-MCDONOGH, MCCABE AND REH **122**, 1427.
armadillo
role of β-catenin in *Xenopus*: WYLIE, KOFRON, PAYNE, ANDERSON, HOSOBUCHI, JOSEPH AND HEASMAN **122**, 2987.
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
arrested development
Arabidopsis temperature sensitive mutants: PICKETT, CHAMPAGNE AND MEEKS-WAGNER **122**, 3799.
Arthropod
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
As-T
induction of ascidian notochord: NAKATANI, YASUO, SATOH AND NISHIDA **122**, 2023.
Ascidian
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.
determinants of ascidian gastrulation: NISHIDA **122**, 1271.
induction of ascidian notochord: NAKATANI, YASUO, SATOH AND NISHIDA **122**, 2023.
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.
ASISH
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.
Asymmetric cell division
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.
Asymmetric fate
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
Asymmetry
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.
atonal
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
aubergine
aub enhances *osk* mRNA translation: WILSON, CONNELL AND MACDONALD **122**, 1631.
Autopod
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
Autoregulation
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
Auxin transport
auxin transport gene in *Arabidopsis*: CARLAND AND MCHALE **122**, 1811.
AV axis
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.
Avian embryo
dorsal neural tube induces the dermamyotome: SPENCE, YIP AND ERICKSON **122**, 231.
Axial elongation
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
Axial influence
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
Axial muscle
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
Axial skeleton
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.
axial
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Axillary meristem
Arabidopsis body plan: GRBIC AND BLEECKER **122**, 2395.
Axis
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.
Axis organizer
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
Axis specification
behavior of dorsal determinants: KIKKAWA, TAKANO AND SHINAGAWA **122**, 3687.
in *Caenorhabditis elegans*: GOLDSTEIN AND HIRD **122**, 1467.
Axolotl
taste buds develop without nerves: BARLOW, CHIEN AND NORTHCUTT **122**, 1103.
Axon
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.
Axon guidance
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR,

FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
glial fate and the *glide* gene: VINCENT, VONESCH AND GIANGRANDE **122**, 131.
persistent sensory neurons: SHEPHERD **122**, 2375.
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
Axon outgrowth
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.
Axonogenesis
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
bag of marbles
encore and germ line mitosis: HAWKINS, THORPE AND SCHUPBACH **122**, 281.
Basal disc
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.
Basal lamina
function of extracellular matrix in gastrulation: BERG, CHEN AND WESSEL **122**, 703.
Basement membrane
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.
Basic promoter
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
Bax
regulation of neuronal survival by Bax: MIDDLETON, NUNEZ AND DAVIES **122**, 695.
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
Bcl-2
Bcl-2 controls spermatogonial apoptosis: FURUCHI, MASUKO, NISHIMUNE, OBINATA AND MATSUI **122**, 1703.
regulation of neuronal survival by Bax: MIDDLETON, NUNEZ AND DAVIES **122**, 695.
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
Bcl-x
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
BDNF
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.
Bell's Palsy
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
bFGF
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
induction of ascidian notochord: NAKATANI, YASUO, SATOH AND NISHIDA **122**, 2023.
bHLH
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
***Bicaudal-D* (*Bic-D*)**
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
Bicoid
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
down-regulation of Bicoid by RTK: BELLAICHE, BANDYOPADHYAY, DESPLAN AND DOSTATNI **122**, 3499.
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
Blastema
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
Blastopore lip
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
blistered
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.
Blue light
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.
BMP receptor
BMP in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
BMP (Bone morphogenetic protein)
and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
Gdf5 and joint patterning: STORM AND KINGSLEY **122**, 3969.
in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
Xenopus mothers against dpp: THOMSEN **122**, 2359.
BMP-1
Bmp1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.
BMP-2
analysis of BMP2-deficient mice: ZHANG AND BRADLEY **122**, 2977.
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
BMP-4
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
Vox and dorsal-ventral patterning: SCHMIDT, VON DASSOW AND KIMELMAN **122**, 1711.
Xom mediates BMP-4 signalling in *Xenopus*: LADHER, MOHUN, SMITH AND SNAPE **122**, 2385.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.
BMP 7
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
Bone formation
defective bones in *Krox-20*$^{-/-}$ mice: LEVI, TOPILKO, SCHNEIDER-MAUNOURY, LASAGNA, MANTERO, CANCEDDA AND CHARNAY **122**, 113.
Bottle cells
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
***brachyenteron* (*byn*)**
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
Brachyury
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
Bradysia
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.
Brain
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.
Branching morphogenesis
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.
tracheal branching morphogenesis: SAMAKOVLIS, HACOHEN, MANNING, SUTHERLAND, GUILLEMIN AND KRASNOW **122**, 1395.
tracheal tube fusion in *Drosophila*: SAMAKOVLIS,

MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
Branchiomotor neurons
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
breathless
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
Brefeldin-A
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.
BTB
Drosophila psq gene: HOROWITZ AND BERG **122**, 1859.
c-*fos*
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
c-*jun*
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
c-*kit*
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.
receptor tyrosine kinasec-positive interstitial cells: LECOIN, GABELLA AND LE DOUARIN **122**, 725.
C-Lmx1
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
c-met
HGF in tooth morphogenesis: TABATA, KIM, LIU, YAMASHITA, MATSUMURA, KATO, IWAMOTO, WAKISAKA, MATSUMOTO, NAKAMURA, KUMEGAWA AND KURISU **122**, 1243.
limb muscle precursors in *splotch* mice: DASTON, LAMAR AND OLIVER **122**, 1017.
C Promotor Binding Factor (CBF1)
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
c-*ret*
c-ret and development of enteric and sympathetic neuroblasts: DURBEC, LARSSON-BLOMBERG, SCHUCHARDT, COSTANTINI AND PACHNIS **122**, 349.
renal agenesis and hypodysplasia in *ret-k*⁻ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Cadherin
c-cadherin7 and cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
cadherins and tissue formation: LARUE, ANTOS, BUTZ, HUBER, DELMAS, DOMINIS AND KEMLER **122**, 3185.
developmental role of *cdh-3*: PETTITT, WOOD AND PLASTERK **122**, 4149.
E-cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
Caenorhabditis elegans
axis specification in *Caenorhabditis elegans*: GOLDSTEIN AND HIRD **122**, 1467.
Caenorhabditis uterine morphogenesis: NEWMAN, WHITE AND STERNBERG **122**, 3617.
developmental role of *cdh-3*: PETTITT, WOOD AND PLASTERK **122**, 4149.
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR, FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
dynamic Hox expression patterns A/P axis: SALSER AND KENYON **122**, 1651.
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.
HAM-1 distribution controls cell fate: GUENTHER AND GARRIGA **122**, 3509.
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.
localization of APX-1: MICKEY, MELLO, MONTGOMERY, FIRE AND PRIESS **122**, 1791.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.
mec-8 gene: LUNDQUIST, HERMAN, ROGALSKI, MULLEN, MOERMAN AND SHAW **122**, 1601.
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
neuronal cell migration in *C. elegans*: HARRIS, HONIGBERG, ROBINSON AND KENYON **122**, 3117.
non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
patterns of LIN-29 accumulation: BETTINGER, LEE AND ROUGVIE **122**, 2517.
regulation of TRA-2A by HER-1: KUWABARA **122**, 2089.
reversal of vulval development: AMBROS AND EULING **122**, 2507.
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.
sperm-supplied factor required for embryogenesis: BROWNING AND STROME **122**, 391.
Calcium
influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
release in the mouse embryo: STACHECKI AND ARMANT **122**, 2485.
sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.
Calcium oscillation
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.
Calcium-induced calcium release
in the mouse embryo: STACHECKI AND ARMANT **122**, 2485.
cAMP-dependent protein kinase A
PKA represses ventral CNS development: EPSTEIN, MARTI, SCOTT AND MCMAHON **122**, 2885.
Capillary regression
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
Cappuccino
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.
Carbamoylphosphate synthetase I
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.
Carbohydrate
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.
Cardiac development
analysis of BMP2-deficient mice: ZHANG AND BRADLEY **122**, 2977.
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.
Cardiac myocyte
avian cardiac myocyte differentiation: WEI, BADER AND LITVIN **122**, 2779.
Cardiogenesis
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
Cardiotrophin-1
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
Cartilage
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.
β-casein
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.
β-catenin
role of β-catenin in *Xenopus*: WYLIE, KOFRON, PAYNE, ANDERSON, HOSOBUCHI, JOSEPH AND HEASMAN **122**, 2987.
caudal
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
CBF1
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.
Cdc2
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.
cdh-3
developmental role of *cdh-3*: PETTITT, WOOD AND PLASTERK **122**, 4149.
cdx
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
Cek8
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.
Cell adhesion
apoptosis in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.
PS2 integrin isoforms can replace PS1: ROOTE AND ZUSMAN **122**, 1985.
regulation of integrin adhesion in *Xenopus*: RAMOS, WHITTAKER AND DESIMONE **122**, 2873.
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.
Cell autonomous
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.
Cell autonomy
di-cistronic mRNA translation during development: HART AND BIENZ **122**, 747.
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.
Cell-cell interaction
localization of APX-1: MICKEY, MELLO, MONTGOMERY, FIRE AND PRIESS **122**, 1791.
Cell counting
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.
Cell cycle
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.

coordinating meiosis and spermiogenesis: LIN, VISWANATHAN, WOOD, WILSON, WOLF AND FULLER **122**, 1331.
Drosophila E2F and position effect variegation: SEUM, SPIERER, PAULI, SZIDONYA, REUTER AND SPIERER **122**, 1949.

Cell death
changes in dependence on Trk signalling: PINON, MINICHIELLO, KLEIN AND DAVIES **122**, 3255.
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.

Cell determination
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.

Cell differentiation
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.

Cell division
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.

Cell elongation
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.

Cell fate
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.
Caenorhabditis uterine morphogenesis: NEWMAN, WHITE AND STERNBERG **122**, 3617.
cell-cycle-dependent cell-type choice: WOOD, AMMANN, BROCK, LI, SPANN AND GOMER **122**, 3677.
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.
glial fate and the *glide* gene: VINCENT, VONESCH AND GIANGRANDE **122**, 131.
HAM-1 distribution controls cell fate: GUENTHER AND GARRIGA **122**, 3509.
hedgehog in *Drosophila* oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
lateral signalling in *Drosophila:* HEITZLER, BOUROUIS, RUEL, CARTERET AND SIMPSON **122**, 161.
mitogenic effect of *wingless*: NEUMANN AND COHEN **122**, 1781.
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.
zebrafish crest cell interactions: RAIBLE AND EISEN **122**, 501.

Cell-fate specification
localization of APX-1: MICKEY, MELLO, MONTGOMERY, FIRE AND PRIESS **122**, 1791.

Cell interaction
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
O/P cell fate in *Helobdella*: HUANG AND WEISBLAT **122**, 1839.

Cell lineage
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF AND EVANS **122**, 3719.
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.

Cell migration
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR, FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.
neuronal cell migration in *C. elegans*: HARRIS, HONIGBERG, ROBINSON AND KENYON **122**, 3117.
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
tracheal branching morphogenesis: SAMAKOVLIS, HACOHEN, MANNING, SUTHERLAND, GUILLEMIN AND KRASNOW **122**, 1395.

Cell morphogenesis
developmental role of *cdh-3:* PETTITT, WOOD AND PLASTERK **122**, 4149.

Cell movement
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.

Cell polarity
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.

Cell proliferation
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
germ linesoma interactions during spermatogenesis: GONCZY AND DINARDO **122**, 2437.
hedgehog in *Drosophila* oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.

Cell shape
Drosophila tumor suppressor gene and cell shape: MANFRUELLI, ARQUIER, HANRATTY AND SEMERIVA **122**, 2283.

Cell shape change
Escargot activates *D*E-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.

Cell signalling
corkscrew and sevenless signaling: ALLARD, CHANG, HERBST, MCNEILL AND SIMON **122**, 1137.
derailed and *Drosophila* muscle attachment: CALLAHAN, BONKOVSKY, SCULLY AND THOMAS **122**, 2761.
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.
Notch functions in the mesoderm: BAKER AND SCHUBIGER **122**, 617.

Cell sorting
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.

Cell-specific promotor
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.

Cell survival
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.

Cell-type ratio
cell-cycle-dependent cell-type choice: WOOD, AMMANN, BROCK, LI, SPANN AND GOMER **122**, 3677.

Cell wall expansion
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.

Cellular interaction
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.

Cement gland
Xenopus cement gland induction: BRADLEY, WAINSTOCK AND SIVE **122**, 2739.

Central nervous system
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
NF-κB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.

Centrosome rotation
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.

Ceratodon purpureus
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.

Cerebellum
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.

Cerebral cortex
cell death in the fetal cerebral cortex: BLASCHKE, STALEY AND CHUN **122**, 1165.
dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.

ch-42 gho
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.

Checkpoint
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.
Chemotaxis
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
Chick
avian cardiac myocyte differentiation: WEI, BADER AND LITVIN **122**, 2779.
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
BMP in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
differential regulation of *Hoxa3* expression: SALDIVAR, KRULL, KRUMLAUF, ARIZA-MCNAUGHTON AND BRONNER-FRASER **122**, 895.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
Hox expression in the chick limb bud: NELSON, MORGAN, BURKE, LAUFER, DIMAMBRO, MURTAUGH, GONZALES, TESSAROLLO, PARADA AND TABIN **122**, 1449.
IGF-I in retina development: FRADE, MARTI, BOVOLENTA, RODRIGUEZ-PENA, PEREZ-GARCIA, ROHRER, EDGAR AND RODRIGUEZ-TEBAR **122**, 2497.
late effects of RA on neural crest: GALE, PRINCE, LUMSDEN, CLARKE, HOLDER AND MADEN **122**, 783.
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.
regulation of neuronal survival by Bax: MIDDLETON, NUNEZ AND DAVIES **122**, 695.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
rhombomere interactions: GRAHAM AND LUMSDEN **122**, 473.
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
sex-specific expression of *SOX9*: KENT, WHEATLEY, ANDREWS, SINCLAIR AND KOOPMAN **122**, 2813.
target specification of motoneurons: MATISE AND LANCE-JONES **122**, 659.
the distal limb inhibits myogenic differentiation: ROBSON AND HUGHES **122**, 3899.
*trk*B and p75 expression in the chick: MCKAY, GARNER, CALDERO, TUCKER, LARGE AND OPPENHEIM **122**, 715.
two distinct endothelial lineages: PARDANAUD, LUTON, PRIGENT, BOURCHEIX, CATALA AND DIETERLEN-LIEVRE **122**, 1363.
Chick-quail chimeras
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
Chimæric limb
the distal limb inhibits myogenic differentiation: ROBSON AND HUGHES **122**, 3899.
chinless
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.
Choline acetyltransferase
nonradial migration in spinal slices: PHELPS, BARBER AND VAUGHN **122**, 2013.
Chondrogenesis
BMP in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
Chordate evolution
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.
chordin
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Choroid fissure
retinoic acid ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.
Chromatin
GAGA gene in *Drosophila* development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.
Chromosome 7
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
Chromosome elimination
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.
Ciona
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.
***cis*-regulatory module**
Endo16 cis-regulatory system: YUH AND DAVIDSON **122**, 1069.
***cis*-regulatory system**
quantitative *Endo16 cis*-regulatory analysis: YUH, MOORE AND DAVIDSON **122**, 4045.
ck-erg
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
CLAVATA
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
Cleavage pattern
determinants of ascidian gastrulation: NISHIDA **122**, 1271.
Clonal analysis
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
CNS
Drosophila fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
expression and function of *eagle* in *Drosophila*: HIGASHIJIMA, SHISHIDO, MATSUZAKI AND SAIGO?**22**, 527.
hh-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
leech neurons convey mitogenic signals: BECKER, BOTHE, BERLINER AND MACAGNO **122**, 2331.
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.
CNS development
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
CNS patterning
PKA represses ventral CNS development: EPSTEIN, MARTI, SCOTT AND MCMAHON **122**, 2885.
CNTF
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
Colinearity
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
Collagen fibrils
δ.np1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.
Colony stimulating factor
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
Combinatorial code
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
Compartment
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
Competence
coordinating reproduction in *Acetabularia*: RUNFT AND MANDOLI **122**, 1187.
Confocal fluorescence microscopy
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
Confocal microscopy
confocal analysis of cortical rotation: LARABELL, ROWNING, WELLS, WU AND GERHART **122**, 1281.
Connective tissues
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
Constitutively active Notch
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
Contact inhibition
zebrafish neural crest migration: JESUTHASAN **122**, 381.
Cooperativity
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
paired domain and homeodomain: JUN AND DESPLAN **122**, 2639.
Copidosoma floridanum
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
corkscrew
and sevenless signaling: ALLARD, CHANG, HERBST, MCNEILL AND SIMON **122**, 1137.

Cortical rotation
behavior of dorsal determinants: KIKKAWA, TAKANO AND SHINAGAWA **122**, 3687.
confocal analysis of cortical rotation: LARABELL, ROWNING, WELLS, WU AND GERHART **122**, 1281.
dorsal determinants in the vegetal pole: SAKAI **122**, 2207.
TGF-β signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
Coxopodite
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
Crossregulation
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
crumbs
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
Cryptochrome
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.
CSF-1
in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
Culmination
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.
cut
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
Cyclic AMP
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
Cyclic GMP
cyclic GMP and neuronal maturation: TRUMAN, DE VENTE AND BALL **122**, 3949.
Cyclin A
a distinct cyclin A in germ cells: SWEENEY, MURPHY, KUBELKA, RAVNIK, HAWKINS, WOLGEMUTH AND CARRINGTON **122**, 53.
cyclops
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
CyIIIa
CyIIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
Cytokines
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
Cytokinesis
tan-1 alters cell division orientations: SMITH, HAKE AND SYLVESTER **122**, 481.
Cytoplasmic determinants
determinants of ascidian gastrulation: NISHIDA **122**, 1271.
Cytoplasmic factor
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.
Cytoplasmic injection
dorsal determinants in the vegetal pole: SAKAI **122**, 2207.
Cytoplasmic localisation
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
Cytoplasmic outgrowth
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.
Cytoplasmic transfer
determinants of ascidian gastrulation: NISHIDA **122**, 1271.
Cytoskeleton
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
Drosophila tumor suppressor gene and cell shape: MANFRUELLI, ARQUIER, HANRATTY AND SEMERIVA **122**, 2283.
Danforth's short-tail
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.
Danio rerio
zebrafish crest cell interactions: RAIBLE AND EISEN **122**, 501.
Dauer larva
reversal of vulval development: AMBROS AND EULING **122**, 2507.
Daylength
flower induction in *Antirrhinum*: BRADLEY, VINCENT, CARPENTER AND COEN **122**, 1535.
De novo methylation
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
dE2F transcription factor
Drosophila E2F and position effect variegation: SEUM, SPIERER, PAULI, SZIDONYA, REUTER AND SPIERER **122**, 1949.
Decapentaplegic (Dpp)
Dpp stimulates cell proliferation: BURKE AND BASLER **122**, 2261.
Mad and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
decapentaplegic
DPP signaling in *Drosophila* oogenesis: TWOMBLY, BLACKMAN, JIN, GRAFF, PADGETT AND GELBART **122**, 1555.
Drosophila wing vein development: YU, STURTEVANT, BIEHS, FRANCOIS, PADGETT, BLACKMAN AND BIER **122**, 4033.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
Decidua
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
DEFICIENS
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.
Deformed
Deformed functional domains: ZHU AND KUZIORA **122**, 1577.
Delta
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.
lateral signalling in *Drosophila*: HEITZLER, BOUROUIS, RUEL, CARTERET AND SIMPSON **122**, 161.
Dentate gyrus
Dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.
DER signaling pathway
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
derailed
derailed and *Drosophila* muscle attachment: CALLAHAN, BONKOVSKY, SCULLY AND THOMAS **122**, 2761.
Dermal-epidermal interaction
hair follicle induction: REYNOLDS AND JAHODA **122**, 3085.
Dermamyotome
dorsal neural tube induces the dermamyotome: SPENCE, YIP AND ERICKSON **122**, 231.
Dermomyotome
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
Determination
reversal of vulval development: AMBROS AND EULING **122**, 2507.
Development
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
neuronal cell migration in *C. elegans*: HARRIS, HONIGBERG, ROBINSON AND KENYON **122**, 3117.
spalt controls tracheal development: KUHNLEIN AND SCHUH **122**, 2215.
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.
Developmental genetics
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.
Developmental regulation
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
Dichaete
Dichaete gene of *Drosophila* encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
Di-cistronic mRNA translation
di-cistronic mRNA translation during development: HART AND BIENZ **122**, 747.
Dictyostelium discoideum
cell-cycle-dependent cell-type choice: WOOD, AMMANN, BROCK, LI, SPANN AND GOMER **122**, 3677.
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.
the splA kinase of *Dictyostelium*: NUCKOLLS, OSHEROV, LOOMIS AND SPUDICH **122**, 3295.
Diencephalon
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
Differential display
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
Differentiation
coordinating reproduction in *Acetabularia*: RUNFT AND MANDOLI **122**, 1187.
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
the splA kinase of *Dictyostelium*: NUCKOLLS, OSHEROV, LOOMIS AND SPUDICH **122**, 3295.
Digestive system
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
Digit development
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
Digit formation
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.

Digital image processing
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
Diptera
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
discs-large
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.
dishevelled
mitogenic effect of *wingless:* NEUMANN AND COHEN **122**, 1781.
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Disruption of the corona radiata
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
Distal-less
amphioxus *Distal-less* gene: HOLLAND, PANGANIBAN, HENYEY AND HOLLAND **122**, 2911.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
Divalent cation
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
Dlx
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
Dlx1
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.
DNA binding
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
paired domain and homeodomain: JUN AND DESPLAN **122**, 2639.
DNA cytosine methyltransferase
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
DNA synthesis
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
DNaseI hypersensitive site
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
Domain
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.
Dominant female-sterile mutations
ovo^{D} mutations create new isoforms: MEVEL-NINIO, FOUILLOUX, GUENAL AND VINCENT **122**, 4131.
Dominant negative mutant
cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.
dominant-negative
Drosophila psq gene: HOROWITZ AND BERG **122**, 1859.
Dorsal aorta
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
Dorsal determinant
behavior of dorsal determinants: KIKKAWA, TAKANO AND SHINAGAWA **122**, 3687.
in the vegetal pole: SAKAI **122**, 2207.
Dorsal horn
nonradial migration in spinal slices: PHELPS, BARBER AND VAUGHN **122**, 2013.
Dorsal lip
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
Dorsal mesoderm
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
Dorsal ridge
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
Dorsal root ganglia
zebrafish crest cell interactions: RAIBLE AND EISEN **122**, 501.
Dorsal signal
role of β-catenin in *Xenopus*: WYLIE, KOFRON, PAYNE, ANDERSON, HOSOBUCHI, JOSEPH AND HEASMAN **122**, 2987.
Dorsalisation
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Dorsoventral compartment
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
Dorsoventral patterning
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
Notch activation and function in *Drosophila* wing imaginal disc: DE CELIS, GARCIA-BELLIDO AND BRAY **122**, 359.
Vox and dorsal-ventral patterning: SCHMIDT, VON DASSOW AND KIMELMAN **122**, 1711.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Dosage compensation
dosage compensation in embryogenesis: FRANKE, DERNBURG, BASHAW AND BAKER **122**, 2751.
***dpp* regulation**
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
drifter
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
Drosophila
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
a transcription factor regulates oocyte differentiation: CLARK AND MCKEARIN **122**, 937.
ablation of muscle scaffolds: FERNANDES AND KESHISHIAN **122**, 3755.
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
adult head development: ROYET AND FINKELSTEIN **122**, 1849.
amnioserosa cell death in ush-group mutants: FRANK AND RUSHLOW **122**, 1343.
apoptosis in the retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
aub enhances *osk* mRNA translation: WILSON, CONNELL AND MACDONALD **122**, 1631.
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.
coordinating meiosis and spermiogenesis: LIN, VISWANATHAN, WOOD, WILSON, WOLF AND FULLER **122**, 1331.
corkscrew and sevenless signaling: ALLARD, CHANG, HERBST, MCNEILL AND SIMON **122**, 1137.
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
Deformed functional domains: ZHU AND KUZIORA **122**, 1577.
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
derailed and muscle attachment: CALLAHAN, BONKOVSKY, SCULLY AND THOMAS **122**, 2761.
Dichaete gene encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
di-cistronic mRNA translation during development: HART AND BIENZ **122**, 747.
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
dosage compensation in embryogenesis: FRANKE, DERNBURG, BASHAW AND BAKER **122**, 2751.
down-regulation of Bicoid by RTK: BELLAÏCHE, BANDYOPADHYAY, DESPLAN AND DOSTATNI **122**, 3499.
DPP signaling in oogenesis: TWOMBLY, BLACKMAN, JIN, GRAFF, PADGETT AND GELBART **122**, 1555.
Dpp stimulates cell proliferation: BURKE AND BASLER **122**, 2261.
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.
E(z): Pc-G gene or trx-G Gene?: LAJEUNESSE AND SHEARN **122**, 2189.
E2F and position effect variegation: SEUM, SPIERER, PAULI, SZIDONYA, REUTER AND SPIERER **122**, 1949.
effects of mutations in maternal mRNA: LIEBERFARB, CHU, WREDEN, THEURKAUF, GERGEN AND STRICKLAND **122**, 579.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
encore and germ line mitosis: HAWKINS, THORPE AND SCHUPBACH **122**, 281.
endogenous glial lectin in embryos: TIEMEYER AND GOODMAN **122**, 925.
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
expression and function of *eagle*: HIGASHIJIMA,

SHISHIDO, MATSUZAKI AND SAIGO?**22**, 527.
fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.
GAGA gene in development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.
genetic analysis of *Laminin A*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.
germ linesoma interactions during spermatogenesis: GONCZY AND DINARDO **122**, 2437.
glial fate and the *glide* gene: VINCENT, VONESCH AND GIANGRANDE **122**, 131.
goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
hedgehog and *wingless* in dorsal patterning: BOKOR AND DINARDO **122**, 1083.
hedgehog in oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
hh-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
hig protein in synaptic clefts: HOSHINO, SUZUKI, NABESHIMA AND HAMA **122**, 589.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
Mad and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
Mad functions in DPP responsive cells: NEWFELD, CHARTOFF, GRAFF, MELTON AND GELBART **122**, 2099.
mitogenic effect of *wingless:* NEUMANN AND COHEN **122**, 1781.
molecular genetics of *inturned*: PARK, LIU, SHARP AND ADLER **122**, 961.
myosin II in morphogenesis: EDWARDS AND KIEHART **122**, 1499.
Notch activation and function in wing imaginal disc: DE CELIS, GARCIA-BELLIDO AND BRAY **122**, 359.
Notch functions in the mesoderm: BAKER AND SCHUBIGER **122**, 617.
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
ovo^D mutations create new isoforms: MEVEL-NINIO, FOUILLOUX, GUENAL AND VINCENT **122**, 4131.
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
persistent sensory neurons: SHEPHERD **122**, 2375.
pointed function in oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.
PS integrins and wing morphogenesis: BRABANT, FRISTROM, BUNCH AND BROWER **122**, 3307.
PS2 integrin isoforms can replace PS1: ROOTE AND ZUSMAN **122**, 1985.
psq gene: HOROWITZ AND BERG **122**, 1859.
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
regulation and function of the *Enhancer of split* bHLH genes: DE CELIS, DE CELIS, LIGOXYGAKIS, PREISS, DELIDAKIS AND BRAY **122**, 2719.
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
sex of embryonic germ cells: STAAB, HELLER AND STEINMANN-ZWICKY **122**, 4065.
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.
spalt controls tracheal development: KUHNLEIN AND SCHUH **122**, 2215.
α-spectrin in cyst formation: DE CUEVAS, LEE AND SPRADLING **122**, 3959.
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.
the role of *faf* in the fly eye: HUANG AND FISCHER-VIZE **122**, 3207.
tracheal branching morphogenesis: SAMAKOVLIS, HACOHEN, MANNING, SUTHERLAND, GUILLEMIN AND KRASNOW **122**, 1395.
tracheal tube fusion in *Drosophila*: SAMAKOVLIS, MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.
tumor suppressor gene and cell shape: MANFRUELLI, ARQUIER, HANRATTY AND SEMERIVA **122**, 2283.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
wing vein development: YU, STURTEVANT, BIEHS, FRANCOIS, PADGETT, BLACKMAN AND BIER **122**, 4033.
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Xenopus mothers against dpp: THOMSEN **122**, 2359.

Drosophila virilis
sex-lethal in *D. virilis*: BOPP, CALHOUN, HORABIN, SAMUELS AND SCHEDL **122**, 971.

DSRF
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.

Duodenum
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.

Dwarfism
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.

Dynein
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.

Dysplasia
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.

Dystroglycan
agrin binding to dystroglycan and heparin: CAMPANELLI, GAYER AND SCHELLER **122**, 1663.

eagle
expression and function of *eagle* in *Drosophila*: HIGASHIJIMA, SHISHIDO, MATSUZAKI AND SAIGO?**22**, 527.
hh -dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.

***ecmA* gene**
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.

***ecmB* gene**
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.

Ectoderm-mesenchyme interaction
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.

EGF receptor
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.
transmembrane HB-EGF-blastocyst adhesion: RAAB, KOVER, PARIA, DEY, EZZELL AND KLAGSBRUN **122**, 637.

Egg
confocal analysis of cortical rotation: LARABELL, ROWNING, WELLS, WU AND GERHART **122**, 1281.

Egg chamber
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.

Embryo size
how is embryo size genetically regulated?: HONG, KITANO, SATOH AND NAGATO **122**, 2051.

Embryogenesis
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
altering cell fates in sea urchins: MAO, WIKRAMANAYAKE, GAN, CHUANG, SUMMERS AND KLEIN **122**, 1489.
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
CyIIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
spalt controls tracheal development: KUHNLEIN AND SCHUH **122**, 2215.
sperm-supplied factor required for embryogenesis: BROWNING AND STROME **122**, 391.

Embryoids
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.

Embryonic axis
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.

Embryonic development
cell death in the fetal cerebral cortex: BLASCHKE, STALEY AND CHUN **122**, 1165.

Embryonic expression pattern
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER,

WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
Embryonic lethality
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
Embryonic lung development
KGF and lung branching: POST, SOUZA, LIU, TSEU, WANG, KULISZEWSKI AND TANSWELL **122**, 3107.
Embryonic patterning
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
Embryonic stem cell
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
Emx2
Dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.
EN1
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
Enamel knot
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
encore
encore and germ line mitosis: HAWKINS, THORPE AND SCHUPBACH **122**, 281.
Endo A
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
Endo16
cis-regulatory system: YUH AND DAVIDSON **122**, 1069.
quantitative *Endo16 cis*-regulatory analysis: YUH, MOORE AND DAVIDSON **122**, 4045.
Endoderm
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.
TGF-β signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
Xenopus cement gland induction: BRADLEY, WAINSTOCK AND SIVE **122**, 2739.
Endoreplication
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.
Endosperm
how is embryo size genetically regulated?: HONG, KITANO, SATOH AND NAGATO **122**, 2051.
Endothelial cell
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
Notch4/int-3, an endothelial cell Notch: UYTTENDAELE, MARAZZI, WU, YAN, SASSOON AND KITAJEWSKI **122**, 2251.
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
Endothelial progenitor
two distinct endothelial lineages: PARDANAUD, LUTON, PRIGENT, BOURCHEIX, CATALA AND DIETERLEN-LIEVRE **122**, 1363.
Endothelin
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.
Engrailed
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Engrailed-1
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
engrailed-lacZ
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.
engrailed
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
hh-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
***engrailed* repressor**
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
Enhancer
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
Enhancer of split
lateral signalling in *Drosophila:* HEITZLER, BOUROUIS, RUEL, CARTERET AND SIMPSON **122**, 161.
regulation and function of the *Enhancer of split* bHLH genes: DE CELIS, DE CELIS, LiGOXYGAKIS, PREISS, DELIDAKIS AND BRAY **122**, 2719.
Enhancer of zeste
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.
Enhancer trap
persistent sensory neurons: SHEPHERD **122**, 2375.
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.
Enteric nervous system
c-*kit*-positive interstitial cells: LECOIN, GABELLA AND LE DOUARIN **122**, 725.
c-ret and development of enteric and sympathetic neuroblasts: DURBEC, LARSSON-BLOMBERG, SCHUCHARDT, COSTANTINI AND PACHNIS **122**, 349.
Enteric neuron
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.
Enteroendocrine differentiation
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.
En
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
Eomes
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF, EVANS AND GURDON **122**, 3719.
Eomesodermin
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
EPH
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
Epiblast tissue
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.
Epiboly
epiboly in leech embryos: SMITH, LANS AND WEISBLAT **122**, 1885.
Epidermal growth factor receptor (See EGF receptor)
Epidermis
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
epithelia
cadherins and tissue formation: LARUE, ANTOS, BUTZ, HUBER, DELMAS, DOMINIS AND KEMLER **122**, 3185.
Epithelial morphogenesis
developmental role of *cdh-3*: PETTITT, WOOD AND PLASTERK **122**, 4149.
tracheal tube fusion in *Drosophila*: SAMAKOVLIS, MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
Epitheliomesenchymal interaction
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
KGF and lung branching: POST, SOUZA, LIU, TSEU, WANG, KULISZEWSKI AND TANSWELL **122**, 3107.
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
Epithelium
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
pancreatic developmental plasticity: GITTES, GALANTE, HANAHAN, RUTTER AND DEBAS **122**, 439.
Epithelium fusion
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
Equivalence group
O/P cell fate in *Helobdella*: HUANG AND WEISBLAT **122**, 1839.
erbB
neuregulins promote neuronal development: BERMINGHAM-MCDONOGH, MCCABE AND REH **122**, 1427.
erect wing
ewg function in flight muscles: DESIMONE,

COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
Erythroid differentiation
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.
Erythropoiesis
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
ES cell
analysis of BMP2-deficient mice: ZHANG AND BRADLEY **122**, 2977.
cadherins and tissue formation: LARUE, ANTOS, BUTZ, HUBER, DELMAS, DOMINIS AND KEMLER **122**, 3185.
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
Pax7 knockout: MANSOURI, STOYKOVA, TORRES AND GRUSS **122**, 831.
escargot
Cdc2 and Escargot inhibit endoreplication: HAYASHI **122**, 1051.
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
tracheal tube fusion in *Drosophila*: SAMAKOVLIS, MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
Ethanol
calcium release in the mouse embryo: STACHECKI AND ARMANT **122**, 2485.
ETS protein
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
Eukaryotic differentiation
cell-cycle-dependent cell-type choice: WOOD, AMMANN, BROCK, LI, SPANN AND GOMER **122**, 3677.
Even-skipped
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
even-skipped
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
Evoked potential
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
Evolution
amphioxus *Distal-less* gene: HOLLAND, PANGANIBAN, HENYEY AND HOLLAND **122**, 2911.
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
sex-specific expression of *SOX9*: KENT, WHEATLEY, ANDREWS, SINCLAIR AND KOOPMAN **122**, 2813.
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Explantation
taste buds develop without nerves: BARLOW, CHIEN AND NORTHCUTT **122**, 1103.
Explants
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.
Expression
SM 22 promoter activity in transgenic mice: MOESSLER, MERICSKAY, LI, NAGL, PAULIN AND SMALL **122**, 2415.
External acoustic meatus
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
Extracellular matrix
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
function of extracellular matrix in gastrulation: BERG, CHEN AND WESSEL **122**, 703.
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.
extradenticle
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
Eye
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
Mad and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
the role of *faf* in the fly eye: HUANG AND FISCHER-VIZE **122**, 3207.
Facial nerve
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
Fat body
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.
fat facets
the role of *faf* in the fly eye: HUANG AND FISCHER-VIZE **122**, 3207.
Fate map
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
where do rhombomeres go?: WINGATE AND LUMSDEN **122**, 2143.
Feather
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
Fertilisation
axis specification in *Caenorhabditis elegans*: GOLDSTEIN AND HIRD **122**, 1467.
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
calcium sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.
Fertility
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
Fetal gonad
mitogenic effect of PACAP on mouse primordial germ cells: PESCE, CANIPARI, FERRI, SIRACUSA AND DE FELICI **122**, 215.
α-Fetoprotein
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.
FGF (Fibroblast growth factor)
a perlecan variant regulates FGFs: JOSEPH, FORD, BARTH, PORTBURY, BARTLETT, NURCOMBE AND GREFERATH **122**, 3443.
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
*Krox-20*regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.
FGF-2
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
FGF-4
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
FGF-6
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
FGF-8
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.
Fiber type
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
Fibroblast growth factor receptor
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
Filopodium
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.
fish-hook
Drosophila fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
fkh-6
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
Flight muscle
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
floating head
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
Floor plate
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
Floral determination
flowering as metamorphosis: MCDANIEL AND HARTNETT **122**, 3661.
Floral meristem
shoot and floral meristem development: LAUX, MAYER, BERGER .. AND JURGENS **122**, 87.

Floral primordia
Arabidopsis floral initiation patterns: BOSSINGER AND SMYTH **122**, 1093.
floricaula
flower induction in *Antirrhinum*: BRADLEY, VINCENT, CARPENTER AND COEN **122**, 1535.
Flower development
AP3 and PI sufficient for B function: KRIZEK AND MEYEROWITZ **122**, 11.
Arabidopsis floral initiation patterns: BOSSINGER AND SMYTH **122**, 1093.
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.
the *PERIANTHIA* gene of *Arabidopsis*: KUNNING AND MEYEROWITZ **122**, 1261.
Flower induction
flower induction in *Antirrhinum*: BRADLEY, VINCENT, CARPENTER AND COEN **122**, 1535.
Flowering
as metamorphosis: MCDANIEL AND HARTNETT **122**, 3661.
time defect in *sin1* mutant: RAY, LANG, GOLDEN AND RAY **122**, 2631.
Follicle cell
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
follistatin
rhombomere interactions: GRAHAM AND LUMSDEN **122**, 473.
Foot regeneration
two morphologically active peptides from *Hydra vulgaris*: HOFFMEISTER **122**, 1941.
Forebrain
amphioxus *Distal-less* gene: HOLLAND, PANGANIBAN, HENYEY AND HOLLAND **122**, 2911.
patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Foregut
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
Forelimb
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Fork head
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Fucus
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.
Functional redundancy
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Fungal dimorphism
fungal development in planta: BANUETT AND HERSKOWITZ **122**, 2965.
fushi tarazu
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
Fusosome
α-spectrin in *Drosophila* cyst formation: DE CUEVAS, LEE AND SPRADLING **122**, 3959.
Gα5
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.
GAGA
GAGA gene in *Drosophila* development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
Galactosyltransferase
surface GalTase and mammary development: HATHAWAY AND SHUR **122**, 2859.
Gametangium
coordinating reproduction in *Acetabularia*: RUNFT AND MANDOLI **122**, 1187.
Gangliogenesis
NT-3 in trigeminal ganglion formation: ELSHAMY AND ERNFORS **122**, 2405.
Gastrulation
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
determinants of ascidian gastrulation: NISHIDA **122**, 1271.
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
epiboly in leech embryos: SMITH, LANS AND WEISBLAT **122**, 1885.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
function of extracellular matrix in gastrulation: BERG, CHEN AND WESSEL **122**, 703.
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
MesP1 expressed in the nascent mesoderm: SAGA, HATA, KOBAYASHI, MAGNUSON, SELDIN AND TAKETO **122**, 2769.
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
regulation of integrin adhesion in *Xenopus*: RAMOS, WHITTAKER AND DESIMONE **122**, 2873.
GATA factor
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.
GATA-1 transcription factor
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.
Gene disruption
defective bones in *Krox-20*$^{-/-}$ mice: LEVI, TOPILKO, SCHNEIDER-MAUNOURY, LASAGNA, MANTERO, CANCEDDA AND CHARNAY **122**, 113.
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
Gene expression
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
Gene regulation
CylIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
Dichaete gene of *Drosophila* encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
Endo16 *cis*-regulatory system: YUH AND DAVIDSON **122**, 1069.
quantitative *Endo16* *cis*-regulatory analysis: YUH, MOORE AND DAVIDSON **122**, 4045.
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
Gene targeting
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
analysis of BMP2-deficient mice: ZHANG AND BRADLEY **122**, 2977.
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
HoxD mutant mice: DAVIS AND CAPECCHI **122**, 1175.
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.
Generative cell
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.
Genetic interaction
HoxD mutant mice: DAVIS AND CAPECCHI **122**, 1175.
Genetics
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
Genomic imprinting
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.
Germ-band retraction
amnioserosa cell death in ush-group mutants: FRANK AND RUSHLOW **122**, 1343.
Germ cell
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO, SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.
Germ granule
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
Germ line
a distinct cyclin A in germ cells: SWEENEY, MURPHY, KUBELKA, RAVNIK, HAWKINS, WOLGEMUTH AND CARRINGTON **122**, 53.
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.

sex of embryonic germ cells: STAAB, HELLER AND STEINMANN-ZWICKY **122**, 4065.

Germ linesoma interaction
germ linesoma interactions during spermatogenesis: GONCZY AND DINARDO **122**, 2437.

Germ plasm
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.

GFP.RN3
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF AND EVANS **122**, 3719.

gho
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.

giant
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
how is embryo size genetically regulated?: HONG, KITANO, SATOH AND NAGATO **122**, 2051.

Gibberellin
flowering as metamorphosis: MCDANIEL AND HARTNETT **122**, 3661.

GLABRA 2
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.

Glia
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.

Glial cell
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.

Gliogenesis
glial fate and the *glide* gene: VINCENT, VONESCH AND GIANGRANDE **122**, 131.

Gliolectin
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.

β-Globin
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.

GLOBOSA
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.

GLP-1
localization of APX-1: MICKEY, MELLO, MONTGOMERY, FIRE AND PRIESS **122**, 1791.

glp-1
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.

β-Glucuronidase
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.

Glutamate dehydrogenase
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.

Glutamine synthetase
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.

Glycolipid antibodies
prenatal generation of oligodendrocytes: HARDY AND FRIEDRICH **122**, 2059.

Glycosphingolipid
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.

godzilla
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.

Gonad
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.

Gonadotropin
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.

gooseberry
hh-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.

goosecoid
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.

gp130
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO, SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.

GPI-linked
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.

G protein
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.

Granule cells
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.

Grasshopper
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.

Green fluorescent protein
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF AND EVANS **122**, 3719.

Growth cone repulsion
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.

Growth control
mitogenic effect of *wingless:* NEUMANN AND COHEN **122**, 1781.

Growth/differentiation factor 5
Gdf5 and joint patterning: STORM AND KINGSLEY **122**, 3969.

Growth factor
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.

gta2
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.

Guanylate cyclase
cyclic GMP and neuronal maturation: TRUMAN, DE VENTE AND BALL **122**, 3949.

Gut
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.

H19
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.

ham-1
HAM-1 distribution controls cell fate: GUENTHER AND GARRIGA **122**, 3509.

Haploid-specific transcription
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.

Head
adult head development in *Drosophila*: ROYET AND FINKELSTEIN **122**, 1849.
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.

Heart
avian cardiac myocyte differentiation: WEI, BADER AND LITVIN **122**, 2779.
Nkx2.5 initiates myocardial differention: CHEN AND FISHMAN **122**, 3809.

Heart field
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.

hedgehog
adult head development in *Drosophila*: ROYET AND FINKELSTEIN **122**, 1849.
and *wingless* in dorsal patterning: BOKOR AND DINARDO **122**, 1083.
-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
in *Drosophila* oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.

Helobdella triseralis
O/P cell fate in *Helobdella*: HUANG AND WEISBLAT **122**, 1839.
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.

Hematopoietic cell differentiation
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.

Hemiptera
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.

Hemocyte
srp encodes a GATA factor: REHORN, THELEN, MICHELSON AND REUTER **122**, 4023.

Hensen's node
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.

Heparan sulfate proteoglycan
a perlecan variant regulates FGFs: JOSEPH, FORD, BARTH, PORTBURY, BARTLETT, NURCOMBE AND GREFERATH **122**, 3443.
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
transmembrane HB-EGF-blastocyst adhesion: RAAB, KOVER, PARIA, DEY, EZZELL AND KLAGSBRUN **122**, 637.

Heparin
agrin binding to dystroglycan and heparin: CAMPANELLI, GAYER AND SCHELLER **122**, 1663.
Ca^{2+} sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.

Hepatocellular transplantation
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.

Hepatocyte growth factor (HGF/SF)
HGF in tooth morphogenesis: TABATA, KIM, LIU, YAMASHITA, MATSUMURA, KATO, IWAMOTO, WAKISAKA, MATSUMOTO, NAKAMURA, KUMEGAWA AND KURISU **122**, 1243.
Hepatocyte growth factor/scatter factor
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
her1
pair-rule expression of a zebrafish gene: MULLER, WEIZSACKER AND CAMPOS-ORTEGA **122**, 2071.
Heregulin
neuregulins promote neuronal development: BERMINGHAM-MCDONOGH, MCCABE AND REH **122**, 1427.
Hermaphrodite
Caenorhabditis uterine morphogenesis: NEWMAN, WHITE AND STERNBERG **122**, 3617.
regulation of TRA-2A by HER-1: KUWABARA **122**, 2089.
HES-1
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.
Heterochromatin
GAGA gene in *Drosophila* development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.
Heterochronic development
Arabidopsis body plan: GRBIC AND BLEECKER **122**, 2395.
patterns of LIN-29 accumulation: BETTINGER, LEE AND ROUGVIE **122**, 2517.
Heterochronic gene
reversal of vulval development: AMBROS AND EULING **122**, 2507.
hikaru genki
hig protein in synaptic clefts: HOSHINO, SUZUKI, NABESHIMA AND HAMA **122**, 589.
Hindbrain
differential regulation of *Hoxa3* expression: SALDIVAR, KRULL, KRUMLAUF, ARIZA-MCNAUGHTON AND BRONNER-FRASER **122**, 895.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
rhombomere interactions: GRAHAM AND LUMSDEN **122**, 473.
segmentation in *valentino* mutants: MOENS, YAN, APPEL, FORCE AND KIMMEL **122**, 3981.
where do rhombomeres go?: WINGATE AND LUMSDEN **122**, 2143.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Hindlimb
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
Hirudo
leech neurons convey mitogenic signals: BECKER, BOTHE, BERLINER AND MACAGNO **122**, 2331.
hlx-1
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
HMG box
Sox-3, an X-linked gene related to *Sry*: COLLIGNON, SOCKANATHAN, HACKER, COHEN-TANNOUDJI, NORRIS, RASTAN, STEVANOVIC, GOODFELLOW AND LOVELL-BADGE **122**, 509.
HMG domain
Drosophila fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
HNF4
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
Holoprosencephaly
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
Homeobox
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.
Vox and dorsal-ventral patterning: SCHMIDT, VON DASSOW AND KIMELMAN **122**, 1711.
Xom mediates BMP-4 signalling in *Xenopus*: LADHER, MOHUN, SMITH AND SNAPE **122**, 2385.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.
Homeobox-containing gene
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
Homeobox protein
altering cell fates in sea urchins: MAO, WIKRAMANAYAKE, GAN, CHUANG, SUMMERS AND KLEIN **122**, 1489.
Homeodomain
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
Deformed functional domains: ZHU AND KUZIORA **122**, 1577.
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
paired domain and homeodomain: JUN AND DESPLAN **122**, 2639.
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
Homeosis
ectopic expression of *Hoxa-1*: ALEXANDRE, CLARKE, OXTOBY, YAN, JOWETT AND HOLDER **122**, 735.
Homeotic
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Homeotic gene transcription
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.
Homeotic selector genes
E(z): Pc-G gene or trx-G Gene?: LAJEUNESSE AND SHEARN **122**, 2189.
Homolog
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.
Homologous recombination
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.
Pax7 knockout: MANSOURI, STOYKOVA, TORRES AND GRUSS **122**, 831.
Homology
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
Hormonal regulation
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
HOX cluster
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
Hox code
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
Hox gene
differential regulation of *Hoxa3* expression: SALDIVAR, KRULL, KRUMLAUF, ARIZA-MCNAUGHTON AND BRONNER-FRASER **122**, 895.
dynamic Hox expression patterns A/P axis: SALSER AND KENYON **122**, 1651.
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Hox expression in the chick limb bud: NELSON, MORGAN, BURKE, LAUFER, DIMAMBRO, MURTAUGH, GONZALES, TESSAROLLO, PARADA AND TABIN **122**, 1449.
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
neuronal cell migration in *C. elegans*: HARRIS, HONIGBERG, ROBINSON AND KENYON **122**, 3117.
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.
where do rhombomeres go?: WINGATE AND LUMSDEN **122**, 2143.
Hox-13
genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.

Hoxa-1
ectopic expression of *Hoxa-1*: ALEXANDRE, CLARKE, OXTOBY, YAN, JOWETT AND HOLDER **122**, 735.
Hoxa-2
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
HoxA7
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
Hoxa-9
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
Hoxa-10
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Hoxb-1/-2/-4
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
late effects of RA on neural crest: GALE, PRINCE, LUMSDEN, CLARKE, HOLDER AND MADEN **122**, 783.
Hoxd genes
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON 122, 2319.
HoxD mutant mice: DAVIS AND CAPECCHI **122**, 1175.
in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
Hoxd-9
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICK, DOLLE AND CHAMBON **122**, 461.
Hoxd-11
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Hoxd-13
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
Human
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
Human placenta
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.
hunchback
Bicoid binds DNA cooperatively: MA, YUAN, DIEPOLD, SCARBOROUGH AND MA **122**, 1195.
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
Hydra
two morphologically active peptides from *Hydra vulgaris*: HOFFMEISTER **122**, 1941.
Hyoid bone
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
Hypaxial muscle
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.
Hypodermis
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.
Hypothalamus
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
IAA
auxin transport gene in *Arabidopsis*: CARLAND AND MCHALE **122**, 1811.
IDX-1
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.
IFABP
TGF-β signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
IGF-I
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
IGF2
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.
Imaginal disc
adult head development in *Drosophila*: ROYET AND FINKELSTEIN **122**, 1849.
Dpp stimulates cell proliferation: BURKE AND BASLER **122**, 2261.
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.
Notch activation and function in *Drosophila* wing imaginal disc: DE CELIS, GARCIA-BELLIDO AND BRAY **122**, 359.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
Immunoglobulin superfamily
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.
Immunolocalisation
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.
Immunoselection
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.
Implantation
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
Imprinting
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
In situ cell marking
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
In vitro culture
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
In vivo
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
Induction
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
induction of ascidian notochord: NAKATANI, YASUO, SATOH AND NISHIDA **122**, 2023.
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
patched and *shh* signalling in zebrafish: CONCORDET, LEWIS, MOORE, GOODRICH, JOHNSON, SCOTT AND INGHAM **122**, 2835.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
renal agenesis and hypodysplasia in *ret-k*$^{-}$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Xenopus cement gland induction: BRADLEY, WAINSTOCK AND SIVE **122**, 2739.
Inductive signalling
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
Infertility
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
Inflorescence development
flower induction in *Antirrhinum*: BRADLEY, VINCENT, CARPENTER AND COEN **122**, 1535.
Inhibitory feedback loop
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
Inner ear
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.
Innervation
prenatal and postnatal requirements of NT-3 in the sympathetic system: ELSHAMY, LINNARSSON, LEE, JAENISCH AND ERNFORS **122**, 491.
taste buds develop without nerves: BARLOW, CHIEN AND NORTHCUTT **122**, 1103.
Innervation-dependent neurogenesis
leech neurons convey mitogenic signals: BECKER, BOTHE, BERLINER AND MACAGNO **122**, 2331.
Inositol triphosphate
calcium release in the mouse embryo: STACHECKI AND ARMANT **122**, 2485.
calcium sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.
expression of IP_3R during axiogenesis: DENT, RAISMAN AND LAI **122**, 1029.
Insect
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Insulin
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
Insulin-like growth factor I
IGF-I in retina development: FRADE, MARTI, BOVOLENTA, RODRIGUEZ-PENA, PEREZ-GARCIA, ROHRER, EDGAR AND RODRIGUEZ-TEBAR **122**, 2497.
int-3
Notch4/int-3, an endothelial cell Notch: UYTTENDAELE, MARAZZI, WU, YAN, SASSOON AND KITAJEWSKI **122**, 2251.
Integrin
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.

α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.
α6 integrin; IGF-I in retina development: FRADE, MARTI, BOVOLENTA, RODRIGUEZ-PENA, PEREZ-GARCIA, ROHRER, EDGAR AND RODRIGUEZ-TEBAR **122**, 2497.
PS integrins and wing morphogenesis: BRABANT, FRISTROM, BUNCH AND BROWER **122**, 3307.
PS2 integrin isoforms can replace PS1: ROOTE AND ZUSMAN **122**, 1985.
regulation of integrin adhesion in *Xenopus*: RAMOS, WHITTAKER AND DESIMONE **122**, 2873.

Intercellular signaling
Mad functions in DPP responsive cells: NEWFELD, CHARTOFF, GRAFF, MELTON AND GELBART **122**, 2099.

Interneuromeric boundary
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.

interruptus
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.

Interstitial cells of Cajal
c-*kit*-positive interstitial cells: LECOIN, GABELLA AND LE DOUARIN **122**, 725.

Intestinal mesenchyme
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.

Intracellular calcium
expression of IP_3R during axiogenesis: DENT, RAISMAN AND LAI **122**, 1029.

inturned
molecular genetics of *inturned*: PARK, LIU, SHARP AND ADLER **122**, 961.

Invagination
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.

Involution
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.

IPF-1
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.

ipf1/pdx1
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.

irregular chiasmC-roughest
apoptosis in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.

IUGR
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.

Jaw
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.

jaws
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.

Joint
Gdf5 and joint patterning: STORM AND KINGSLEY **122**, 3969.

Juxtacrine growth factor
transmembrane HB-EGF-blastocyst adhesion: RAAB, KOVER, PARIA, DEY, EZZELL AND KLAGSBRUN **122**, 637.

Keratinocyte growth factor
KGF and lung branching: POST, SOUZA, LIU, TSEU, WANG, KULISZEWSKI AND TANSWELL **122**, 3107.

Kidney
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.

Kidney development
renal agenesis and hypodysplasia in *ret-k*$^-$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.

Killer genes
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.

***kinesin-lacZ* gene**
expression and function of *eagle* in *Drosophila*: HIGASHIJIMA, SHISHIDO, MATSUZAKI AND SAIGO?**22**, 527.

Kit
Kit$^{W\text{-}42J}$ exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.

Knock-out mice
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.

Knockout mice
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.

Krox-20
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
defective bones in *Krox-20*$^{-/-}$ mice: LEVI, TOPILKO, SCHNEIDER-MAUNOURY, LASAGNA, MANTERO, CANCEDDA AND CHARNAY **122**, 113.
directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
rhombomere interactions: GRAHAM AND LUMSDEN **122**, 473.

ksr-1
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.

laacZ
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.

lacZ
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.

lag-1
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.

Laminin
integrin α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.

Laminin A
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.

Large T antigen
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.

Late blastula organiser
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.

Late-flowering gene
Arabidopsis body plan: GRBIC AND BLEECKER **122**, 2395.

Lateral inhibition
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.

Lateral signalling
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.

Lateral specification
zebrafish crest cell interactions: RAIBLE AND EISEN **122**, 501.

Leaf development
tan-1 alters cell division orientations: SMITH, HAKE AND SYLVESTER **122**, 481.
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.

Leaf expansion
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.

Leaf initiation
Arabidopsis temperature sensitive mutants: PICKETT, CHAMPAGNE AND MEEKS-WAGNER **122**, 3799.

Leaf margin
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.

Lectin
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.

Leech
epiboly in leech embryos: SMITH, LANS AND WEISBLAT **122**, 1885.
O/P cell fate in *Helobdella*: HUANG AND WEISBLAT **122**, 1839.

Left-right asymmetry
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.

let-23
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.

let-60
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.

lethal(2)giant larvae
Drosophila tumor suppressor gene and cell shape: MANFRUELLI, ARQUIER, HANRATTY AND SEMERIVA **122**, 2283.

lethal spotting
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.

LIF
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO, SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.

Ligand
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.
regulation of TRA-2A by HER-1: KUWABARA **122**, 2089.

Ligation
dorsal determinants in the vegetal pole: SAKAI **122**, 2207.

Limb
BMP in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
Hox expression in the chick limb bud: NELSON, MORGAN, BURKE, LAUFER, DIMAMBRO,

MURTAUGH, GONZALES, TESSAROLLO, PARADA AND TABIN **122**, 1449.
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.
HoxD mutant mice: DAVIS AND CAPECCHI **122**, 1175.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.

Limb bud
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.

Limb initiation
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON **122**, 2319.

Limb muscle
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
limb muscle precursors in *splotch* mice: DASTON, LAMAR AND OLIVER **122**, 1017.

Limb outgrowth
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.

Limb regeneration
Dlx and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.

limbless
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.

lin-2
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.

lin-12
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.

LIN-26
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.

lin-29
patterns of LIN-29 accumulation: BETTINGER, LEE AND ROUGVIE **122**, 2517.

Lineage specification
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.

Lines
hedgehog and *wingless* in dorsal patterning: BOKOR AND DINARDO **122**, 1083.

Lithium
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.

LNGFR
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.

Localised mRNA
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.

Localization
behavior of dorsal determinants: KIKKAWA, TAKANO AND SHINAGAWA **122**, 3687.
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.

Localized maternal mRNA
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.

Locus control region
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.

Locusta migratoria
cyclic GMP and neuronal maturation: TRUMAN, DE VENTE AND BALL **122**, 3949.

Lolium temulentum
flowering as metamorphosis: MCDANIEL AND HARTNETT **122**, 3661.

lopped
auxin transport gene in *Arabidopsis*: CARLAND AND MCHALE **122**, 1811.

Lower jaw skeleton
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.

Lung
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.

Lymphatic system
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.

mab-5
dynamic Hox expression patterns A/P axis: SALSER AND KENYON **122**, 1651.
neuronal cell migration in *C. elegans*: HARRIS, HONIGBERG, ROBINSON AND KENYON **122**, 3117.

Macrophage
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.

Mad
and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
functions in DPP responsive cells: NEWFELD, CHARTOFF, GRAFF, MELTON AND GELBART **122**, 2099.
Xenopus mothers against dpp: THOMSEN **122**, 2359.

MADS-box
AP3 and PI sufficient for B function: KRIZEK AND MEYEROWITZ **122**, 11.
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.

MAGUK
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.

Maize
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.
tan-1 alters cell division orientations: SMITH, HAKE AND SYLVESTER **122**, 481.

Male gametophyte
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.

male-specific lethal
dosage compensation in embryogenesis: FRANKE, DERNBURG, BASHAW AND BAKER **122**, 2751.

Mammal
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.

Mammary gland
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
surface GalTase and mammary development: HATHAWAY AND SHUR **122**, 2859.
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.

Mammary oncogene
Notch4/int-3, an endothelial cell Notch: UYTTENDAELE, MARAZZI, WU, YAN, SASSOON AND KITAJEWSKI **122**, 2251.

Manganese
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.

MAP kinase
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.
$p90^{rsk}$ in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.

MAP4
MAP4 in myogenesis: MANGAN AND OLMSTED **122**, 771.

Marker
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF AND EVANS **122**, 3719.

Mash-1
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.

Maternal determinant
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.

Maternal messenger RNA
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.

Maternal mRNA
aub enhances *osk* mRNA translation: WILSON, CONNELL AND MACDONALD **122**, 1631.

Matrix metalloproteinase
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.

Maturation
liver architecture and gene expression patterns: NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.

***mec-8* gene**
C. elegans mec-8 gene: LUNDQUIST, HERMAN, ROGALSKI, MULLEN, MOERMAN AND SHAW **122**, 1601.

Mechanosensory axon
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.

Medial limbic cortex
Dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.

Megakaryocyte
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
Meiosis
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.
effects of mutations in maternal mRNA: LIEBERFARB, CHU, WREDEN, THEURKAUF, GERGEN AND STRICKLAND **122**, 579.
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.
$p90^{rsk}$ in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
Meiotic arrest
coordinating meiosis and spermiogenesis: LIN, VISWANATHAN, WOOD, WILSON, WOLF AND FULLER **122**, 1331.
mel-18
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.
Melanoblast
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.
Melanocyte development
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
Melanocyte-stimulating hormone
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
Membrane skeleton
α-spectrin in *Drosophila* cyst formation: DE CUEVAS, LEE AND SPRADLING **122**, 3959.
Meristem
Arabidopsis temperature sensitive mutants: PICKETT, CHAMPAGNE AND MEEKS-WAGNER **122**, 3799.
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
flower induction in *Antirrhinum*: BRADLEY, VINCENT, CARPENTER AND COEN **122**, 1535.
flowering time defect in *sin1* mutant: RAY, LANG, GOLDEN AND RAY **122**, 2631.
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.
shoot and floral meristem development: LAUX, MAYER, BERGER AND JURGENS **122**, 87.
Mesencephalon
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
Mesenchyme
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
pancreatic developmental plasticity: GITTES, GALANTE, HANAHAN, RUTTER AND DEBAS **122**, 439.
Mesoderm
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
MesP1 expressed in the nascent mesoderm: SAGA, HATA, KOBAYASHI, MAGNUSON, SELDIN AND TAKETO **122**, 2769.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
Xenopus mothers against dpp: THOMSEN **122**, 2359.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.
Mesoderm-inducing factors
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
Mesoderm induction
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
Mesp1
MesP1 expressed in the nascent mesoderm: SAGA, HATA, KOBAYASHI, MAGNUSON, SELDIN AND TAKETO **122**, 2769.
Met receptor tyrosine kinase
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
Metalloproteinase
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
Metamorphosis
ablation of muscle scaffolds: FERNANDES AND KESHISHIAN **122**, 3755.
persistent sensory neurons: SHEPHERD **122**, 2375.
Metanephric mesenchyme
renal agenesis and hypodysplasia in *ret-k*$^{-}$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Metanephros
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.
Methoxyverapamil
Ca^{2+} sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.
Methylation
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
MFH-1
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
mgm1
sex of embryonic germ cells: STAAB, HELLER AND STEINMANN-ZWICKY **122**, 4065.
Microfilament
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
Micromeres
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.
Microsurgery
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
Microtubule
confocal analysis of cortical rotation: LARABELL, ROWNING, WELLS, WU AND GERHART **122**, 1281.
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.
Microtubule-associated protein
MAP4 in myogenesis: MANGAN AND OLMSTED **122**, 771.
Microvasculature
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
Mid-hindbrain
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
Midblastula transition
role of β-catenin in *Xenopus*: WYLIE, KOFRON, PAYNE, ANDERSON, HOSOBUCHI, JOSEPH AND HEASMAN **122**, 2987.
Midbrain
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Midgut morphogenesis
Mad functions in DPP responsive cells: NEWFELD, CHARTOFF, GRAFF, MELTON AND GELBART **122**, 2099.
Midline signalling
patched and *shh* signalling in zebrafish: CONCORDET, LEWIS, MOORE, GOODRICH, JOHNSON, SCOTT AND INGHAM **122**, 2835.
Migration
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
nonradial migration in spinal slices: PHELPS, BARBER AND VAUGHN **122**, 2013.
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.
Mitochondrial cloud
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.
Mitogen
mitogenic effect of *wingless*: NEUMANN AND COHEN **122**, 1781.
Mitogen activated protein kinase
$p90^{rsk}$ in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
Mitogenesis
leech neurons convey mitogenic signals: BECKER, BOTHE, BERLINER AND MACAGNO **122**, 2331.
Mitosis
encore and germ line mitosis: HAWKINS, THORPE AND SCHUPBACH **122**, 281.
Mitotic spindle
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.
Moebius syndrome
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
Monoclonal antibody
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.
Morphogen
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
Morphogenesis
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.
Caenorhabditis uterine morphogenesis: NEWMAN, WHITE AND STERNBERG **122**, 3617.
cell movement during *Dictyostelium* culmination: DORMANN, SIEGERT AND WEIJER **122**, 761.
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
liver architecture and gene expression patterns:

NOTENBOOM, DE BOER, MOORMAN AND LAMERS **122**, 321.
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
pancreatic developmental plasticity: GITTES, GALANTE, HANAHAN, RUTTER AND DEBAS **122**, 439.
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
surface GalTase and mammary development: HATHAWAY AND SHUR **122**, 2859.
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.

Morphogenetic movement
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.

Morphogenetically active peptide
two morphologically active peptides from *Hydra vulgaris*: HOFFMEISTER **122**, 1941.

Mos
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.

Moss
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.

Motoneuron
target specification of motoneurons: MATISE AND LANCE-JONES **122**, 659.
*trk*B and p75 expression in the chick: MCKAY, GARNER, CALDERO, TUCKER, LARGE AND OPPENHEIM **122**, 715.

Motoneuron subpopulation
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.

Motor axon
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.

Mound formation
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.

Mouse
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
a distinct cyclin A in germ cells: SWEENEY, MURPHY, KUBELKA, RAVNIK, HAWKINS, WOLGEMUTH AND CARRINGTON **122**, 53.
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.
alpha 3 integrin-deficient mice: KREIDBERG, DONOVAN, GOLDSTEIN, RENNKE, SHEPHERD, JONES AND JAENISCH **122**, 3537.
amphiregulin in lung development: SCHUGER, JOHNSON, GILBRIDE, PLOWMAN AND MANDEL **122**, 1759.
analysis of BMP2-deficient mice: ZHANG AND BRADLEY **122**, 2977.
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
Bmp1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
calcium release in the mouse embryo: STACHECKI AND ARMANT **122**, 2485.
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.
changes in dependence on Trk signalling: PINON, MINICHIELLO, KLEIN AND DAVIES **122**, 3255.
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
c-ret and development of enteric and sympathetic neuroblasts: DURBEC, LARSSON-BLOMBERG, SCHUCHARDT, COSTANTINI AND PACHNIS **122**, 349.
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
defective bones in *Krox-20*$^{-/-}$ mice: LEVI, TOPILKO, SCHNEIDER-MAUNOURY, LASAGNA, MANTERO, CANCEDDA AND CHARNAY **122**, 113.
dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.
Hoxb-1 mutant mice: GODDARD, ROSSEL, MANLEY AND CAPECCHI **122**, 3217.
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
Hoxb-13: A new Hox gene: ZELTSER, DESPLAN AND HEINTZ **122**, 2475.
HoxD mutant mice: DAVIS AND CAPECCHI **122**, 1175.
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
Kit^{W-42J} exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
MAP4 in myogenesis: MANGAN AND OLMSTED **122**, 771.
MesP1 expressed in the nascent mesoderm: SAGA, HATA, KOBAYASHI, MAGNUSON, SELDIN AND TAKETO **122**, 2769.
mitogenic effect of PACAP on mouse primordial germ cells: PESCE, CANIPARI, FERRI, SIRACUSA AND DE FELICI **122**, 215.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.
NF-κB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.
Notch4/int-3, an endothelial cell Notch: UYTTENDAELE, MARAZZI, WU, YAN, SASSOON AND KITAJEWSKI **122**, 2251.
NT-3 in trigeminal ganglion formation: ELSHAMY AND ERNFORS **122**, 2405.
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.
p90^{rsk} in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
pancreatic developmental plasticity: GITTES, GALANTE, HANAHAN, RUTTER AND DEBAS **122**, 439.
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
Pax7 knockout: MANSOURI, STOYKOVA, TORRES AND GRUSS **122**, 831.
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.
prenatal and postnatal requirements of NT-3 in the sympathetic system: ELSHAMY, LINNARSSON, LEE, JAENISCH AND ERNFORS **122**, 491.
prenatal generation of oligodendrocytes: HARDY AND FRIEDRICH **122**, 2059.
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.
renal agenesis and hypodysplasia in *ret-k*$^{-}$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO,

SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
sex-specific expression of *SOX9*: KENT, WHEATLEY, ANDREWS, SINCLAIR AND KOOPMAN **122**, 2813.
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX **122**, 3151.
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.
surface GalTase and mammary development: HATHAWAY AND SHUR **122**, 2859.
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
the distal limb inhibits myogenic differentiation: ROBSON AND HUGHES **122**, 3899.
transmembrane HB-EGF-blastocyst adhesion: RAAB, KOVER, PARIA, DEY, EZZELL AND KLAGSBRUN **122**, 637.
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.

Mouse histogenesis
cadherins and tissue formation: LARUE, ANTOS, BUTZ, HUBER, DELMAS, DOMINIS AND KEMLER **122**, 3185.

Mouse mutation
Gdf5 and joint patterning: STORM AND KINGSLEY **122**, 3969.

MPF
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.

msh[c]
retinoic acid ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.

Msx-1
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.

Msx-2
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.

Msx gene
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
Msx and *Bmp-4* in mammary gland development: PHIPPARD, WEBER-HALL, SHARPE, NAYLOR, JAYATALAKE, MAAS, WOO, ROBERTS-CLARK, FRANCIS-WEST, LIU, MAXSON, HILL AND DALE **122**, 2729.

MTOCs
Mos during meiotic maturation in the mouse: VERLHAC, KUBIAK, WEBER, GERAUD, COLLEDGE, EVANS AND MARO **122**, 815.

Mucins
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.

Murine tooth development
HGF in tooth morphogenesis: TABATA, KIM, LIU, YAMASHITA, MATSUMURA, KATO, IWAMOTO, WAKISAKA, MATSUMOTO, NAKAMURA, KUMEGAWA AND KURISU **122**, 1243.

Muscle
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
Hoxd genes in rectum: KONDO, DOLLE, ZAKANY AND DUBOULE **122**, 2651.
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.

Muscle cell differentiation
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.

Muscle development
derailed and *Drosophila* muscle attachment: CALLAHAN, BONKOVSKY, SCULLY AND THOMAS **122**, 2761.

Muscle differentiation
the distal limb inhibits myogenic differentiation: ROBSON AND HUGHES **122**, 3899.

Muscle patterning
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.

Muscle pioneer
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.

Myelin
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
prenatal generation of oligodendrocytes: HARDY AND FRIEDRICH **122**, 2059.

Myf-5
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.

Myoblast
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.

Myocardial differentiation
Nkx2.5 initiates myocardial differention: CHEN AND FISHMAN **122**, 3809.

MyoD
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
the distal limb inhibits myogenic differentiation: ROBSON AND HUGHES **122**, 3899.

Myogenesis
ablation of muscle scaffolds: FERNANDES AND KESHISHIAN **122**, 3755.
dorsal neural tube induces the dermamyotome: SPENCE, YIP AND ERICKSON **122**, 231.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
MAP4 in myogenesis: MANGAN AND OLMSTED **122**, 771.
Notch functions in the mesoderm: BAKER AND SCHUBIGER **122**, 617.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.

Myogenic cell
avian cardiac myocyte differentiation: WEI, BADER AND LITVIN **122**, 2779.

Myogenic factor
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.

Myogenic induction
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.

Myogenic lineage
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.

Myogenin
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.

Myosin
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.

myosin light chain
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.

Mytilus
Ca^{2+} sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.

Müllerian-inhibiting substance
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.

NADPH-diaphorase
nonradial migration in spinal slices: PHELPS, BARBER AND VAUGHN **122**, 2013.

nanos
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.

narrow sheath
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.

N-cadherin
cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.

NDF
*Krox-20*regulation in Schwann cells: MURPHY,

TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.

Nematodes
nematode gonad evolution: FELIX AND STERNBERG **122**, 2129.

Nerve dependency
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.

Nervous system
endogenous glial lectin in *Drosophila* embryos: TIEMEYER AND GOODMAN **122**, 925.
integrin α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.

neu
neuregulins promote neuronal development: BERMINGHAM-MCDONOGH, MCCABE AND REH **122**, 1427.

Neural circuit
hig protein in synaptic clefts: HOSHINO, SUZUKI, NABESHIMA AND HAMA **122**, 589.

Neural crest
amphioxus *Distal-less* gene: HOLLAND, PANGANIBAN, HENYEY AND HOLLAND **122**, 2911.
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
cell migration and regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
c-*kit*-positive interstitial cells: LECOIN, GABELLA AND LE DOUARIN **122**, 725.
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.
differential regulation of *Hoxa3* expression: SALDIVAR, KRULL, KRUMLAUF, ARIZA-MCNAUGHTON AND BRONNER-FRASER **122**, 895.
ectopic expression of *Hoxa-1*: ALEXANDRE, CLARKE, OXTOBY, YAN, JOWETT AND HOLDER **122**, 735.
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
late effects of RA on neural crest: GALE, PRINCE, LUMSDEN, CLARKE, HOLDER AND MADEN **122**, 783.
Pax7 knockout: MANSOURI, STOYKOVA, TORRES AND GRUSS **122**, 831.
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
zebrafish crest cell interactions: RAIBLE AND EISEN **122**, 501.

Neural development
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.

Neural differentiation
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.

Neural induction
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
FGF signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.

Neural stem cell
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.

Neural tube
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
dorsal neural tube induces the dermamyotome: SPENCE, YIP AND ERICKSON **122**, 231.
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
target specification of motoneurons: MATISE AND LANCE-JONES **122**, 659.

Neurite outgrowth
effects of 6B4 proteoglycan on neurite outgrowth: MAEDA AND NODA **122**, 647.
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.

Neuroblast
HAM-1 distribution controls cell fate: GUENTHER AND GARRIGA **122**, 3509.
hh-dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO **22**, 3567.
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.

NeuroD
primary neuron induction in *Xenopus*: CHITNIS AND KINTNER **122**, 2295.

Neuroectoderm
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.

Neuroepithelium
a perlecan variant regulates FGFs: JOSEPH, FORD, BARTH, PORTBURY, BARTLETT, NURCOMBE AND GREFERATH **122**, 3443.

Neurogenesis
Notch functions in the mesoderm: BAKER AND SCHUBIGER **122**, 617.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.
prenatal and postnatal requirements of NT-3 in the sympathetic system: ELSHAMY, LINNARSSON, LEE, JAENISCH AND ERNFORS **122**, 491.
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.

Neurogenic gene
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
lateral signalling in *Drosophila*: HEITZLER, BOUROUIS, RUEL, CARTERET AND SIMPSON **122**, 161.
primary neuron induction in *Xenopus*: CHITNIS AND KINTNER **122**, 2295.

Neuromere
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.

Neuron
expression of IP_3R during axiogenesis: DENT, RAISMAN AND LAI **122**, 1029.
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.
IGF-I in retina development: FRADE, MARTI, BOVOLENTA, RODRIGUEZ-PENA, PEREZ-GARCIA, ROHRER, EDGAR AND RODRIGUEZ-TEBAR **122**, 2497.
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.

Neurotrophic factor
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661
regeneration, *Dlx* and FGF: MULLEN, BRYANT, TOROK, BLUMBERG AND GARDINER **122**, 3487.
regulation of neuronal survival by Bax: MIDDLETON, NUNEZ AND DAVIES **122**, 695.

Neurotrophin
changes in dependence on Trk signalling: PINON, MINICHIELLO, KLEIN AND DAVIES **122**, 3255.
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.
*trk*B and p75 expression in the chick: MCKAY, GARNER, CALDERO, TUCKER, LARGE AND OPPENHEIM **122**, 715.
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.

Neurotrophin receptors
*trk*B and p75 expression in the chick: MCKAY, GARNER, CALDERO, TUCKER, LARGE AND OPPENHEIM **122**, 715.

Neurotrophin-3
NT-3 in trigeminal ganglion formation: ELSHAMY AND ERNFORS **122**, 2405.
prenatal and postnatal requirements of NT-3 in the sympathetic system: ELSHAMY, LINNARSSON, LEE, JAENISCH AND ERNFORS **122**, 491.

Neurulation
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
integrin α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.

NF-κB/Rel
NF-κB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.

Nieuwkoop centre
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.

Nile Blue
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.

Nitric oxide
cyclic GMP and neuronal maturation: TRUMAN, DE VENTE AND BALL **122**, 3949.

Nkx2.5
Nkx2.5 initiates myocardial differention: CHEN AND FISHMAN **122**, 3809.

no tail
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.

Nodal
axis formation by Xnr1 and noggin: LUSTIG,

KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.

Node
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.

noggin
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.

noggin
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
FGF signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.

Nonmuscle myosin
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.

Noradrenergic
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.

Notch
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
apoptosis in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
CBF1-independent Notch signaling: SHAWBER, NOFZIGER, HSIEH, LINDSELL, BOGLER, HAYWARD AND WEINMASTER **122**, 3765.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.
Notch4/int-3, an endothelial cell Notch: UYTTENDAELE, MARAZZI, WU, YAN, SASSOON AND KITAJEWSKI **122**, 2251.
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.

Notch
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
lateral signalling in *Drosophila*: HEITZLER, BOUROUIS, RUEL, CARTERET AND SIMPSON **122**, 161.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.
Notch activation and function in *Drosophila* wing imaginal disc: DE CELIS, GARCIA-BELLIDO AND BRAY **122**, 359.
Notch functions in the mesoderm: BAKER AND SCHUBIGER **122**, 617.
regulation and function of the *Enhancer of split* bHLH genes: DE CELIS, DE CELIS, LIGOXYGAKIS, PREISS, DELIDAKIS AND BRAY **122**, 2719.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.

Notochord
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
induction of ascidian notochord: NAKATANI, YASUO, SATOH AND NISHIDA **122**, 2023.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
target specification of motoneurons: MATISE AND LANCE-JONES **122**, 659.

Nuclear division
GAGA gene in *Drosophila* development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.

Nuclear receptors
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.

Nuclear translocation
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.

Nuclear transplantation
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.

Null mutation
Bmp1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.

Nurse cell
a transcription factor regulates oocyte differentiation: CLARK AND MCKEARIN **122**, 937.
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.

Ocellar axon
genetic analysis of *Laminin A* in *Drosophila*: GARCIA-ALONSO, FETTER AND GOODMAN **122**, 2611.

Oligodendrocyte
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.

Oligodendrocyte precursors
prenatal generation of oligodendrocytes: HARDY AND FRIEDRICH **122**, 2059.

Ommatidium
corkscrew and sevenless signaling: ALLARD, CHANG, HERBST, MCNEILL AND SIMON **122**, 1137.

Oocyte
a distinct cyclin A in germ cells: SWEENEY, MURPHY, KUBELKA, RAVNIK, HAWKINS, WOLGEMUTH AND CARRINGTON **122**, 53.
a transcription factor regulates oocyte differentiation: CLARK AND MCKEARIN **122**, 937.
Ca^{2+} sources in bivalve oocytes: DEGUCHI, OSANAI AND MORISAWA **122**, 3651.
calcium and MPF oscillations in meiosis: RUSSO, KYOZUKA, ANTONAZZO, TOSTI AND DALE **122**, 1995.
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.
$p90^{rsk}$ in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.

Oogenesis
a transcription factor regulates oocyte differentiation: CLARK AND MCKEARIN **122**, 937.
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
DPP signaling in *Drosophila* oogenesis: TWOMBLY, BLACKMAN, JIN, GRAFF, PADGETT AND GELBART **122**, 1555.
Drosophila psq gene: HOROWITZ AND BERG **122**, 1859.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
encore and germ line mitosis: HAWKINS, THORPE AND SCHUPBACH **122**, 281.
hedgehog in *Drosophila* oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
α-spectrin in *Drosophila* cyst formation: DE CUEVAS, LEE AND SPRADLING **122**, 3959.

open brain
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.

***oplop* mice**
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.

Optic chiasm
axon paths in the albino optic chiasm: MARCUS, WANG AND MASON **122**, 859.

Optic stalk
retinoic acid ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.

Organ culture of tooth germ
HGF in tooth morphogenesis: TABATA, KIM, LIU, YAMASHITA, MATSUMURA, KATO, IWAMOTO, WAKISAKA, MATSUMOTO, NAKAMURA, KUMEGAWA AND KURISU **122**, 1243.

Organ development
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.

Organ initiation
Arabidopsis floral initiation patterns: BOSSINGER AND SMYTH **122**, 1093.

Organizer
FGF signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
Vox and dorsal-ventral patterning: SCHMIDT, VON DASSOW AND KIMELMAN **122**, 1711.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.

Organogenesis
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.

Orthodenticle/Otx-genes
altering cell fates in sea urchins: MAO, WIKRAMANAYAKE, GAN, CHUANG, SUMMERS AND KLEIN **122**, 1489.

orthodenticle
adult head development in *Drosophila*: ROYET AND FINKELSTEIN **122**, 1849.

Orthoptera
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
oskar
aub enhances *osk* mRNA translation: WILSON, CONNELL AND MACDONALD **122**, 1631.
Ossification
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX 122, 3151.
Osteoclast
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
Osteopetrosis
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX 122, 3151.
Osteopetrotic
CSF-1 in normal brain development: MICHAELSON, BIERI, MEHLER, XU, AREZZO, POLLARD AND KESSLER **122**, 2661.
Otx2
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
Ovary
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
ovo
ovo^{D} mutations create new isoforms: MEVEL-NINIO, FOUILLOUX, GUENAL AND VINCENT **122**, 4131.
Ovule
flowering time defect in *sin1* mutant: RAY, LANG, GOLDEN AND RAY **122**, 2631.
P granule
nematode P-granule segregation: HIRD, PAULSEN AND STROME **122**, 1303.
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
P19 cells
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
p53
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
PACAP
mitogenic effect of PACAP on mouse primordial germ cells: PESCE, CANIPARI, FERRI, SIRACUSA AND DE FELICI **122**, 215.
Paired
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
Paired domain
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
paired domain and homeodomain: JUN AND DESPLAN **122**, 2639.
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
paired
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
Pair-rule gene
Dichaete gene of *Drosophila* encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
pair-rule expression of a zebrafish gene: MULLER, WEIZSACKER AND CAMPOS-ORTEGA **122**, 2071.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Pancreas
pancreas morphogenesis in *ipf1/pdx1* mice: AHLGREN, JONSSON AND EDLUND **122**, 1409.
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.
Pancreatic β-cells
cadherins and β-cell agregation: DAHL, SJODIN AND SEMB **122**, 2895.
Pancreatic development
pancreatic developmental plasticity: GITTES, GALANTE, HANAHAN, RUTTER AND DEBAS **122**, 439.
par-1
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
par-2
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
par-3
PAR-2 at the posterior cortex in *C. elegans*: BOYD, GUO, LEVITAN, STINCHCOMB AND KEMPHUES **122**, 3075.
par-6
par-6 and asymmetry in early embryos: WATTS, ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
Paracentrotus lividus
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.
Paralogous *Hox* genes
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
Paraxial mesoderm
self-renewing cells for myotome formation: NICOLAS, MATHIS AND BONNEROT **122**, 2933.
two distinct endothelial lineages: PARDANAUD, LUTON, PRIGENT, BOURCHEIX, CATALA AND DIETERLEN-LIEVRE **122**, 1363.
Parietal endoderm
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
patched
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.
patched and *shh* signalling in zebrafish: CONCORDET, LEWIS, MOORE, GOODRICH, JOHNSON, SCOTT AND INGHAM **122**, 2835.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.
patched cubitus
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
Pathfinding
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR, FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
Pattern formation
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.
DAHN AND FALLON **122**, 2319.
Dpp stimulates cell proliferation: BURKE AND BASLER **122**, 2261.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.
functional cooperation between non-paralogous Hox genes: FAVIER, RIJLI, FROMENTAL-RAMAIN, FRAULOB, CHAMBON AND DOLLE **122**, 449.
Hox expression in the chick limb bud: NELSON, MORGAN, BURKE, LAUFER, DIMAMBRO, MURTAUGH, GONZALES, TESSAROLLO, PARADA AND TABIN **122**, 1449.
Hox-13 genes and autopod patterning: FROMENTAL-RAMAIN, WAROT, MESSADECQ, LEMEUR, DOLLE AND CHAMBON **122**, 2997.
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
Mad and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.
Otx2 in mesoderm and neural tube patterning: ANG, OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
specific and redundant functions of two paralogous *Hox* genes: FROMENTAL-RAMAIN, WAROT, LAKKARAJU, FAVIER, HAACK, BIRLING, DIERICH, DOLLE AND CHAMBON **122**, 461.
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
two morphologically active peptides from *Hydra vulgaris*: HOFFMEISTER **122**, 1941.
tx1200 asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, BMP in limb development: KAWAKAMI, ISHIKAWA, SHIMABARA, TANDA, ENOMOTO-IWAMOTO, IWAMOTO, KUWANA, UEKI, NOJI AND NOHNO **122**, 3557.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
Xenopus mothers against dpp: THOMSEN **122**, 2359.
***Pax* gene**
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.
paired domain and homeodomain: JUN AND DESPLAN **122**, 2639.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.

Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
retinoic acid effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.

Pax protein
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.

pax[b]
retinoic acid ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.

Pax1
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.

Pax-1
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.

Pax2
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.

pax-2
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.

Pax-3
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
limb muscle precursors in *splotch* mice: DASTON, LAMAR AND OLIVER **122**, 1017.
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.

Pax6
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.

Pax7
Pax7 knockout: MANSOURI, STOYKOVA, TORRES AND GRUSS **122**, 831.

pCMF1
avian cardiac myocyte differentiation: WEI, BADER AND LITVIN **122**, 2779.

PCNA
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.

PCR
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.

PDGF receptor
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.

PDX-1
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.

Pedin
two morphologically active peptides from *Hydra vulgaris*: HOFFMEISTER **122**, 1941.

Peptide tyrosine tyrosine
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.

Peptide YY
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.

PERIANTHIA
the *PERIANTHIA* gene of *Arabidopsis*: RUNNING AND MEYEROWITZ **122**, 1261.

Periclinal chimeras
polar trafficking of the floral DEF protein: PERBAL, HAUGHN, SAEDLER AND SCHWARZ-SOMMER **122**, 3433.

Perinatal death
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.

Perlecan
a perlecan variant regulates FGFs: JOSEPH, FORD, BARTH, PORTBURY, BARTLETT, NURCOMBE AND GREFERATH **122**, 3443.

P[Gal4]
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.

PGC
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO, SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.

Pharyngeal arch
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.

Pharyngeal arches
ectopic expression of *Hoxa-1*: ALEXANDRE, CLARKE, OXTOBY, YAN, JOWETT AND HOLDER **122**, 735.

Pharyngeal endoderm
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.

Phocomelia
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.

Phosphacan
effects of 6B4 proteoglycan on neurite outgrowth: MAEDA AND NODA **122**, 647.

Phosphatidylinositol cycle
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.

Phosphatidylinositol 3-kinase
PI3-K and oligodendroglial cell survival: VEMURI AND MCMORRIS **122**, 2529.

Phosphorylation
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.
the splA kinase of *Dictyostelium*: NUCKOLLS, OSHEROV, LOOMIS AND SPUDICH **122**, 3295.

Photomorphogenesis
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.

Photoreceptor
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.

Phylogeny
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.

Phytochrome
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.

Pigment epithelium
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.

Pigmentation pattern
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.

Pioneer neurons
persistent sensory neurons: SHEPHERD **122**, 2375.

pipsqueak
Drosophila psq gene: HOROWITZ AND BERG **122**, 1859.

PISTILLATA
AP3 and PI sufficient for B function: KRIZEK AND MEYEROWITZ **122**, 11.

Pituitary
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.

Placental pathology
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.

PNS development
*Krox-20*regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.

Pointed
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.

pointed
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.

Polar secretion
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.

Polarity
brefeldin-A blocks polarity establishment in *Fucus*: SHAW AND QUATRANO **122**, 2623.
hedgehog in *Drosophila* oogenesis: FORBES, LIN, INGHAM AND SPRADLING **122**, 1125.
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.

Polarizing activity
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.

Polarizing pathway
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.

Pollen development
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.

Polyadenylation
effects of mutations in maternal mRNA: LIEBERFARB, CHU, WREDEN, THEURKAUF, GERGEN AND STRICKLAND **122**, 579.

Polycomb group
E(z): Pc-G gene or trx-G Gene?: LAJEUNESSE AND SHEARN **122**, 2189.
mel-18 in axial skeleton development: AKASAKA, KANNO, BALLING, MIEZA, TANIGUCHI AND KOSEKI **122**, 1513.

Polycomb
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.

Polydactyly
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.

Polyembryonic development
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.

porcupine
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.

Position effect variegation
Drosophila E2F and position effect variegation: SEUM, SPIERER, PAULI, SZIDONYA, REUTER AND SPIERER **122**, 1949.

posterior end mark
posterior end mark, a localized maternal mRNA: YOSHIDA, MARIKAWA AND SATOH **122**, 2005.

Posteriorising factor
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.

POU
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.

Prechordal mesoderm
Otx2 in mesoderm and neural tube patterning: ANG,

OU, RHINN, DAIGLE, STEVENSON AND ROSSANT **122**, 243.
Prechordal plate
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
Precursor
activated Notch arrests cells at a precursor stage: LARKIN, HOLDER, YOST, GINIGER AND RUOHOLA-BAKER **122**, 3639.
Preprimordial deletion
narrow sheath deletes a meristem domain: SCANLON, SCHNEEBERGER AND FREELING **122**, 1683.
Prestalk cells
early events in culmination in *Dictyostelium*: JERMYN, TRAYNOR AND WILLIAMS **122**, 753.
Primary neurons
primary neuron induction in *Xenopus*: CHITNIS AND KINTNER **122**, 2295.
Primitive streak
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
Primordial germ cell
MesP1 expressed in the nascent mesoderm. SAGA, HATA, KOBAYASHI, MAGNUSON, SELDIN AND TAKETO **122**, 2769.
mitogenic effect of PACAP on mouse primordial germ cells: PESCE, CANIPARI, FERRI, SIRACUSA AND DE FELICI **122**, 215.
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.
roles of gp130-signaling in mouse PGC: KOSHIMIZU, TAGA, WATANABE, SAITO, SHIRAYOSHI, KISHIMOTO AND NAKATSUJI **122**, 1235.
Procollagen C-proteinase
Bmp1 and mouse development: SUZUKI, LABOSKY, FURUTA, HARGETT, DUNN, FOGO, TAKAHARA, PETERS, GREENSPAN AND HOGAN **122**, 3587.
Profilin
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.
Programmed cell death
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
BMP-2/-4 and cell death in limb buds: YOKOUCHI, SAKIYAMA, KAMEDA, IBA, SUZUKI, UENO AND KUROIWA **122**, 3725.
cell death in the fetal cerebral cortex: BLASCHKE, STALEY AND CHUN **122**, 1165.
programmed cell death in the absence of Fos and Jun: ROFFLER-TARLOV, GIBSON BROWN, TARLOV, STOLAROV, CHAPMAN, ALEXIOU AND PAPAIOANNOU **122**, 1.
Prolactin
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.
Proliferation
CT-1 expression and function in the embryonic heart: SHENG, PENNICA, WOOD AND CHIEN **122**, 419.
Promoter
SM 22 promoter activity in transgenic mice: MOESSLER, MEF'CSKAY, LI, NAGL, PAULIN AND SMALL **122**, 2415.
Pronephros
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
Proneural gene
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
primary neuron induction in *Xenopus*: CHITNIS AND KINTNER **122**, 2295.
Protein
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
Protein synthesis
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
Protein tyrosine kinases (PTK)
the splA kinase of *Dictyostelium*: NUCKOLLS, OSHEROV, LOOMIS AND SPUDICH **122**, 3295.
Proteoglycan
agrin binding to dystroglycan and heparin: CAMPANELLI, GAYER AND SCHELLER **122**, 1663.
effects of 6B4 proteoglycan on neurite outgrowth: MAEDA AND NODA **122**, 647.
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.
Proto-oncogene
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
Protoplast
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.
pruned
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.
α_{PS2}
PS2 integrin isoforms can replace PS1: ROOTE AND ZUSMAN **122**, 1985.
psq
Drosophila psq gene: HOROWITZ AND BERG **122**, 1859.
PTP-NP
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.
punt
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
QTL mapping
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
Quail
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
two distinct endothelial lineages: PARDANAUD, LUTON, PRIGENT, BOURCHEIX, CATALA AND DIETERLEN-LIEVRE **122**, 1363.
Quail-chick chimaera
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.
c-*kit*-positive interstitial cells: LECOIN, GABELLA AND LE DOUARIN **122**, 725.
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
where do rhombomeres go?: WINGATE AND LUMSDEN **122**, 2143.
Ras
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.
Rat
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.
effects of 6B4 proteoglycan on neurite outgrowth: MAEDA AND NODA **122**, 647.
expression of IP_3R during axiogenesis: DENT, RAISMAN AND LAI **122**, 1029.
hair follicle induction: REYNOLDS AND JAHODA **122**, 3085.
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
ovomucin on migrating primordial germ cells: HALFTER, SCHURER, HASSELHORN, CHRIST, GIMPEL AND EPPERLEIN **122**, 915.
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.
Rat lung
KGF and lung branching: POST, SOUZA, LIU, TSEU, WANG, KULISZEWSKI AND TANSWELL **122**, 3107.
Rathke's pouch
a novel pituitary-specific homeobox gene: HERMESZ, MACKEM AND MAHON **122**, 41.
Receptor
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.
regulation of TRA-2A by HER-1: KUWABARA **122**, 2089.
Receptor tyrosine kinase
c-ret and development of enteric and sympathetic neuroblasts: DURBEC, LARSSON-BLOMBERG, SCHUCHARDT, COSTANTINI AND PACHNIS **122**, 349.
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
derailed and *Drosophila* muscle attachment: CALLAHAN, BONKOVSKY, SCULLY AND THOMAS **122**, 2761.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
IE supports a late phase of angiogenesis: PARTANEN, PURI, SCHWARTZ, FISCHER, BERNSTEIN AND ROSSANT **122**, 3013.
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
Ras roles in cell migration: LEE, FEIG AND MONTELL **122**, 409.
renal agenesis and hypodysplasia in *ret-k*$^-$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Red blood cell
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.
reduced embryo
how is embryo size genetically regulated?: HONG, KITANO, SATOH AND NAGATO **122**, 2051.
Redundancy
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
Regeneration
polar development of moss protoplasts: COVE, QUATRANO AND HARTMANN **122**, 371.
regeneration of the organizer: PSYCHOYOS AND STERN **122**, 3263.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
Regional specification
regional specification of neuroepithelial cells: NAKAGAWA, KANEKO, OGURA, SUSUKI, TORII, KAIBUCHI, ARAI, NAKAMURA AND NAKAFUKU **122**, 2449.
Regionalization
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.

Regulated translation
function of extracellular matrix in gastrulation: BERG, CHEN AND WESSEL **122**, 703.
Regulation
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
REMI
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
Renal agenesis
renal agenesis and hypodysplasia in *ret-k*$^{-}$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Repression
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
Reproduction
coordinating reproduction in *Acetabularia*: RUNFT AND MANDOLI **122**, 1187.
Repulsion
zebrafish neural crest migration: JESUTHASAN **122**, 381.
Retina
apoptosis in the developing retina: REHEN, VARELLA, FREITAS, MORAES AND LINDEN **122**, 1439.
apoptosis in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
IGF-I in retina development: FRADE, MARTI, BOVOLENTA, RODRIGUEZ-PENA, PEREZ-GARCIA, ROHRER, EDGAR AND RODRIGUEZ-TEBAR **122**, 2497.
Retinal axon divergence
axon paths in the albino optic chiasm: MARCUS, WANG AND MASON **122**, 859.
Retinal ganglion cell
neuregulins promote neuronal development: BERMINGHAM-MCDONOGH, MCCABE AND REH **122**, 1427.
Retinal histogenesis
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.
Retinal maintenance
PS2 integrin isoforms can replace PS1: ROOTE AND ZUSMAN **122**, 1985.
Retinoic acid
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
ectopic expression of *Hoxa-1*: ALEXANDRE, CLARKE, OXTOBY, YAN, JOWETT AND HOLDER **122**, 735.
effects in amphioxus: HOLLAND AND HOLLAND **122**, 1829.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
HOXD4 retinoid-responsive enhancer: MORRISON, MORONI, ARIZA-MCNAUGHTON, KRUMLAUF AND MAVILIO **122**, 1895.
in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.
late effects of RA on neural crest: GALE, PRINCE, LUMSDEN, CLARKE, HOLDER AND MADEN **122**, 783.
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.
Retinoic acid receptor
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
Retrovirus
FGFR signaling regulates muscle differentiation: ITOH, MIMA AND MIKAWA **122**, 291.
Rhabditidae
axis specification in *Caenorhabditis elegans*: GOLDSTEIN AND HIRD **122**, 1467.
rhomboid
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.
Rhombomere
cranial nerve exit point cells: NIEDLANDER AND LUMSDEN **122**, 2367.
differential regulation of *Hoxa3* expression: SALDIVAR, KRULL, KRUMLAUF, ARIZA-MCNAUGHTON AND BRONNER-FRASER **122**, 895.
hindbrain segmentation in *valentino* mutants: MOENS, YAN, APPEL, FORCE AND KIMMEL **122**, 3981.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
late effects of RA on neural crest: GALE, PRINCE, LUMSDEN, CLARKE, HOLDER AND MADEN **122**, 783.
regeneration of neural crest: COULY, GRAPIN-BOTTON, COLTEY AND LE DOUARIN **122**, 3393.
regulative regeneration in the hindbrain: DIAZ AND GLOVER **122**, 3095.
rhombomere interactions: GRAHAM AND LUMSDEN **122**, 473.
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
where do rhombomeres go?: WINGATE AND LUMSDEN **122**, 2143.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
Rice
how is embryo size genetically regulated?: HONG, KITANO, SATOH AND NAGATO **122**, 2051.
RNA
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
RNA localization
Bic-D in mid-oogenesis: SWAN AND SUTER **122**, 3577.
SpCOUP-TF RNA localization in sea urchin eggs: VLAHOU, GONZALEZ-RIMBAU AND FLYTZANIS **122**, 521.
RNA processing
sex-lethal in *D.virilis*: BOPP, CALHOUN, HORABIN, SAMUELS AND SCHEDL **122**, 971.
Root elongation
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.
Root hairs
role of homeobox gene in root epidermis: MASUCCI, RERIE, FOREMAN, ZHANG, GALWAY, MARKS AND SCHIEFELBEIN **122**, 1253.
rotundifolia
leaf blade expansion mutants in *Arabidopsis*: TSUGE, TSUKAYA AND UCHIMIYA **122**, 1589.
rough
Atonal, Rough and proneural patterning: DOKUCU, ZIPURSKY AND CAGAN **122**, 4139.
RRMs
C. elegans mec-8 gene: LUNDQUIST, HERMAN, ROGALSKI, MULLEN, MOERMAN AND SHAW **122**, 1601.
rsk
p90^{rsk} in mouse oocytes: KALAB, KUBIAK, VERLHAC, COLLEDGE AND MARO **122**, 1957.
RTK signal transduction cascade
down-regulation of Bicoid by RTK: BELLAICHE, BANDYOPADHYAY, DESPLAN AND DOSTATNI **122**, 3499.
***RTN* locus**
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
rtoA
cell-cycle-dependent cell-type choice: WOOD, AMMANN, BROCK, LI, SPANN AND GOMER **122**, 3677.
RU49
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.
Salivary ducts
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Salivary glands
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Satellite cell
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
Scaffolds
ablation of muscle scaffolds: FERNANDES AND KESHISHIAN **122**, 3755.
Schwann cell
Krox-20 regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
Sciara
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.
Scm
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
Sea urchin
altering cell fates in sea urchins: MAO, WIKRAMANAYAKE, GAN, CHUANG, SUMMERS AND KLEIN **122**, 1489.
Endo16 cis-regulatory system: YUH AND DAVIDSON **122**, 1069.
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
function of extracellular matrix in gastrulation: BERG, CHEN AND WESSEL **122**, 703.
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.
quantitative *Endo16 cis*-regulatory analysis: YUH, MOORE AND DAVIDSON **122**, 4045.
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
SpCOUP-TF RNA localization in sea urchin eggs: VLAHOU, GONZALEZ-RIMBAU AND FLYTZANIS **122**, 521.
Sector boundary analysis
Arabidopsis floral initiation patterns: BOSSINGER AND SMYTH **122**, 1093.
Segment polarity
genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
hedgehog and *wingless* in dorsal patterning: BOKOR AND DINARDO **122**, 1083.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Segmentation
Dichaete gene of *Drosophila* encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
dissection of Paired function: MISKIEWICZ, MORRISSEY, LAN, RAJ, KESSLER, FUJIOKA, GOTO AND WEIR **122**, 2709.
Drosophila fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
hindbrain segmentation in *valentino* mutants: MOENS, YAN, APPEL, FORCE AND KIMMEL **122**, 3981.
in vivo requirement for conserved domains of Paired: BERTUCCIOLI, FASANO, JUN, WANG, SHENG AND DESPLAN **122**, 2673.
Krox-20 directly regulates *Hoxa-*: NONCHEV,

VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
Otx2 as a marker of the MHB boundary: MILLET, BLOCH-GALLEGO, SIMEONE AND ALVARADO-MALLART **122**, 3785.
paired regulates late *even-skipped* expression: FUJIOKA, MISKIEWICZ, RAJ, GULLEDGE, WEIR AND GOTO **122**, 2697.
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.

Segmentation mutant
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.

Self-assembly
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.

Sense organ
Pax2 in sense organ and midbrain development: TORRES, GOMEZ-PARDO AND GRUSS **122**, 3381.

Sensory axon
the dynein light chain and axon trajectories: PHILLIS, STATTON, CARUCCIO AND MURPHEY **122**, 2955.

Sensory ganglia
neurotrophin-3 and gangliogenesis: OCKEL, LEWIN AND BARDE **122**, 301.

Sensory neuron
changes in dependence on Trk signalling: PINON, MINICHIELLO, KLEIN AND DAVIES **122**, 3255.

Serine-threonine kinase receptor
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.

Serrate
functional analysis of Delta and Serrate: SUN AND SRTAVANIS-TSAKONAS **122**, 2465.

Serum response factor
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.

sevenless
corkscrew and sevenless signaling: ALLARD, CHANG, HERBST, MCNEILL AND SIMON **122**, 1137.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.

Sex comb on midleg
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.

Sex determination
$Kit^{W\text{-}42J}$ exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.
regulation of TRA-2A by HER-1: KUWABARA **122**, 2089.
sex of embryonic germ cells: STAAB, HELLER AND STEINMANN-ZWICKY **122**, 4065.
sex-lethal in *D.virilis*: BOPP, CALHOUN, HORABIN, SAMUELS AND SCHEDL **122**, 971.
sex-specific expression of *SOX9*: KENT, WHEATLEY, ANDREWS, SINCLAIR AND KOOPMAN **122**, 2813.
Sox-3, an X-linked gene related to *Sry*: COLLIGNON, SOCKANATHAN, HACKER, COHEN-TANNOUDJI, NORRIS, RASTAN, STEVANOVIC, GOODFELLOW AND LOVELL-BADGE **122**, 509.

Sex-lethal
sex-lethal in *D.virilis*: BOPP, CALHOUN, HORABIN, SAMUELS AND SCHEDL **122**, 971.

Sex myoblast
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.

sex reversal
$Kit^{W\text{-}42J}$ exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.

Sex-specific marker
sex of embryonic germ cells: STAAB, HELLER AND STEINMANN-ZWICKY **122**, 4065.

shaggy/zeste-white 3
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.

Sheath cell
REGA-1 on sheath cells: SEAVER, CARPENTER AND BASTIANI **122**, 567.

Shield
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.

Shoot apical meristem
Arabidopsis body plan: GRBIC AND BLEECKER **122**, 2395.

Shoot development
Arabidopsis temperature sensitive mutants: PICKETT, CHAMPAGNE AND MEEKS-WAGNER **122**, 3799.

Shoot meristem
shoot and floral meristem development: LAUX, MAYER, BERGER AND JURGENS **122**, 87.

SHOOT MERISTEMLESS
CLV and *STM* in meristem development: CLARK, JACOBSEN, LEVIN AND MEYEROWITZ **122**, 1567.

short gastrulation (sog)
Drosophila wing vein development: YU, STURTEVANT, BIEHS, FRANCOIS, PADGETT, BLACKMAN AND BIER **122**, 4033.

short integument
flowering time defect in *sin1* mutant: RAY, LANG, GOLDEN AND RAY **122**, 2631.

shotgun
Escargot activates *DE*-cadherin transcription: TANAKA-MATAKATSU, UEMURA, ODA, TAKEICHI AND HAYASHI **122**, 3697.

Siamois
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.

sidecar pollen
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.

Signal transduction
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
maternal control of zygotic interactions: MOSKOWITZ AND ROTHMAN **122**, 4105.
mitogenic effect of *wingless*: NEUMANN AND COHEN **122**, 1781.
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
sex myoblast migration in *C. elegans*: SUNDARAM, YOCHEM AND HAN **122**, 2823.
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Xenopus mothers against dpp: THOMSEN **122**, 2359.

Signalling
DPP signaling in *Drosophila* oogenesis: TWOMBLY, BLACKMAN, JIN, GRAFF, PADGETT AND GELBART **122**, 1555.
Dpp stimulates cell proliferation: BURKE AND BASLER **122**, 2261.
egh and *brn* are essential for epithelial morphogenesis: GOODE, MELNICK, CHOU AND PERRIMON **122**, 3863.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.
PS integrins and wing morphogenesis: BRABANT, FRISTROM, BUNCH AND BROWER **122**, 3307.

single minded
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.

Sinus rhomboidalis
axial elongation in avian embryonic body: CATALA, TEILLET, DE ROBERTIS AND LE DOUARIN **122**, 2599.

Siphonaptera
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.

Sister chromatid separation
mechanism of programmed chromosome elimination in *Sciara*: DE SAINT PHALLE AND SULLIVAN **122**, 3775.

Skeletal patterning
Gdf5 and joint patterning: STORM AND KINGSLEY **122**, 3969.

Skeleton
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.

skn-1
glp-1 signaling specificity: SHELTON AND BOWERMAN **122**, 2043.

Skotomorphogenesis
a locus required for hypocotyl elongation: DESNOS, ORBOVIC, BELLINI, KRONENBERGER, CABOCHE, TRAAS AND HOFTE **122**, 683.

Slug formation
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.

SM 22
SM 22 promoter activity in transgenic mice: MOESSLER, MERICSKAY, LI, NAGL, PAULIN AND SMALL **122**, 2415.

Small eye
forebrain patterning and the function of *Pax6*: STOYKOVA, FRITSCH, WALTHER AND GRUSS **122**, 3453.

smlA
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.

Smooth muscle cell
SM 22 promoter activity in transgenic mice: MOESSLER, MERICSKAY, LI, NAGL, PAULIN AND SMALL **122**, 2415.

Snail
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.

Somatostatin
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.

Somite
activation of Myf-5 and MyoD in mammalian somites: COSSU, KELLY, TAJBAKHSH, DI DONNA, VIVARELLI AND BUCKINGHAM **122**, 429.
dorsal neural tube induces the dermamyotome: SPENCE, YIP AND ERICKSON **122**, 231.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
fate and migration of primitive streak cells: PSYCHOYOS AND STERN **122**, 1523.
limb muscle precursors in *splotch* mice: DASTON, LAMAR AND OLIVER **122**, 1017.
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
notochord signals in myogenesis: POWNALL, STRUNK AND EMERSON JR. **122**, 1475.
open brain mutation: SPORLE, GUNTHER, STRUWE AND SCHUGHART **122**, 79.
rib defect in *Myf-5* mutants: GRASS, ARNOLD AND BRAUN **122**, 141.
self-renewing cells for myotome formation:

NICOLAS, MATHIS AND BONNEROT **122**, 2933.
zebrafish neural crest migration: JESUTHASAN **122**, 381.
Somitic differentiation
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
Somitic mesoderm
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
Somitogenesis
pair-rule expression of a zebrafish gene: MULLER, WEIZSACKER AND CAMPOS-ORTEGA **122**, 2071.
Sonic Hedgehog (Shh)
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON 122, 2319
BMP-2 and limb development: DUPREZ, KOSTAKOPOULOU, FRANCIS-WEST, TICKLE AND BRICKELL **122**, 1821.
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
Hox expression in the chick limb bud: NELSON, MORGAN, BURKE, LAUFER, DIMAMBRO, MURTAUGH, GONZALES, TESSAROLLO, PARADA AND TABIN **122**, 1449.
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
patched and *shh* signalling in zebrafish: CONCORDET, LEWIS, MOORE, GOODRICH, JOHNSON, SCOTT AND INGHAM **122**, 2835.
PKA represses ventral CNS development: EPSTEIN, MARTI, SCOTT AND MCMAHON **122**, 2885.
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.
role of FGF-8 in limb development: VOGEL, RODRIGUEZ AND IZPISUA-BELMONTE **122**, 1737.
Shh and RA in ZPA-like activity: OGURA, ALVAREZ, VOGEL, RODRIGUEZ, EVANS AND IZPISUA-BELMONTE **122**, 537.
Sonic hedgehog induction of *patched*: MARIGO, SCOTT, JOHNSON, GOODRICH AND TABIN **122**, 1225.
***Sox* genes**
Sox-3, an X-linked gene related to *Sry*: COLLIGNON, SOCKANATHAN, HACKER, COHEN-TANNOUDJI, NORRIS, RASTAN, STEVANOVIC, GOODFELLOW AND LOVELL-BADGE **122**, 509.
SOX protein
Drosophila fish-hook gene encodes a HMG domain protein: NAMBU AND NAMBU **122**, 3467.
Sox70D
Dichaete gene of *Drosophila* encodes a SOX-domain protein: RUSSELL, SANCHEZ-SORIANO, WRIGHT AND ASHBURNER **122**, 3669.
SOX9
sex-specific expression of *SOX9*: KENT, WHEATLEY, ANDREWS, SINCLAIR AND KOOPMAN **122**, 2813.
spaghetti squash
myosin II in *Drosophila* morphogenesis: EDWARDS AND KIEHART **122**, 1499.
spalt
spalt controls tracheal development: KUHNLEIN AND SCHUH **122**, 2215.
Spatial control
Endo16 *cis*-regulatory system: YUH AND DAVIDSON **122**, 1069.
Spatial information processing
CyIIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
SpCOUP-TF
SpCOUP-TF RNA localization in sea urchin eggs: VLAHOU, GONZALEZ-RIMBAU AND FLYTZANIS **122**, 521.
spe-11
sperm-supplied factor required for embryogenesis: BROWNING AND STROME **122**, 391.
Specification
regulative capacity of the archenteron in sea urchin: MCCLAY AND LOGAN **122**, 607.
target specification of motoneurons: MATISE AND LANCE-JONES **122**, 659.
Spectrin
α-spectrin in *Drosophila* cyst formation: DE CUEVAS, LEE AND SPRADLING **122**, 3959.
Spemann organizer
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Sperm
axis specification in *Caenorhabditis elegans*: GOLDSTEIN AND HIRD **122**, 1467.
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
Sperm supplied factor
sperm-supplied factor required for embryogenesis: BROWNING AND STROME **122**, 391.
Spermatid
coordinating meiosis and spermiogenesis: LIN, VISWANATHAN, WOOD, WILSON, WOLF AND FULLER **122**, 1331.
Spermatogenesis
a distinct cyclin A in germ cells: SWEENEY, MURPHY, KUBELKA, RAVNIK, HAWKINS, WOLGEMUTH AND CARRINGTON **122**, 53.
Bcl-2 controls spermatogonial apoptosis: FURUCHI, MASUKO, NISHIMUNE, OBINATA AND MATSUI **122**, 1703.
coordinating meiosis and spermiogenesis: LIN, VISWANATHAN, WOOD, WILSON, WOLF AND FULLER **122**, 1331.
germ linesoma interactions during spermatogenesis: GONCZY AND DINARDO **122**, 2437.
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.
Spermatogonia
Bcl-2 controls spermatogonial apoptosis: FURUCHI, MASUKO, NISHIMUNE, OBINATA AND MATSUI **122**, 1703.
Spermatozoon
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
Spinal cord
spinal cord oligodendrocytes: HALL, GIESE AND RICHARDSON **122**, 4085.
Spinal motoneuron
regional specification of motoneurons: FUKUSHIMA, NAKAMURA, OHTA, OKAMURA, NEGI AND TANAKA **122**, 905.
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
Spindle position
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.
spitz
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.
Splanchnopleural mesoderm
two distinct endothelial lineages: PARDANAUD, LUTON, PRIGENT, BOURCHEIX, CATALA AND DIETERLEN-LIEVRE **122**, 1363.
Splotch
met expression in myogenic progenitors: YANG, VOGAN, GROS AND PARK **122**, 2163.
Sporulation
the splA kinase of *Dictyostelium*: NUCKOLLS, OSHEROV, LOOMIS AND SPUDICH **122**, 3295.
SPOtx
altering cell fates in sea urchins: MAO, WIKRAMANAYAKE, GAN, CHUANG, SUMMERS AND KLEIN **122**, 1489.
Sry
Sox-3, an X-linked gene related to *Sry*: COLLIGNON, SOCKANATHAN, HACKER, COHEN-TANNOUDJI, NORRIS, RASTAN, STEVANOVIC, GOODFELLOW AND LOVELL-BADGE **122**, 509.
Star
Spitz processing in the midline: GOLEMBO, RAZ AND SHILO **122**, 3363.
stardust
crb, *sdt* and adherens junctions: GRAWE, WODARZ, LEE, KNUST AND SKAER **122**, 951.
Staufen
profilin is required for posterior patterning: MANSEAU, CALLEY AND PHAN **122**, 2109.
Steel factor
ET regulation of melanocyte development: REID, TURNLEY, MAXWELL, KURIHARA, KURIHARA, BARTLETT AND MURPHY **122**, 3911.
Stem cell factor
germ linesoma interactions during spermatogenesis: GONCZY AND DINARDO **122**, 2437.
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
long-term culture of avian embryonic stem cells: PAIN, CLARK, NAKAZAWA, SAKURAI, SAMARUT AND ETCHES **122**, 2339.
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
Sternal development
Hoxb-2 mutant mice: BARROW AND CAPECCHI **122**, 3817.
Steroid hormone receptor
SpCOUP-TF RNA localization in sea urchin eggs: VLAHOU, GONZALEZ-RIMBAU AND FLYTZANIS **122**, 521.
Steroid receptor gene
expression and function of *eagle* in *Drosophila*: HIGASHIJIMA, SHISHIDO, MATSUZAKI AND SAIGO?**22**, 527.
STF-1
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.
Stomata
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
Stonewall transcription factor
a transcription factor regulates oocyte differentiation: CLARK AND MCKEARIN **122**, 937.
Stromal cell line OP9
hematopoietic cell development in mice: KANATSU AND NISHIKAWA **122**, 823.
Strongylocentrotus purpuratus
CyIIIa gene *cis*-regulatory system: KIRCHHAMER AND DAVIDSON **122**, 333.
Superior cervical ganglion
c-ret and development of enteric and sympathetic neuroblasts: DURBEC, LARSSON-BLOMBERG, SCHUCHARDT, COSTANTINI AND PACHNIS **122**, 349.
Suppression
par-6 and asymmetry in early embryos: WATTS,

ETEMAD-MOGHADAM, GUO, BOYD, DRAPER, MELLO, PRIESS AND KEMPHUES **122**, 3133.
Suppressor of Hairless (Su(H))
LAG-1 and LIN-12/GLP-1 signaling: CHRISTENSEN, KODOYIANNI, BOSENBERG, FRIEDMAN AND KIMBLE **122**, 1373.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
regulation and function of the *Enhancer of split* bHLH genes: DE CELIS, DE CELIS, LIGOXYGAKIS, PREISS, DELIDAKIS AND BRAY **122**, 2719.
subcellular localization of Su(H): GHO, LECOURTOIS, GERAUD, POSAKONY AND SCHWEISGUTH **122**, 1673.
Surface tension
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.
Sympathetic neuron
BMPs affect adrenergic differentiation: REISSMANN, ERNSBERGER, FRANCIS-WEST, RUEGER, BRICKELL AND ROHRER **122**, 2079.
prenatal and postnatal requirements of NT-3 in the sympathetic system: ELSHAMY, LINNARSSON, LEE, JAENISCH AND ERNFORS **122**, 491.
subsets of enteric neuronal progenitors: BLAUGRUND, PHAM, TENNYSON, LO, SOMMER, ANDERSON AND GERSHON **122**, 309.
Synaptogenesis
agrin binding to dystroglycan and heparin: CAMPANELLI, GAYER AND SCHELLER **122**, 1663.
cyclic GMP and neuronal maturation: TRUMAN, DE VENTE AND BALL **122**, 3949.
hig protein in synaptic clefts: HOSHINO, SUZUKI, NABESHIMA AND HAMA **122**, 589.
Synaptic cleft
hig protein in synaptic clefts: HOSHINO, SUZUKI, NABESHIMA AND HAMA **122**, 589.
Synergy
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
Tail
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
Tammar wallaby
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
tangled-1
tan-1 alters cell division orientations: SMITH, HAKE AND SYLVESTER **122**, 481.
TARAM-A
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
Targeted misexpression
apoptosis in the *Drosophila* retina: REITER, SCHIMANSKY, NIE AND FISCHBACH **122**, 1931.
Targeted oncogenesis
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.
Tartrate
skeletal defects in mice lacking purple acid phosphatase: HAYMAN, JONES, BOYDE, FOSTER, COLLEDGE, CARLTON, EVANS AND COX 122, 3151.
Taste bud
taste buds develop without nerves: BARLOW, CHIEN AND NORTHCUTT **122**, 1103.
T-box
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
T-cadherin
T-cadherin is inhibitory to neurite outgrowth: FREDETTE, MILLER AND RANSCHT **122**, 3163.
T-cell maturation
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.
Telencephalon
Dentate gyrus formation requires *Emx2*: PELLEGRINI, MANSOURI, SIMEONE, BONCINELLI AND GRUSS **122**, 3893.
Teleost
zebrafish neural crest migration: JESUTHASAN **122**, 381.
Teliospore formation
fungal development in planta: BANUETT AND HERSKOWITZ **122**, 2965.
Telopodite
subdivision of arthropod limb: GONZALEZ-CRESPO AND MORATA **122**, 3921.
Temperature-sensitive mutation
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.
Temporal control
Endo16 cis-regulatory system: YUH AND DAVIDSON **122**, 1069.
Temporal regulation
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.
Tendon
expression and regulation of *Cek-8*: PATEL, NITTENBERG, D'SOUZA, IRVING, BURT, WILKINSON AND TICKLE **122**, 1147.
Terminal differentiation
patterns of LIN-29 accumulation: BETTINGER, LEE AND ROUGVIE **122**, 2517.
Terminal endbud
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
Testis
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
Kit^{W-42J} exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.
TGF-α
transmembrane HB-EGF-blastocyst adhesion: RAAB, KOVER, PARIA, DEY, EZZELL AND KLAGSBRUN **122**, 637.
TGF-β (Transforming growth factor β)
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
DPP signaling in *Drosophila* oogenesis: TWOMBLY, BLACKMAN, JIN, GRAFF, PADGETT AND GELBART **122**, 1555.
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
Mad functions in DPP responsive cells: NEWFELD, CHARTOFF, GRAFF, MELTON AND GELBART **122**, 2099.
role of TGFβs and BMPs in the developing autopod: GANAN, MACIAS, DUTERQUE-COQUILLAUD, ROS AND HURLE **122**, 2349.
signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
Thalamus
clones in the chick diencephalon: GOLDENEN AND CEPKO **122**, 65.
Thapsigargin
calcium influx in fertilised mature oocytes: MCGUINNESS, MORETON, JOHNSON AND BERRIDGE **122**, 2199.
thick veins
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
Thy-1
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.
Thymus
Pax1 and thymus development: WALLIN, EIBEL, NEUBUSER, WILTING, KOSEKI AND BALLING **122**, 23.
Thyroid-stimulating hormone
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.
Thyrotropin
intrinsic block in pituitary cell expansion: GAGE, ROLLER, SAUNDERS, SCARLETT AND CAMPER **122**, 151.
TIMP
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
tinman
Nkx2.5 initiates myocardial differention: CHEN AND FISHMAN **122**, 3809.
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.
Tip morphogenesis
G protein regulation of morphogenesis: HADWIGER, NATARAJAN AND FIRTEL **122**, 1215.
Tissue affinities
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.
Tissue polarity
molecular genetics of *inturned*: PARK, LIU, SHARP AND ADLER **122**, 961.
Tissue regression
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
Tissue remodelling
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
Tissue size
Dictyostelium aggregate size mutant: BROCK, BUCZYNSKI, SPANN, WOOD, CARDELLI AND GOMER **122**, 2569.
Tissue-specific transcription
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
Tissue specificity
NF-κB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.
Tissue spreading
tissue envelopment and surface tensions: FOTY, PFLEGER, FORGACS AND STEINBERG **122**, 1611.
Tooth cusp
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
Tooth development
control of inductive signaling by *Msx* genes: CHEN, BEI, WOO, SATOKATA AND MAAS **122**, 3035.
torso
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
Totipotent cells
germline-specific enhancer: YEOM, FUHRMANN, OVITT, BREHM, OHBO, GROSS, HUBNER AND SCHOLER **122**, 881.
tPA
mutant EGFR affects ES cell differentiation: WU AND ADAMSON **122**, 3331.
Trachea
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
DSRF regulates cytoplasmic outgrowth: GUILLEMIN, GROPPE, DUCKER, TREISMAN, HAFEN, AFFOLTER AND KRASNOW **122**, 1353.
spalt controls tracheal development: KUHNLEIN AND SCHUH **122**, 2215.
tracheal branching morphogenesis: SAMAKOVLIS,

HACOHEN, MANNING, SUTHERLAND, GUILLEMIN AND KRASNOW **122**, 1395.
tracheal tube fusion in *Drosophila*: SAMAKOVLIS, MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
Trachealess
salivary duct determination: KUO, JONES, ZHOU, PANZER, LARSON AND BECKENDORF **122**, 1909.
Transcription
DER induces *argos* transcription: GOLEMBO, SCHWEITZER, FREEMAN AND SHILO **122**, 223.
down-regulation of Bicoid by RTK: BELLAICHE, BANDYOPADHYAY, DESPLAN AND DOSTATNI **122**, 3499.
drifter regulation of *breathless*: ANDERSON, CERTEL, CERTEL, LEE, MONTELL AND JOHNSON **122**, 4169.
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.
even-skipped repression threshold: ARNOSTI, BAROLO, LEVINE AND SMALL **122**, 205.
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
regulation and function of the *Enhancer of split* bHLH genes: DE CELIS, DE CELIS, LIGOXYGAKIS, PREISS, DELIDAKIS AND BRAY **122**, 2719.
Transcription activation
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
Transcription control
*Krox-20*regulation in Schwann cells: MURPHY, TOPILKO, SCHNEIDER-MAUNOURY, SEITANIDOU, BARON-VAN EVERCOOREN AND CHARNAY **122**, 2847.
Transcription factor
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
C. elegans non-neuronal ectodermal cell fates: LABOUESSE, HARTWIEG AND HORVITZ **122**, 2579.
ewg function in flight muscles: DESIMONE, COELHO, ROY, VIJAYRAGHAVAN AND WHITE **122**, 31.
GATA-1 function in red blood cell differentiation: BRIEGEL, BARTUNEK, STENGL, LIM, BEUG, ENGEL AND ZENKE **122**, 3839.
NF-κB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.
pointed function in *Drosophila* oogenesis: MORIMOTO, JORDAN, TIETZE, BRITTON, O'NEILL AND RUOHOLA-BAKER **122**, 3745.
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.
Sox-3, an X-linked gene related to *Sry*: COLLIGNON, SOCKANATHAN, HACKER, COHEN-TANNOUDJI, NORRIS, RASTAN, STEVANOVIC, GOODFELLOW AND LOVELL-BADGE **122**, 509.
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
Transcriptional control
defective bones in *Krox-20*$^{-/-}$ mice: LEVI, TOPILKO, SCHNEIDER-MAUNOURY, LASAGNA, MANTERO, CANCEDDA AND CHARNAY **122**, 113.
Transcriptional inhibition
unequal cleavage in leech embryos: BISSEN AND SMITH **122**, 599.
Transcriptional regulation
HF-1 confers ventricular-specific expression: ROSS, NAVANKASATTUSAS, HARVEY AND CHIEN **122**, 1799.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
Transcriptional repressor
a conserved homeoprotein repression domain: SMITH AND JAYNES **122**, 3141.
Transdetermination
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
Transgenic misexpression
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.
Transgenic mouse
Bcl-2 controls spermatogonial apoptosis: FURUCHI, MASUKO, NISHIMUNE, OBINATA AND MATSUI **122**, 1703.
β-globin LCR confers embryonic *lacZ* gene expression: TEWARI, GILLEMANS, HARPER, WIJGERDE, ZAFARANA, DRABEK, GROSVELD AND PHILIPSEN **122**, 3991.
immortalization of pituitary lineages: ALARID, WINDLE, WHYTE AND MELLON **122**, 3319.
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.
Krox-20 directly regulates *Hoxa-*: NONCHEV, VESQUE, MACONOCHIE, SEITANIDOU, ARIZA-MCNAUGHTON, FRAIN, MARSHALL, SHAM, KRUMLAUF AND CHARNAY **122**, 543.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
Pax-binding sites and brain expression of an *Engrailed-2* transgene: SONG, CHALEPAKIS, GRUSS AND JOYNER **122**, 627.
Pax3 inhibits floor plate differentiation: TREMBLAY, PITUELLO AND GRUSS **122**, 2555.
peptide YY cells in the colon: UPCHURCH, FUNG, RINDI, RONCO AND LEITER **122**, 1157.
PKA represses ventral CNS development: EPSTEIN, MARTI, SCOTT AND MCMAHON **122**, 2885.
SM 22 promoter activity in transgenic mice: MOESSLER, MERICSKAY, LI, NAGL, PAULIN AND SMALL **122**, 2415.
surface GalTase and mammary development: HATHAWAY AND SHUR **122**, 2859.
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
Transgenics
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
NF-kB/Rel activity during mouse development: SCHMIDT-ULLRICH, MEMET, LILIENBAUM, FEUILLARD, RAPHAEL AND ISRAEL **122**, 2117.
Transition to flowering
Arabidopsis body plan: GRBIC AND BLEECKER **122**, 2395.
Translation
aub enhances *osk* mRNA translation: WILSON, CONNELL AND MACDONALD **122**, 1631.
ovo^{D} mutations create new isoforms: MEVEL-NINIO, FOUILLOUX, GUENAL AND VINCENT **122**, 4131.
Translational control
effects of mutations in maternal mRNA: LIEBERFARB, CHU, WREDEN, THEURKAUF, GERGEN AND STRICKLAND **122**, 579.
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.
Translational regulation
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.
Translocation
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
Transplantation
gonadal sex reversal in a wallaby: WHITWORTH, SHAW AND RENFREE **122**, 4057.
Trg
brachyenteron and gut development: SINGER, HARBECKE, KUSCH, REUTER AND LENGYEL **122**, 3707.
Tribolium
Tribolium patterning mutants: SULSTON AND ANDERSON **122**, 805.
Trichome
trichome spacing in *Arabidopsis*: LARKIN, YOUNG, PRIGGE AND MARKS **122**, 997.
Trigeminal ganglion
NT-3 in trigeminal ganglion formation: ELSHAMY AND ERNFORS **122**, 2405.
trithorax
E(z) protein distribution: CARRINGTON AND JONES **122**, 4073.
Trithorax group
E(z): Pc-G gene or trx-G Gene?: LAJEUNESSE AND SHEARN **122**, 2189.
Trithorax-like
GAGA gene in *Drosophila* development: BHAT, FARKAS, KARCH, GYURKOVICS, GAUSZ AND SCHEDL **122**, 1113.
Trk receptor tyrosine kinase
changes in dependence on Trk signalling: PINON, MINICHIELLO, KLEIN AND DAVIES **122**, 3255.
Trophoblast
allelic usage of *H19* in human trophoblasts: ADAM, CUI, MILLER, FLAM AND OHLSSON **122**, 839.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
thrombomodulin expression during embryogenesis: WEILER-GUETTLER, AIRD, RAYBURN, HUSAIN AND ROSENBERG **122**, 2271.
TRP2
pigmentation pattern formation of the mouse: YOSHIDA, KUNISADA, KUSAKABE, NISHIKAWA AND NISHIKAWA **122**, 1207.
Truncated FGF receptor
FGF signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.
trunk
number of activated torso receptors and gene expression: FURRIOLS, SPRENGER AND CASANOVA **122**, 2313.
Tube fusion
tracheal tube fusion in *Drosophila*: SAMAKOVLIS, MANNING, STENEBERG, HACOHEN, CANTERA AND KRASNOW **122**, 3531.
Tubulogenesis
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.
tracheal branching morphogenesis: SAMAKOVLIS, HACOHEN, MANNING, SUTHERLAND, GUILLEMIN AND KRASNOW **122**, 1395.
Tumor induction
fungal development in planta: BANUETT AND HERSKOWITZ **122**, 2965.
Tumor suppressor gene
Drosophila tumor suppressor gene and cell shape: MANFRUELLI, ARQUIER, HANRATTY AND SEMERIVA **122**, 2283.
Tunel
apoptosis in tooth development: VAAHTOKARI, ABERG AND THESLEFF **122**, 121.
Tympanic ring
formation of external acoustic meatus: MALLO AND GRIDLEY **122**, 173.
Tyrosine-kinase-independent function
intronic c-*kit* promoter active in spermatids: ALBANESI, GEREMIA, GIORGIO, DOLCI, SETTE AND ROSSI **122**, 1291.
Tyrosine phosphatase
PTP-NP receptor tyrosine phosphatase: CHIANG AND FLANAGAN **122**, 2239.
Tyrosine phosphorylation
effects of 6B4 proteoglycan on neurite outgrowth: MAEDA AND NODA **122**, 647.

U. maydis
fungal development in planta: BANUETT AND HERSKOWITZ **122**, 2965.
Ubiquitin
the role of *faf* in the fly eye: HUANG AND FISCHER-VIZE **122**, 3207.
Ubp
the role of *faf* in the fly eye: HUANG AND FISCHER-VIZE **122**, 3207.
Ultrabithorax
di-cistronic mRNA translation during development: HART AND BIENZ **122**, 747.
pattern formation in a polyembryonic wasp: GRBIC, NAGY, CARROLL AND STRAND **122**, 795.
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
structure of the insect head: ROGERS AND KAUFMAN **122**, 3419.
***unc-52* gene**
C. elegans mec-8 gene: LUNDQUIST, HERMAN, ROGALSKI, MULLEN, MOERMAN AND SHAW **122**, 1601.
Uniparental duplication
paternal duplication of distal chromome 7 in mice: MCLAUGHLIN, SZABO, HAEGEL AND MANN **122**, 265.
Ureteric bud
renal agenesis and hypodysplasia in *ret-k*$^{-}$ mice: SCHUCHARDT, D'AGATI, PACHNIS AND COSTANTINI **122**, 1919.
Urokinase
two pathways of mammary involution: LUND, ROMER, THOMASSET, SOLBERG, PYKE, BISSELL, DANO AND WERB **122**, 181.
ush-group
amnioserosa cell death in ush-group mutants: FRANK AND RUSHLOW **122**, 1343.
Uterus
infertility in *Hoxa-10* mutant females: BENSON, LIM, PARIA, SATOKATA, DEY AND MAAS **122**, 2687.
MMP function during murine implantation: ALEXANDER, HANSELL, BEHRENDTSEN, FLANNERY, KISHNANI, HAWKES AND WERB **122**, 1723.
3'UTR
translational control of *nanos* RNA: GAVIS, LUNSFORD, BERGSTEN AND LEHMANN **122**, 2791.
***vab-8* gene**
directed axon outgrowth and cell migration: WIGHTMAN, CLARK, TASKAR, FORRESTER, MARICQ, BARGMANN AND GARRIGA **122**, 671.
valentino
hindbrain segmentation in *valentino* mutants: MOENS, YAN, APPEL, FORCE AND KIMMEL **122**, 3981.
Vascular patterning
auxin transport gene in *Arabidopsis*: CARLAND AND MCHALE **122**, 1811.
Vascular regression
mechanism of programmed capillary regression: MEESON, PALMER, CALFON AND LANG **122**, 3929.
Vascular system
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
Vegetal cortex
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
Vegetal plate
Endo16 cis-regulatory system: YUH AND DAVIDSON **122**, 1069.
fate map of the sea urchin vegetal plate: RUFFINS AND ETTENSOHN **122**, 253.
Vegetative cell
Arabidopsis sidecar pollen: CHEN AND MCCORMICK **122**, 3243.
VEGF-C receptor
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
VEGFR-3
VEGF-C in mouse embryos: KUKK, LYMBOUSSAKI, TAIRA, KAIPAINEN, JELTSCH, JOUKOV AND ALITALO **122**, 3829.
VegT
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
Vein-intervein fate
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.
Ventral ectoderm
Xenopus cement gland induction: BRADLEY, WAINSTOCK AND SIVE **122**, 2739.
ventral nervous system defective
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
Ventralization
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
Vertebral cartilage formation
BMP and *Msx* genes in vertebra development: MONSORO-BURQ, DUPREZ, WATANABE, BONTOUX, VINCENT, BRICKELL AND LE DOUARIN **122**, 3607.
Vertebrate head
rhombomeric neural crest fate map: KONTGES AND LUMSDEN **122**, 3229.
Vestibulocochlear
vestibular deficits in *bdnf*$^{-/-}$ mice: BIANCHI, CONOVER, FRITZSCH, DECHIARA, LINDSAY AND YANCOPOULOS **122**, 1965.
vestigial
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
Vibrissa follicle
hair follicle induction: REYNOLDS AND JAHODA **122**, 3085.
Vitamin A
retinoic acid in retinal development: GRONDONA, KASTNER, GANSMULLER, DECIMO, CHAMBON AND MARK **122**, 2173.
Vulva
reversal of vulval development: AMBROS AND EULING **122**, 2507.
Vulval induction
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.
***W* locus**
gene replacement at the Kit locus: BERNEX, DE SEPULVEDA, KRESS, ELBAZ, DELOUIS AND PANTHIER **122**, 3023.
WAP-Bcl-2
TEB apoptosis and ductal morphogenesis: HUMPHREYS, KRAJEWSKA, KRNACIK, JAEGER, WEIHER, KRAJEWSKI, REED AND ROSEN **122**, 4013.
Wing
DSRF is required for intervein formation: MONTAGNE, GROPPE, GUILLEMIN, KRASNOW, GEHRING AND AFFOLTER **122**, 2589.
Notch activation and function in *Drosophila* wing imaginal disc: DE CELIS, GARCIA-BELLIDO AND BRAY **122**, 359.
overlapping activity of zinc finger proteins: FUSE, HIROSE AND HAYASHI **122**, 1059.
Wing hair development
molecular genetics of *inturned*: PARK, LIU, SHARP AND ADLER **122**, 961.
Wing imaginal disc
di-cistronic mRNA translation during development: HART AND BIENZ **122**, 747.
Wing morphogenesis
PS integrins and wing morphogenesis: BRABANT, FRISTROM, BUNCH AND BROWER **122**, 3307.
Wing vein development
Drosophila wing vein development: YU, STURTEVANT, BIEHS, FRANCOIS, PADGETT, BLACKMAN AND BIER **122**, 4033.
Winged helix
winged helix genes in mesoderm: KAESTNER, BLECKMANN, MONAGHAN, SCHLONDORFF, MINCHEVA, LICHTER AND SCHUTZ **122**, 1751.
wingless
adult head development in *Drosophila*: ROYET AND FINKELSTEIN **122**, 1849.
hedgehog and *wingless* in dorsal patterning: BOKOR AND DINARDO **122**, 1083.
hh -dependent post-S1 neuroblast formation: MATSUZAKI AND SAIGO?**22**, 3567.
IGF, insulin and FGF in limb outgrowth: DEALY AND KOSHER **122**, 1323.
long- and short-range patterning along the wing D/V axis: NEUMANN AND COHEN **122**, 3477.
Mad and eye development: WIERSDORFF, LECUIT, COHEN AND MLODZIK **122**, 2153.
mitogenic effect of *wingless:* NEUMANN AND COHEN **122**, 1781.
patched, *gooseberry* and *wingless* interactions during neurogenesis: BHAT **122**, 2921.
segment polarity genes in oogenesis: FORBES, SPRADLING, INGHAM AND LIN **122**, 3283.
segmental patterning by Wingless: LAWRENCE, SANSON AND VINCENT **122**, 4095.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
WG and DPP regulation: THEISEN, HAERRY, O'CONNOR AND MARSH **122**, 3939.
wg signalling in the *Drosophila* midgut: YU, HOPPLER, ERESH AND BIENZ **122**, 849.
wingless in disc cell determination: JOHNSTON AND SCHUBIGER **122**, 3519.
wingless signaling in the fly eye and embryo: CADIGAN AND NUSSE **122**, 2801.
Wnt
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
mitogenic effect of *wingless:* NEUMANN AND COHEN **122**, 1781.
Wnt-11 in kidney development: KISPERT, VAINIO, SHEN, ROWITCH AND MCMAHON **122**, 3627.
Wnt gene
culture system for metanephric mesenchyme: KARAVANOVA, DOVE, RESAU AND PERANTONI **122**, 4159.
Wnt2
role of *Bmp4* in lung development: BELLUSCI, HENDERSON, WINNIER, OIKAWA AND HOGAN **122**, 1693.
Wnt2 is required for placenta development: MONKLEY, DELANEY, PENNISI, CHRISTIANSEN AND WAINWRIGHT **122**, 3343.
Wnt-7a
asymmetry in limb bud initiation: ROS, LOPEZ-MARTINEZ, SIMANDL, RODRIGUEZ, IZPISUA BELMONTE, DAHN AND FALLON 122, 2319.
molecular analysis of *limbless* mutant limb buds: GRIESHAMMER, MINOWADA, PISENTI, ABBOTT AND MARTIN **122**, 3851.
WUSCHEL
shoot and floral meristem development: LAUX, MAYER, BERGER AND JURGENS **122**, 87.
X chromosome
dosage compensation in embryogenesis: FRANKE, DERNBURG, BASHAW AND BAKER **122**, 2751.
X-inactivation
a de novo methyltransferase in ES cells: LEI, OH, OKANO, JUTTERMANN, GOSS, JAENISCH AND LI **122**, 3195.
X-rays
fca cell fate and cell autonomy: FURNER, AINSCOUGH, PUMFREY AND PETTY **122**, 1041.
XASH-3
primary neuron induction in *Xenopus*: CHITNIS AND KINTNER **122**, 2295.
Xbra
PI cycle modulation of mesoderm induction: AULT,

DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
Xcad3
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
Xcat-2
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.
Xenopus laevis
a vegetal T-box transcription factor: ZHANG AND KING **122**, 4119.
activin responsive element: WEBER, HOLEWA, JONES AND RYFFEL **122**, 1975.
axis formation by Xnr1 and noggin: LUSTIG, KROLL, SUN, RAMOS, ELMENDORF AND KIRSCHNER **122**, 3275.
behavior of dorsal determinants: KIKKAWA, TAKANO AND SHINAGAWA **122**, 3687.
blastopore lip induction by *Xombi*: LUSTIG, KROLL, SUN AND KIRSCHNER **122**, 4001.
cement gland induction: BRADLEY, WAINSTOCK AND SIVE **122**, 2739.
characterisation of *Antipodean* in *Xenopus*: STENNARD, CARNAC AND GURDON **122**, 4179.
confocal analysis of cortical rotation: LARABELL, ROWNING, WELLS, WU AND GERHART **122**, 1281.
dorsal determinants in the vegetal pole: SAKAI **122**, 2207.
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Drosophila goosecoid gene: GORIELY, STELLA, COFFINIER, KESSLER, MAILHOS, DESSAIN AND DESPLAN **122**, 1641.
eFGF regulates Hox genes: POWNALL, TUCKER, SLACK AND ISAACS **122**, 3881.
FGF signaling requirements in transgenic *Xenopus*: KROLL AND AMAYA **122**, 3173.
FGF signalling in neural induction: LAUNAY, FROMENTOUX, SHI AND BOUCAUT **122**, 869.
green fluorescent protein for *Xenopus*: ZERNICKA-GOETZ, PINES, RYAN, SIEMERING, HASELOFF AND EVANS **122**, 3719.
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
integrin α6 function in neural development: LALLIER, WHITTAKER AND DESIMONE **122**, 2539.
mel-18 in axial skeleton development: JONES, DALE, HOGAN, WRIGHT AND SMITH **122**, 1545.
mitochondrial cloud mRNA localization: ZHOU AND KING **122**, 2947.
mothers against dpp: THOMSEN **122**, 2359.
neuronal differentiation in *Xenopus* neuroectoderm: PAPALOPULU AND KINTNER **122**, 3409.
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.
PI cycle modulation of mesoderm induction: AULT, DURMOWICZ, GALIONE, HARGER AND BUSA **122**, 2033.
regulation of integrin adhesion in *Xenopus*: RAMOS, WHITTAKER AND DESIMONE **122**, 2873.
role of β-catenin in *Xenopus*: WYLIE, KOFRON, PAYNE, ANDERSON, HOSOBUCHI, JOSEPH AND HEASMAN **122**, 2987.
TGF-β signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
Vox and dorsal-ventral patterning: SCHMIDT, VON DASSOW AND KIMELMAN **122**, 1711.
Xom mediates BMP-4 signalling in *Xenopus*: LADHER, MOHUN, SMITH AND SNAPE **122**, 2385.
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.
Xlhbox-8
TGF-β signals and a prepattern in *Xenopus laevis*: HENRY, BRIVANLOU, KESSLER, HEMMATI-BRIVANLOU AND MELTON **122**, 1007.
XlHbox8
role of *pdx-1* in pancreatic development: OFFIELD, JETTON, LABOSKY, RAY, STEIN, MAGNUSON, HOGAN AND WRIGHT **122**, 983.
XNkx-2.5
overexpression of *tinman*-related genes in *Xenopus* embryos: CLEAVER, PATTERSON AND KRIEG **122**, 3549.
Xnot
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
Xnr-3
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Xom
Xom mediates BMP-4 signalling in *Xenopus*: LADHER, MOHUN, SMITH AND SNAPE **122**, 2385.
Xvent-2
Xvent-2 and dorsoventral mesoderm patterning: ONICHTCHOUK, GAWANTKA, DOSCH, DELIUS, HIRSCHFELD, BLUMENSTOCK AND NIEHRS **122**, 3045.
Xwnt-8
dorsalisation by *Siamois*-expressing animal caps: CARNAC, KODJABACHIAN, GURDON AND LEMAIRE **122**, 3055.
Y chromosome
Kit^{W-42J} exacerbates XY^{DOM} sex reversal: NAGAMINE AND CARLISLE **122**, 3597.
Yan
DER induces *pointedP1* transcription: GABAY, SCHOLZ, GOLEMBO, KLAES, SHILO AND KLAMBT **122**, 3355.
Zebrafish
cranial neural crest mutant in zebrafish: SCHILLING, WALKER AND KIMMEL **122**, 1417.
dorsal marginal region cell fates: MELBY, WARGA AND KIMMEL **122**, 2225.
expression of *MyoD* in the zebrafish embryo: WEINBERG, ALLENDE, KELLY, ABDELHAMID, MURAKAMI, ANDERMANN, DOERRE, GRUNWALD AND RIGGLEMAN **122**, 271.
fish head organiser induction: RENUCCI, LEMARCHANDEL AND ROSA **122**, 3735.
hindbrain segmentation in *valentino* mutants: MOENS, YAN, APPEL, FORCE AND KIMMEL **122**, 3981.
inhibition of *Xenopus Brachyury* function: CONLON, SEDGWICK, WESTON AND SMITH **122**, 2427.
microsurgical analysis of zebrafish organizer at the early-shield stage: SHIH AND FRASER **122**, 1313.
muscle fiber type development in vivo: DEVOTO, MELANCON, EISEN AND WESTERFIELD **122**, 3371.
neural induction in zebrafish explants: SAGERSTROM, GRINBLAT AND SIVE **122**, 1873.
Nkx2.5 initiates myocardial differention: CHEN AND FISHMAN **122**, 3809.
pair-rule expression of a zebrafish gene: MULLER, WEIZSACKER AND CAMPOS-ORTEGA **122**, 2071.
patched and *shh* signalling in zebrafish: CONCORDET, LEWIS, MOORE, GOODRICH, JOHNSON, SCOTT AND INGHAM **122**, 2835.
retinoic acid ventralizes the retina: HYATT, SCHMITT, MARSH-ARMSTRONG, MCCAFFERY, DRAGER AND DOWLING **122**, 195.
zebrafish neural crest migration: JESUTHASAN **122**, 381.
zp-50 and zebrafish brain patterning: HAUPTMANN AND GERSTER **122**, 1769.
zeste
redundant control of *Ubx* by *zeste*: LANEY AND BIGGIN **122**, 2303.
Zinc finger
Drosophila Scm gene product: BORNEMANN, MILLER AND SIMON **122**, 1621.
RU49 and granule cell specification: YANG, ZHONG AND HEINTZ **122**, 555.
ZO-1
lin-2 and *C. elegans* vulval induction: HOSKINS, HAJNAL, HARP AND KIM **122**, 97.
Zona-free oocytes
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
Zona pellucida
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
Zone of polarizing activity
retinoid signaling in chick limb bud: HELMS, KIM, EICHELE AND THALLER **122**, 1385.
ZP3 sperm receptor
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
***Zp3* null mutant mice**
homozygous *Zp3* mutation: RANKIN, FAMILARI, LEE, GINSBERG, DWYER, BLANCHETTE-MACKIE, DRAGO, WESTPHAL AND DEAN **122**, 2903.
Zygotic gene
HE gene expression along the AV axis: GHIGLIONE, EMILY-FENOUIL, CHANG AND GACHE **122**, 3067.